FISKARS® PRC

HENARS


9

0


The
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameterThe
parameter



The fixing catalog







Contents

<mark>6</mark>	Saws
7	Handsaws
10	Utility Knives
13	Snap-Off Knives
14	Replacement Blades
16	PowerGear [™]
17	Aviation Snips
19	Bolt Cutters
20	Plastic Pipe Cutters

<mark>22</mark> 23 PowerArc[™] Shears & Snips

IsoCore® Sledge Hammers Club Hammers Mauls & Picks **24** 25 28 29 31 34 36 Hammers Lightweight Hammers Demolition Tools

Over 370 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

Relentless

Working hard is in your DNA. Which is why every day, you go out there and dig. Pry. Strike. And demolish. Your work is rigorous. Relentless. And unforgiving. And at the end of the day, you hurt. We feel your pain.

Truth is, there are plenty of tools out there that "get the job done." But how many of them can also say they work for you?

We can.

We work tirelessly to design tools that not only perform and last, but reduce negative impact on your body. It's called Advanced Human Engineering and it's a process of study, design and validation that puts you at the center of it all. It's ruthless. But at the end of the day, it solves problems. Real problems for real people. And that is the heart of our design DNA.

Fixing tools

CarbonMax[™] Knives Blades that stay sharp 24x longer than the competition.

PowerGear® Aviation Snips Make tough jobs dramatically easier with leverage-enhancing tools.

PowerGear[®] Bolt Cutters Makes cuts up to 30% easier, especially at the beginning of the cut where more force is required.

PowerArc[™] Heavy Duty Shears Make cutting easier, especially at the toughest part of the cut.

IsoCore[®] Demolition Tools Take on extreme projects with the industry's best shock control system.

POWER TOOTH® Saws Cut faster, straighter, closer & safer.







Fiskars[®] **Pro technologies**







POWER TOOTH® Saws



Saws

TrueT	ensio	n [™] Ha	cksaw					Model	730600	Item no.	730600-1001	UPC	
Width	7.25 in	Height	16.25 in	Length	1.60 in	Weight	1.85 lbs	Case pack	< 18	MSRP	\$44.99	റ്	6 116 18 60089 8
											ension™ provide ation-free blade		fidence in tensioning for
										Quick		metal	, plastic, PVC, conduit, copp
											-		nd easier with no loose parts
POW	ER TO	OTH®	Pull Sa	aw (10	D")			Model	730510	Item no.	730510-1001	~	
Width	6.00 in	Height	24.25 in	Length	1.10 in	Weight	0.70 lbs	Case pack	< 18	MSRP	\$44.99	UPC	6 11618 60093 5
				1		1		1			ER TOOTH® bla ened teeth for lo		s triple-ground, induction-
		FERCINE (EIII)								• Optir	nized, 13 TPI b	0	offers precision and control
		and a second second second			•	,				• Secu	r woods re folding mech	anism	prevents accidental
										deplo	pyment when no	ot in us	e
POW	ER TO	OTH®	Unive	rsal H	andsa	w (22'	")	Model	730720	Item no.	730720-1001	c	
Vidth	7.00 in	Height	26.50 in	Length	1.60 in	Weight	1.30 lbs	Case pack	< 18	MSRP	\$40.99	UPC	6 11618 60088 1
													s triple-ground, induction-
			F	ISKARS	PRO					 Rapio 	ened teeth for lo dStart™ blade te	chnolo	oav offers 40% more teeth n
		unamentan numari	nianananananananananananananananananana		1		V				-		nd virtually no binding f blade for forceful, smooth
										cuts	through all type	s of w	bod
POW	ER TO	OTH®	Unive	rsal H	and Sa	aw (20)")	Model	730710	Item no.	730710-1001	c	
Vidth	7.00 in	Height	24.63 in	Length	24.63 in	Weight	1.29 lbs	Case pack	< 18	MSRP	\$38.99	UPC	6 11618 60087 4
			FISKAR		and the second second	-							s triple-ground, induction-
110		The output	HSKAR							 Rapid 	dStart™ blade te	chnolo	ogy offers 40% more teeth n nd virtually no binding
				and the second second second						• 9 TPI	on middle and	heel o	f blade for forceful, smooth
										cuts	through all type	s of w	bod
POW	ER TO	OTH®	Unive	rsal H	and Sa	aw (15	5")	Model	730700	Item no.	730700-1001	с	
Nidth	7.00 in		19.63 in			-	1.17 lbs	Case pack	< 18	MSRP	\$34.99	UPC	6 11618 60086 7
		1				1		1					s triple-ground, induction-
		FISKAF	RS PRO	9						 Rapio 	ened teeth for lo dStart™ blade te	chnolo	oav offers 40% more teeth n
			-							the ti	o for greater co	ntrol a	nd virtually no binding
-		10000000			U						-		f blade for forceful, smooth

POW	ER TO	OTH®	Foldin	g Deta	ail Pull	Saw	(6")	Model	730500	ltem no.	730500-1001	ç
Width	5.00 in	Height	16.25 in	Length	1.10 in	Weight	0.45 lbs	Case pack	18	MSRP	\$32.99	റ്





- POWER TOOTH® blade has triple-ground, inductionhardened teeth for long-lasting sharpness
- Fine-finish, 19 TPI blade offers excellent accuracy and control for detailed, clean cuts
- Secure folding mechanism prevents accidental deployment when not in use

POWER TOOTH [®] Compact Utility Saw (6")									730400	ltem no.	730400-1001	ç
Width	5.00 in	Height	13.25 in	Length	1.10 in	Weight	0.51 lbs	Case pac	k 18	MSRP	\$34.99	ň





- POWER TOOTH[®] blade has triple-ground, inductionhardened teeth for long-lasting sharpness
- One-handed, flip-open design for fast blade deployment
 SoftGrip[™] touchpoints feature innovative texturing for a slip-free hold


POWER TOOTH [®] Jab Saw with Sheath								Model	730100	ltem no.	730100-1001	ç	6 11618 60090
Width	6.00 in	Height	13.25 in	Length	1.50 in	Weight	0.4 lbs	Case pac	k 18	MSRP	\$22.99	റ്	6 11618 60090



- POWER TOOTH[®] blade has triple-ground, inductionhardened teeth for long-lasting sharpness
- Ultra-sharp tip for piercing quick starts on drywall
- Snaps into sheath for a secure fit



CarbonMax[™] Utility Knives



Utility Knives





Model 770060	ltem no.	770060-1001	ę	
Case pack 18	MSRP	\$42.99	റ്	6 11618 60013 3

- 2-in-1 tool with a standard blade and a jab saw
- Both blades deploy from same end for safety and ease
- Reinforced metal end provides reliable resistance against pounding and drops

Model 77005	60	ltem no.	770050-1001	Ę	
Case pack 1	8	MSRP	\$42.99	ñ	6 11618 60012 6

- Features a 5-gallon bucket opener
- Includes #1 size flathead screwdriver bit
- Reinforced metal end provides reliable resistance against pounding and drops

Model 77008	0	ltem no.	770080-1001	ę	6 11618 ¹⁶ 60084 ¹ 3
Case pack 1	8	MSRP	\$31.99	റ്	6 11618 60084 3

- Tool-free access to blades and on-board blade dispenser
- Hooked handle end provides stability and control
- Hard sheath with belt clip included

Model 770070	Item no.	770070-1001	ç	6 11618 ¹ 60082 9
Case pack 18	MSRP	\$33.99	റ്	6 11618 60082 9

- CarbonMax[™] utility blade lasts 24x longer than standard blades
- Auto-retracting blade is nearly impossible to misuse for ultimate saftety
- All-metal construction for lasting durability

Model	770020	Item no.	770020-1001	Ę	6 11618 60009 6
Case pack	< 18	MSRP	\$29.99	റ്	6 11618 60009 6

- Side-blade switch action prevents accidental blade retraction
- Knife hinges open for easy blade changes with no loose parts
- Five blade storage capacity

Fixed Utility Knife								Model	770010	Item no.	770010-1001	ç	6 11618 ¹¹ 60008
Width	4.25 in	Height	10.25 in	Length	1.13 in	Weight	0.51 lbs	Case pac	k 18	MSRP	\$26.99	õ	6 11618 60008
										Reinf	orced metal en	d prov	ides reliable resistance aq



- resistance against pounding and drops
- Knife hinges open for easy blade changes with no loose parts
- Five blade storage capacity

Snap-off Knives



Foldi	Folding Utility Knife							Model	770030	Item no.	770030-1001	Ę	
Width	4.38 in	Height	7.38 in	Length	1.13 in	Weight	0.44 lbs	Case pac	ck 18	MSRP	\$26.99	Õ	6 11618 60010 2



- Features dual-locking system to prevent accidental blade release
- One-handed, flip-open design for fast blade deployment Reinforced metal end provides reliable resistance against pounding and drops

18mn	18mm Snap-off Knife								770210	Item no.	770210-1001	⊆	
Width	4.38 in	Height	10.25 in	Length	1.00 in	Weight	0.41 lbs	Case pac	k 18	MSRP	\$26.99	ဂီ	6 11618 60014 0
-		FISKA	RS' PRO		a de ser este						enient, front-loa parts	ading	blade changes with no
A				101		- (C)				 Integration 	rated segment natically captur	snapp es use	er safely snaps and ed blades

Comp	bact F	olding	Knife					Model	770040	Item no.	770040-1001	ç	6 11618 ¹ 60011 9
Width	4.25 in	Height	7.25 in	Length	0.84 in	Weight	0.33 lbs	Case pac	k 18	MSRP	\$23.99	റ്	6 11618 60011 9



- CarbonMax[™] utility blade lasts 24x longer than standard blades
- One-handed, flip-open design for fast blade deployment
- All-metal construction for lasting durability

	Model 770	0220	ltem no.	770220-1001	ç	
	Case pack	18	MSRP	\$29.99	UPC	6 11618 60015 7
			 Conve loose 	,	ading I	plade changes with no
/	7		 Integration 	ated segment a natically captur	snapp es use	er safely snaps and d blades
7				prced metal end ding and drops		ides reliable resistance against

- - atically captures used blades
 - Reinforced metal end provides reliable resistance against pounding and drops

Replacement Blades

CarbonMax [™]	Utility Kni	ife Bla	des 20	Pack w	ith Stor	age	Model	771060	ltem no.	771060-1001	ç
Width 4.25 in	Height	7.00 in	Length	0.61 in	Weight	.26 lbs	Case pack	< 36	MSRP	\$30.99	റ്





- Unique, edge-retention coating
- Stays sharp up to 24x longer than standard utility blades
- Compatible with all standard-sized utility knives

Carbo	onMax"	" 25 mn	n Snap	-Off Kr	nife Bla	des 5	Pack	Model	771050	Item no.	771050-1001	UPC
Width	3.00 in	Height	8.50 in	Length	0.19 in	Weight	0.20 lbs	Case pack	36	MSRP	\$26.99	റ്





- Unique, edge-retention coating
- Stays sharp up to 24x longer than standard utility blades
- Compatible with most 25 mm utility knives


Carbo	onMax"	[™] 18mr	n Snap∙	-Off Kr	ife Bla	des 5	Pack	Model	771040	Item no.	771040-1001	ç	6 11618 60038 <i>e</i>
Width	1.88 in	Height	7.00 in	Length	0.21 in	Weight	0.08 lbs	Case pack	< 36	MSRP	\$18.99	റ്	، 11618 60038 ،



- Unique, edge-retention coating
- Stays sharp up to 24x longer than standard utility blades
- Compatible with most 18 mm utility knives

Carbo	nMax™∣	Utility k	Knife Bla	des 10	Pack w	ith Sto	rage	Model	771020	ltem no.	771020-1001	ç
Width	3.00 in	Height	6.50 in	Length	0.63 in	Weight	0.14 lbs	Case pack	36	MSRP	\$17.99	UPC






- Unique, edge-retention coating
- Stays sharp up to 24x longer than standard utility blades
- Compatible with all standard-sized utility knives

Carbo	onMax	t™ Utili	ity Kni	fe Bla	des 5 I	Pack		Model	771010	Item no.	771010-1001	ç	6 11618 60026 ¹ 3
Width	1.88 in	Height	5.88 in	Length	0.25 in	Weight	0.05 lbs	Case pac	k 36	MSRP	\$13.99	റ്	6 11618 60026 3



- Unique, edge-retention coating
- Stays sharp up to 24x longer than standard utility blades
- Compatible with all standard-sized utility knives



PowerGear® **Aviation Snips**

Utilize more of your strength

Patented PowerGear® technology gives you over 40% more power, making it easier to cut sheet metal, especially at the beginning of the cut where more force is required.

Optimized handle span



Aviation Snips



PowerGear [®] Aviation Snips (Offset Left Cut)



Width

Model 710660	Item no.	710660-1001	ç	5 11618 7 1066 5
Case pack 18	MSRP	\$71.99	РС	6 11618 71066 5

- Ideal for a range of metals including sheet metal, ductwork, gutters, steel or copper roofing and more
- PowerGear® technology with leverage-enhancing gears to optimize power
- · Investment-cast, heat-treated steel for long life and durability

Model 7	10690	ltem no.	710690-1001	Ę	6 11618-60076 8
Case pack	18	MSRP	\$36.99	റ്	6 11618 60076 8

- Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear® technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Model 710700	Item no.	710700-1002	ç	6 11618 60077 5
Case pack 18	MSRP	\$36.99	റ്	6 11618 60077 5

- · Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear[®] technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Model 71	10630	ltem no.	710630-1002	ç	6 11618 71063 4
Case pack	18	MSRP	\$36.99	റ്	6 11618 71063 4

- · Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear® technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

	Model 7106	40	Item no.	710640-1002	ç	6 11618 71064 1
1	Case pack	18	MSRP	\$36.99	റ്	6 11618 71064 1

- · Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear® technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Powe	erGear	[®] Avia	ation S	nips (E	Bulldog	g Cut)		Model	710650	Item no.	710650-1002	⊆	
Width	3.88 in	Height	11.50 in	Length	0.90 in	Weight	0.90 lbs	Case pac	k 18	MSRP	\$36.99	ဂီ	6 11618 71065 8
										 Ideal meta 	for cutting she I studs, soffit, fa	et met ascia, :	al, duct work, drywall corner, siding, gutters and drip edge
											erGear [®] techno nize power	logy w	ith leverage-enhancing gears
	2			All and a second second							Action [™] handle ing and reduce control	with S d fatig	oftGrip [®] for spring-assisted ue as well as comfort

- ər, ge
- ars to
- he reduced fatigue as well as comfor and control

Powe	erGear	[®] Avia	tion Sr	nips (S	Straigh	t Cut)		Model	710600	ltem no.	710600-1002	ç	
Width	3.88 in	Height	11.94 in	Length	0.90 in	Weight	1.00 lbs	Case pac	k 18	MSRP	\$31.99	Š	₆ الا



- Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear[®] technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Powe	PowerGear [®] Aviation Snips (Right Cut)								710610	Item no.	710610-1002	ç	
Width	388 in	Height	11.94 in	Length	0.90 in	Weight	1.00 lbs	Case pack	< 18	MSRP	\$31.99	റ്	6



- Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear[®] technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

PowerGear [®] Aviation Snips (Left Cut)								Model	710620	Item no.	710620-1002	ç	6 11618
Width	3.88 in	Height	11.94 in	Length	0.90 in	Weight	1.00 lbs	Case pack	< 18	MSRP	\$31.99	ဂိ	6 11618



- Ideal for cutting sheet metal, duct work, drywall corner, metal studs, soffit, fascia, siding, gutters and drip edge
- PowerGear[®] technology with leverage-enhancing gears to optimize power
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Bolt Cutters



Powe	erGear	[®] Bolt	Cutter	r (30")				Model	740320	Item no.	740320-1002	Ę	
Width	10.75 in	Height	29.50 in	Length	2.10 in	Weight	9.80 lbs	Case pac	k 2	MSRP	\$182.99	PC	6 11618 74032 ¹ 7
										Powe for 30	rGear® technol % more power	ogy bo when	basts leverage-enhancing gears cutting hardened rod
				200						 Adjus maint 	table eccentric ain cut perform	bolts ance	allow jaw optimization to
	y and		PowerGear	c						Forge	d, heat-treated	blade	s stay sharp through heavy use

Powe	erGear	[®] Bolt	Cutte	r (2 4")				Model	740310	Item no.	740310-1002	ç	
Width	8.63 in	Height	23.75 in	Length	1.63 in	Weight	5.50 lbs	Case pac	k 6	MSRP	\$125.99	റ്	6 11618 74031 0



Powe	erGear	[®] Bolt	Cutter	r (14")				Model	740300	Item no.	740300-1002	ç	6 11618 74030 ¹ 3
Width	5.75 in	Height	13.75 in	Length	1.63 in	Weight	2.40 lbs	Case pac	k 6	MSRP	\$70.99	റ്	6 11618 74030 ₃
	Width 5.75 in Height 13.75 in Length 1.63 in Weight 2.40									for 30	0% more power	when	basts leverage-enhancing gears cutting hardened rod



Model 740330	ltem no.	740330-1002	ç	
Case pack 2	MSRP	\$279.99	റ്	6 11618 74033 4

- PowerGear[®] technology boasts leverage-enhancing gears for 30% more power when cutting hardened rod
- Adjustable eccentric bolts allow jaw optimization to maintain cut performance over time
- Forged, heat-treated blades stay sharp through heavy use

- PowerGear[®] technology boasts leverage-enhancing gears for 30% more power when cutting hardened rod
- Adjustable eccentric bolts allow jaw optimization to maintain cut performance over time
- Forged, heat-treated blades stay sharp through heavy use

- rs
- Adjustable eccentric bolts allow jaw optimization to maintain cut performance over time
- Forged, heat-treated blades stay sharp through heavy use

Powe	PowerGear® Plastic Pipe Cutter Width 1.00 in Height 12.38 in Length 5.38 in Weight 0.80								74010	0 Ite	em no.	740100-1002	⊆	
Width			0.80 lbs	Case pac	k 1	B M	ISRP	\$68.99	ဂီ	6 11618 74010 5				
														casts leverage-enhancing g cutting PVC, CPVC and P\
			- ///							•	Repla	aceable stainles	ss stee	I blades won't rust and are

- ig gears d PVX are
- polished to reduce friction
- EasyAction[™] handle with SoftGrip[®] for spring-assisted opening and reduced fatigue as well as comfort and control

Plast	Plastic Pipe Cutter Replacement Blade								710000	Item no.	710000-1002	ç	
Width	3.00 in	Height	8.25 in	Length	1.00 in	Weight	0.10 lbs	Case pac	k 72	MSRP	\$14.99	റ്	





Replacement kit for Fiskars[®] Pro PowerGear[®] Plastic Pipe Cutter



PowerArcTM Shears & Snips

Intelligent mechanics

Patent-pending technology features curved blades for up to 30 % more power.

Extra-thick stainles el blades powe through thick

Bigger loops timised for larg

loved hands

Patent-pending technolog boasts intelligently curved tering blades for

Blade tangs extend into handle for improved leverage and strength

PowerArc[™] MORE POWER

Shears & Snips

Powe	owerArc [™] Easy Action Shears (10")							Model	710160	Item no.	710160-1002	⊆	
Width	4.88 in	Height	12.50 in	Length	0.90 in	Weight	0.60 lbs	Case pac	k 18	MSRP	\$44.99	UPC	ه 11618 71016 م
			•							Heave Powe	y duty, rust resi erArc [™] technolo	stant, gy for	stainless steel blades with 30% more power on tough cuts
	0		- 5	1							ted blade and e control	extenc	led blade tang improve strength
)							g-assisted har r leverage	ndle fe	eatures open-top loop for
Powe	erArc™	Shea	rs (10")				Model	710150	ltem no.	710150-1002	UPC	
Width	3.90 in	Height	11.75 in	Length	1.30 in	Weight	0.50 lbs	Case pac	k 18	MSRP	\$38.99	റ്	6 11618 71015 3



Pow	/erArc™	Shea	rs (8")					Model	710140	Item no.	710140-1002	ç	6 11618 ¹ 71014 ¹ 6
Width	3.90 in	Height	10.25 in	Length	0.90 in	Weight	0.40 lbs	Case pac	k 18	MSRP	\$29.99	ဂီ	6 11618 71014 6



Powe	rArc [™] E	Easy A	ction™	Alumi	num Ti	n Snip	s (13")	Model	710400	ltem no.	710400-1003	ç	6 11618 ¹ 71040 5
Width	4.50 in	Height	15.00 in	Length	1.10 in	Weight	1.30 lbs	Case pack	< 18	MSRP	\$70.99	റ്	6 11618 71040 5



Width 3.00 in Height 8.25 in Length 1.00 in Weight 0.24 lbs Case pack 72 MSRP \$18.99	Easy Action™ Al	luminum Tir	n Snip	os Replac	cement	Blades	(13")	Model	710010	ltem no.	710010-1002	ç	
	Width 3.00 in	Height 8.2	25 in	Length	1.00 in	Weight	0.24 lbs	Case pack	< 72	MSRP	\$18.99	റ്	6 11618 60003 4



- Heavy duty, rust resistant, stainless steel blades with PowerArc[™] technology for 30% more power on tough cuts
- Serrated blade and extended blade tang improve strength and control
- Ergonomic SoftGrip® handle for enhanced comfort

- Heavy duty, rust resistant, stainless steel blades with PowerArc[™] technology for 30% more power on tough cuts
- · Serrated blade and extended blade tang improve strength and control
- Ergonomic SoftGrip® handle for enhanced comfort

- Ideal for cutting vinyl siding, aluminum soffit, fascia and siding, as well as downsprouts, gutters and drip edge
- PowerArc[™] technology boasts curved blades that alter the angle between blades for 40% more power
- Ergonomic handle features an optimized span that truly fits your grip
- Replacement kit for Fiskars[®] Pro PowerArc[™] EasyAction[™] Aluminum Tin Snips

IsoCore[®] Hammers

Reduce punishment on your body

Patented technology reduces strike shock and vibration up to 70 %, lessening muscle fatigue and joint pain.

Built to last longer

Forged, heat-treated steel head is finished with a rust-resistant coating.

Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft provide the ultimate strike feel.

lsoCore[®] LESS SHOCK

IsoCore® LESS SHOCK

Sledge Hammers

IsoCore [®] 16 lb Sledge Hammer (36")								Model	750640	Item no.	750640-1001	ç	
Width	8.13 in	Height	36.25 in	Length	3.63 in	Weight	19.41 lbs	Case pac	k 2	MSRP	\$150.99	UPC	6 11618 50641 1
										and v • Wedg	ibration than w	ooden face co	ystem transfers 2x less shock handles oncentrates force for up to
								 Insept 	arable, riveted	head v	will not slide down or snap off		

IsoCore [®] 10 lb Sledge Hammer (36")								Model	750620	Item no.	750620-1002	ç	
Width	7.25 in	Height	36.00 in	Length	3.25 in	Weight	10.90 lbs	Case pac	k 2	MSRP	\$84.99	õ	6 11618 10620 8
											ore [®] Shock Convision than we		/stem transfers 2x less shock I handles
•				FISKARS'							ged demolition f		oncentrates force for up to
										 Insep 	arable, riveted l	head v	will not slide down or snap off

Width 6.25 in Height 36.00 in Length 3.25 in Weight 10.90 lb				dge Ha				
	Width	6.25 in	Height	36.00 in	Length	3.25 in	Weight	10.90 lbs



lsoCo	re [®] 8	lb Sle	dge Ha	amme	r (24")		
Width	6.50 in	Height	24.00 in	Length	3.00 in	Weight	10.00 lbs
		FISKAR	8.)

12 lb	Doubl	e Flat	Face S	Sledge	e Hamr	mer (3	36")
Vidth	6.75 in	Height	36.00 in	Length	3.38 in	Weight	14.80 lbs
				FISKARS' PR	9		

Model 750610	Item no.	750610-1002	ç	م المراجع (10610 م) م م 11618 10610 م							
Case pack 2 MSRP \$78.99 8											
		e [®] Shock Con		vstem transfers 2x less shock							

- Wedged demolition face concentrates force for up to 5x destructive power
- · Inseparable, riveted head will not slide down or snap off

Model	750650	Item no.	750650-1002	Ę	6 11618 10650 s
Case pack	2	MSRP	\$78.99	റ്	6 11618 10650 5

- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
- Wedged demolition face concentrates force for up to 5x destructive power
- Inseparable, riveted head will not slide down or snap off

Model	750680	ltem no.	750680-1001	ç	6 11618 60051 5
Case pacl	k 2	MSRP	\$90.99	റ്	6 11618 60051 5

- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
- Extra-large diameter driving face improves strike accuracy
- Inseparable, riveted head will not slide down or snap off

8 lb D	ouble	Flat F	Face S	ledge l	Hamm	ner (36	6")	Model	750670	Item no.	750670-1001	⊆
Width	6.25 in	Height	36.00 in	Length	2.25 in	Weight	10.80 lbs	Case pac	k 2	MSRP	\$78.99	UPC
											ore [®] Shock Con ibration than w	
•	•	Anna ann an Anna		FISKARS' PRO	_						-large diameter arable, riveted	
										 Insep 	arable, riveted	nead

- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
 Extra-large diameter driving face improves strike accuracy
- Inseparable, riveted head will not slide down or snap off

4 lb D	ouble	Flat I	Face S	ledge	Hamm	ner (14	·")	Model	750660	ltem no.	750660-1001	ç	
Width	5.50 in	Height	14.25 in	Length	2.25 in	Weight	4.83 lbs	Case pack	2	MSRP	\$53.99	റ്	



6 11618 60049



- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
- Extra-large diameter driving face improves strike accuracy
- Inseparable, riveted head will not slide down or snap off



Club Hammers

IsoCo	ore [®] 4	lb Clu	b Ham	mer (1	soCore [®] 4 lb Club Hammer (14")								
Width	5.63 in	Height	14.13 in	Length	2.25 in	Weight	4.80 lbs	Case pack	< 2	MSRP	\$53.99	UPC	6 11618 10810 3
		PISKARD)					and v • Wedg	ibration than w jed demolition	/ooder face c	ystem transfers 2x less shock handles oncentrates force for up to
										 Extra- accur 	structive powe -large diamete racy while the l when swinging	r drivin nandle	g face improves strike flare keeps tool firmly in

IsoCo	ore® 3 lb Clu	ıb Ham	mer (1	1")			Model	750910	Item no.	750910-1002	UP	6 11618 10910 0
Width	4.75 in Height	11.25 in	Length	2.00 in	Weight	3.60 lbs	Case pa	ck 2	MSRP	\$47.99		6 11618 10910 o

• IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles

- Wedged demolition face concentrates force for up to 5x destructive power
- Extra-large diameter driving face improves strike accuracy while the handle flare keeps tool firmly in hand when swinging

Mauls & Picks

IsoC	soCore [®] 8 lb Maul (36")								751110	Item no.	751110-1004	⊆	
Width	7.75 in	Height	36.00 in	Length	3.25 in	Weight	10.40 lbs	Case pac	:k 2	MSRP	\$78.99	UPC	6 11618 11110 3
											re [®] Shock Con ibration than w		rstem transfers 2x less shock handles
•				FISKARS'				/			nized blade geo iving face can a wedge	metry be stru	blasts tough logs apart whil uck with another tool to
													vill not slide down or snap o naximum force



IsoCore[®] 2.5 lb Maul (14") Width 5.63 in Height 14.13 in Length 2.00 in Weight 3.00 lbs



IsoC	ore® 5	b Pic	k (36")					Model	751210	Item no.	751210-1003	ç	
Width	18.50 in	Height	36.00 in	Length	3.63 in	Weight	8.60 lbs	Case pac	xk 2	MSRP	\$78.99	റ്	6 11618 60104 8
1										 IsoCo and v 	ore [®] Shock Con ibration than w	trol Sy ooder	/stem transfers 2x less shock handles
		PERANE	-	-						 Head and n 	features a pick nattock end for	end f use a	or driving through hard surfaces s a hoe in tough soil
													will not slide down or snap off, naximum force

IsoCo	ore [®] 1.	5 lb P	ick (14	·")				Model	751220	Item no.	751220-1001	ç	
Width	9.81 in	Height	14.13 in	Length	2.44 in	Weight	2.00 lbs	Case pac	k 2	MSRP	\$47.99	റ്	6 11618 60063 ¹¹¹ 8
1	1										re [®] Shock Con ibration than w		/stem transfers 2x less shock handles
	100000 E23	and the second second)							Head	features a pick	end f	or driving through hard surfac




Model 751	120	ltem no.	751120-1001	Ę	6 11618 60059 1
Case pack	2	MSRP	\$71.99	റ്	6 11618 60059 1

- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
- Optimized blade geometry blasts tough logs apart while the driving face can be struck with another tool to force a wedge
- Inseparable, riveted head will not slide down or snap off, even when swinging with maximum force

Model	751130	ltem no.	751130-1001	ç	6 11618 60061 4
Case pack	2	MSRP	\$60.99	റ്	6 11618 60061 4

- IsoCore[®] Shock Control System transfers 2x less shock and vibration than wooden handles
- Optimized blade geometry blasts tough logs apart while the driving face can be struck with another tool to force a wedge
- Inseparable, riveted head will not slide down or snap off, even when swinging with maximum force

- and mattock end for use as a hoe in tough soil
- Inseparable, riveted head will not slide down or snap off, even when swinging with maximum force



Hammers

IsoCo	ore® 28	oz Fr	aming	Ham	ner (1	6")		Model	750250	Item no.	750250-1002	ç	
Width	5.50 in	Height	16.00 in	Length	1.50 in	Weight	2.50 lbs	Case pac	k 4	MSRP	\$77.99	UPC	6 11618 10250 7
	1		PEKATE))					and v • Head	vibration than w optimized for t	ooder balanc	ystem transfers 4x less shock handles e, weight and superior durability nly in hand when swinging



IsoCo	ore [®] 22	2 oz F	raming	y Hamn	ner (1	6")		Model	750240	Item no.	750240-1002	ç	
Width	5.50 in	Height	16.00 in	Length	1.50 in	Weight	2.20 lbs	Case pac	sk 4	MSRP	\$70.99	റ്	6 11618 10240 8
1											ore [®] Shock Con vibration than w		/stem transfers 4x less shock handles
	-	-	FISKARS'							 Head 	d optimized for b	balanc	e, weight and superior durability
			00000							 Hand 	tle flare keens to	ool firr	nly in hand when swinging

IsoCo	ore [®] 22	oz Mil	led-fac	e Frami	ng Ha	mmer	(16")	Model	750241	Item no.	750241-1002	ç	
Width	5.50 in	Height	16.00 in	Length	1.50 in	Weight	2.20 lbs	Case pac	xk 4	MSRP	\$70.99	ဂီ	6 11618 10241 s
											ore [®] Shock Cor vibration than w		ystem transfers 4x less shock n handles
			FISKARS'								optimized for a milled face hel		e, weight and superior durability



Model 75	60251	ltem no.	750251-1002	ç	6 11618 10251 4
Case pack	4	MSRP	\$76.99	റ്	6 11618 10251 4

- IsoCore[®] Shock Control System transfers 4x less shock and vibration than wooden handles
- Head optimized for balance, weight and superior durability while milled face helps prevent mishits
- Handle flare keeps tool firmly in hand when swinging

- Handle flare keeps tool firmly in hand when swinging

- while milled face helps prevent mishits
- Handle flare keeps tool firmly in hand when swinging

Model	750231	ltem no.	750231-1002	ç	6 11618 10231 6
Case pack	4	MSRP	\$65.99	റ്	6 11618 10231 6

- IsoCore[®] Shock Control System transfers 4x less shock and vibration than wooden handles
- Head optimized for balance, weight and superior durability while milled face helps prevent mishits
- Handle flare keeps tool firmly in hand when swinging

IsoCo	IsoCore [®] 20 oz General Use Hammer (15.5")						5")	Model	Model 750230		750230-1002	ç		
Width	5.50 in	Height	15.50 in	Length 1.5	0 in	Weight	2.50 lbs	Case pa	ck 4	MSRP	\$65.99	റ്	6 11618 10230 9	
		•	PSKARS' EXCE							and v • Head	ibration than we optimized for b	ooder balanc	ystem transfers 4x less shock n handles e, weight and superior durability mly in hand when swinging	


IsoCo	IsoCore [®] 20 oz General Use Hammer (13.5")						5")	Model	750220	Item no.	750220-1003	ç	
Width	5.50 in	Height	13.50 in	Length	1.50 in	Weight	2.20 lbs	Case pac	k 4	MSRP	\$59.99	ဂီ	6 11618 10220 0
		,	PEKARS')					and v • Head	ibration than w optimized for I	ooden balanc	ystem transfers 4x less shock handles e, weight and superior durability nly in hand when swinging

IsoCo	IsoCore [®] 16 oz Finishing Hammer (13.5")							Model 750200 Ite		Item no.	750200-1002	ç	6 11618 10200 2	
Width	5.50 in	Height	13.50 in	Length	1.50 in	Weight	1.80 lbs	Case pac	k 4	MSRP	\$53.99	റ്	6 11618 10200 2	
											ore [®] Shock Cor		ystem transfers 4x less shock	



- and vibration than wooden handles
- Head optimized for balance, weight and superior durability
- Handle flare keeps tool firmly in hand when swinging

IsoCore® 16 oz Curved Claw Finishing Hammer (13.5")								Model	750260	Item no.	750260-1002	ç	
Width	5.10 in	Height	13.50 in	Length	1.13 in	Weight	2.00 lbs	Case pack	4	MSRP	\$53.99	റ്	



- IsoCore[®] Shock Control System transfers 4x less shock and vibration than wooden handles
- Head optimized for balance, weight and superior durability
- Handle flare keeps tool firmly in hand when swinging



Lightweight Hammers

Don't let your hammer weigh you down

Rugged, powerful Fiskars[®] Pro Lightweight Hammers not only use IsoCore[®] technology to greatly reduce shock and vibration, they also lighten your tool belt while providing perfected balance and superior durability.

Lightweight Hammers



IsoCore[®] 17 oz. Milled-face Framing Hammer (16")

 Width
 5.72 in
 Height
 16.00 in
 Length
 1.50 in
 Weight
 1.80 lbs



IsoCore[®] 14 oz. General Use Hammer (13.5")

 Width
 5.36 in
 Height
 13.50 in
 Length
 1.50 in
 Weight
 1.65 lbs



Model 750280	ltem no.	750280-1001	ç	6 11618 ¹ 50280 ¹¹ 2
Case pack 4	MSRP	\$91.99	ဂီ	6 11618 50280 2

- IsoCore[®] Shock Control System transfers 6x less shock and vibration than wooden handles
- Magnetic nail starter allows one-handed nail starts
- Rip claw pulls nails quickly and easily

Model 750281	Item no.	750281-1001	ç	6 11618 ¹¹ 50281
Case pack 4	MSRP	\$91.99	റ്	6 11618 50281 g

- IsoCore[®] Shock Control System transfers 6x less shock and vibration than wooden handles
- Milled face helps prevent mishits
- Magnetic nail starter groove allows one-handed nail starts

Model 750270	Item no.	750270-1001	ç	
Case pack 4	MSRP	\$84.99	ň	6 11618 50270 3

 IsoCore[®] Shock Control System transfers 6x less shock and vibration than wooden handles

- Magnetic nail starter allows one-handed nail starts
- Curved claw for simplified nail pulls

Demolition Tools

IsoC	ore® C	emol	ition To	ool (30	")			Model	751410	Item no.	751410-1001	⊆	
Width	6.00 in	Height	29.63 in	Length	1.40 in	Weight	5.82lbs	Case pac	k 2	MSRP	\$106.99	ਨ	6 11618 ¹ 75141 5
				-		-		-		 IsoCo 	ore [®] Shock Con	trol Sy	stem transfers 4x less sho



- IsoCore[®] Shock Control System transfers 4x less shock and vibration than wooden handles
- Board bender & straightener to reuse and straighten boards, chisel and pry to easily remove tile, and striking face for making holes
- SoftGrip[™] handle with texturing for improved grip

IsoCo	ore® D	emoli	ition To	ol (18	")			Model	751400	Item no.	751400-1001	ç
Width	6.00 in	Height	18.13 in	Length	1.25 in	Weight	3.20 lbs	Case pac	< 4	MSRP	\$70.99	റ്



- IsoCore[®] Shock Control System transfers 4x less shock and vibration than wooden handles
- Board bender & straightener to reuse and straighten boards, chisel and pry to easily remove tile, and striking face for making holes
- SoftGrip[™] handle with texturing for improved grip



POS materials

Engaging, informative POS materials and digital assets help your customers find and choose the right Fiskars® Pro tool for the job.







Built to last, Fiskars[®] Pro tools are engineered to help you work smarter, with intelligent mechanics and patented technologies that have been tirelessly studied and validated, over and over, to maximize your strength, reduce cut force and impact, and absorb shock and vibration.

In short, Fiskars[®] Pro tools not only work. They work – for you.

GARDENING | FIXING | CREATING | KIDS & SCHOOL

