



Item #	Description	Pk. Size	Weight	NET COST
RW-94Z-23	4-ZONE Smart Digital Water Timer	4	5.6	
	Easy to read LCD display-fully flexible programming Waters from 1-240 mins <u>for each zone</u> - 4 zones available 13 pre-set frequencies <u>for each zone</u> Rain delay function for up to 7 days Manual or automatic watering function			
	UPC 06628302517 8			




## 2023 Featured RainWave



Item #	Description	Pk. Size
RW-21NGS-03	Natural Grip Series NGS	10
	Metal Thumb Control Soft Shower Head Nozzle	
	Aluminum die-cast metal nozzle body	
Bornie Thumb Con	Stress reduction dual over mold on nozzle body Aluminum stem/nut with brass color	SOFT
	METAL Ergonomic thumb control	SHOWER
Manuel an pouce oddie	UPC CODE - 0 6628302479	
RW-21NGS-05	Natural Grip Series NGS	10
	Metal Thumb Control 9 Pattern Nozzle	
	Aluminum die-cast metal nozzle body	
ole Thumb	Stress reduction dual over mold on nozzle body	
	Aluminum stem/nut with brass color	
	Ergonomic thumb control	9 PATTERN
DW 24NOC 04	UPC CODE - 0 6628302481	40
RW-21NGS-04	Natural Grip Series NGS Thumb Control 9 Pattern Nozzle	10
	Metal threads for sturdy connection	
	Stress reduction dual over mold on nozzle body	
Systemic Thumb Con	Robust Metal Tip	
	Ergonomic thumb control	9 PATTERN
All pouce eddie	UPC CODE - 0 6628302480	
RW-21NGS-08	Natural Grip Series NGS	10
(A) 111	Thumb Control 7 Pattern Nozzle	
	Metal threads for sturdy connection	
	Stress reduction dual over mold on nozzle body	
aramic Thumb Con	Robust Metal Tip	
	Metal plate nozzle face Ergonomic thumb control	10 PATTERN
The su pouce addition of the suppose	UPC CODE - 0 6628302484	TOPATIENN
RW-21NGS-06	Natural Grip Series NGS	10
	Thumb Control Fully Adjustable Nozzle	
	Zinc coupling inlet	
	Metal threads for sturdy connection	
omic Thumb G	Stress reduction dual over mold on nozzle body	
	Robust Metal Tip	FULLY
	Ergonomic thumb control	ADJUSTABLE
DIM OANGO CO	UPC CODE - 0 6628302482	40
RW-21NGS-09	Natural Grip Series NGS	10
	Metal Thumb Control 10 Pattern Nozzle  Aluminum die-cast metal nozzle body	
	Stress reduction dual over mold on nozzle body	
Galdonic Thumb Co.	Metal stem/nut with brass color	
	METAL Ergonomic thumb control	10 PATTERN
Bilde au pouce estati	UPC CODE - 0 6628302485	

Item #	Description	Pk. Size	
RW-21NGS-07	Natural Grip Series NGS	10	
	Metal Thumb Control Fully Adjustable Nozzle		
	Aluminum die-cast metal nozzle body		
Thurs	Stress reduction dual over mold on nozzle body		
	Metal stem/nut with brass color	FULLY	
	METAL Ergonomic thumb control	ADJUSTABLE	
The au pouce endo	UPC CODE - 0 6628302483		
RW-21NGS-02	Natural Grip Series NGS	10	
	Metal Rear Trigger 10 Pattern Nozzle		
	Aluminum die-cast metal nozzle body		
	Stress reduction dual over mold on nozzle body		
	Metal stem/nut with brass color		
	Ergonomic rear trigger & trigger lock	10 PATTERN	
	UPC CODE - 0 6628302478	TOPATTER	
RW-21NGS-01	Natural Grip Series NGS	10	
	Metal Rear Trigger Fully Adjustable Nozzle		
	Aluminum die-cast metal nozzle body		
	Stress reduction dual over mold on nozzle body		
	Metal stem/nut with brass color		
	Ergonomic rear trigger & trigger lock	FULLY	
	UPC CODE - 0 6628302477	ADJUSTABL	E
RW-21NGS-10SW	Natural Grip Series NGS	12	
KVV-Z INGO-103VV	Thumb Control 7 Pattern 16 Inch Wand	12	
	Swivelling head for ease of use		
	Plastic handle with ergonomic grip		
Scromic Thumb Con	Ergonomic thumb control		
	Lightweight stress free grip series	7 PATTERN	
Manno 31 pouce etodo	UPC CODE - 0 6628302486		
RW-21NGS-11LW	Natural Grip Series NGS	6	
	Thumb Control 8 Pattern 33 Inch Wand		
	Molded hook to easily hang wand		
	Plastic handle with ergonomic grip		
Brownic Thumb Con	Ergonomic thumb control		
	Lightweight stress free grip series	8 PATTERN	
And an bonce stage	UPC CODE - 0 6628302487		
RW-21NGS-12TW	Natural Grip Series NGS	6	
200	Thumb Control 8 Pattern Telescopic Wand		
	Telescopic Wand from 36"- 60" length		
	Swivelling head		
Bonic Thumb Co.	Plastic handle with ergonomic grip		
	Lightweight stress free grip series	8 PATTERN	
au pouce et de	UPC CODE - 0 6628302488		



Item #	Description	Pk. Size	
RW-944TC	4 - Way Control Valve	6	
	With easy ON-OFF design		
	Lever design for ease of use		
	No twisting needed!		
	Robust and ergonomic construction		
8888	Robust METAL threads for sturdier connections	4-1	WAY
	UPC CODE - 0 6628302489		
RW-9314TC	2 - Way Control Valve	6	
	With easy ON-OFF design		
	Lever design for ease of use		
	No twisting needed!		
	Robust and ergonomic construction		
	Robust METAL threads for sturdier connections	2-1	WAY
	UPC CODE - 0 6628302490		
RW-9391TC	Single Shut Off Valve	6	
	With easy ON-OFF design		
	Lever design for ease of use		
	No twisting needed!		
	Robust and ergonomic construction		
	Robust METAL threads for sturdier connections UPC CODE - 0 6628302491	1 - V	VAY
RW-9FF	Innovative Inline Filter	6	
	Can be used between faucet and water timer		
	Simple and ergonomic to use		EASY
	Enables increased durability for watering accessories		LOCK
	Remove filter with one simple turn for cleaning!		1
Redshiner & W	Protect valuable water timers with this filter	Ratabilities 0	
	Ideal when using water from a well, lakes		y
	or water that is high in mineral content!		
	UPC CODE - 0 6628302492		
RW-9MFL36	Metal FLEXI Faucet Connector	6	
	Simple and ergonomic to use		
	Built to be used in tight spaces		
	Kink free faucet connector		
	180° rotation!		80°
	360° easy swivelling connector UPC CODE - 0 6628302493	ROTA	ATION
RW-9MAS	Multi - Adjustable Spike Sprinkler	6	
	Angle spray angle direction + length		
	Series connection compatible		
	Covers up to 30' diameter		
	Includes flow control on sprinkler		
	UPC CODE - 0 6628302494		
	O-360° VARIABLE ARC ANGLE FLOW CONTROL		TRIP ARC ADJUST
•	ANGLE 360° CONNOC	ON COFF	

Item #	Description	Pk. Size	
RW-BTC-1	Single Zone BlueTooth Water Timer	4	
	Makes setting your timer simple by your phone APP		
	Multiple programs and watering functions		TONE
Communication (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	<b>Bluetooth</b>		ZONE
	UPC CODE - '06628302317 4	Smar	<b>t</b> Timer
RW-BTC-2	2 Zone BlueTooth Water Timer	4	
	Makes setting your timer simple by your phone APP		
	Multiple programs and watering functions		
Streets Bringstrace Southing		2.	ZONE
	<b>Bluetooth</b>		
	Diactootii	Cmar	+ Times
	UPC CODE - '06628302318 1	Jillar	<b>tT</b> imer
RW-BTC-4	4 Zone BlueTooth Water Timer	2	
	Makes setting your timer simple by your phone APP		
	Multiple programs and watering functions		
Batton Bringhform' Stattler		4 - 7	ZONE
0-0-0-0	<b>Bluetooth</b>		
99	Diactoutii	Commen	A TOP S
	UPC CODE - '06628302319 8	<b>Smar</b>	t Timer
RW-BTS-1	Wireless Moisture Sensor	2	
	Can be used with RAINWAVE water timers		
	RW-BTC-1, RW-BTC-2, RW-BTC-4		
	Diveteeth		
	<b>Bluetooth</b>	•	
	UPC CODE -'06628302320 4	Smart	Timer
RW-908	Hose Butler	6	
	Holds up to 15.9mm x 46m (150') of hose		
	No Assembley Required	liah	Cutavo
V	Wall mount with Key Hole design for easy removal & mounting		2.
	Enclosed storage compartment for your garden essentials,		
	keeps them where you need them and out of sight Hardware for installing included	-//	
	2-YEAR WARRANTY		
	UPC CODE - 066283 02380 8		
RW-HHC50	Hose Hanger with Hose	3	
	15m x 9.5mm (50ft of 3/8" hose)		
	Sturdy resin hose hanger		
Rain Wave	Reinforced vinyl hose		
Garden Hose & Hose Hanger Combo	Convenient hanger for easy transport		
Contact from the property of the contact of the con	Perfect for balconies, outdoor cleaning and car washing!	EO	2.1
3/8in	Also ideal for camping and marine use Convenient hanger for accessory on side of unit	501	T.
	Convenient hanger for accessory of side of drift		



MODEL #	DESCRIPTION	WGT.	PACK	
RW-19AT-TC	2 In 1 Adjustable Thumb Control Nozzle	3	10	
	Non slip rubber over mold & comfortable grip			
	Ergonomically shaped handle Easy to use thumb control- takes fatigue -			
September 1	out of watering			
	Adjustable on / off with flow control			50% DISCOUNT
May pouce ordin	UPC CODE - 066283023105			30% BISCOURT
RW-19P-TC		_	40	
RW-19F-1C	9 Pattern Thumb Control Nozzle Non slip rubber over mold and comfortable grip	3	10	
	Ergonomically shaped handle			
	Easy to use thumb control- takes fatigue -			
Branic Thumb Con	out of watering			
	Adjustable on / off with flow control			50% DISCOUNT
	UPC CODE - 066283023112			Jew Discount
au pouce of				
RW-18AT-TC	PRO Series Adjustable Thumb Control Spray Nozzle	4	10	
( Towns	Easy to use thumb control - makes watering effortless			
	and reduces fatigue			
Mornie Thumb Co.	Durable, full aluminum construction Adjustable spray tip - aluminum with brass colour			
	Adjustable spray tip - aluminum with brass colodi			
	METAL UPC CODE 06628301901 6			50% DISCOUNT
RW-189P-TC	OI O CODE COOLOGICO		40	
RW-189P-1C	PRO Series Thumb Control 9 Pattern Spray Nozzle	4	10	
	Easy to use thumb control - makes watering effortless and reduces fatigue			
in Thurse	Durable, full aluminum construction			
	9 different spray patterns available - versitile watering			
				50% DISCOUNT
life au pouce algebra	METAL UPC CODE 06628302255 9			30% DISCOUNT
RW-9T11	Thumb Control Nozzle	8.2	6	
	7 spray patterns available			
	Soft rubberized grip for added comfort			
	Metal and ABS construction			
	Easy to use thumb control			50% DISCOUNT
				30% DISCOUNT
	METAL UPC CODE 06628390027 7			
RW-N15619R	Rear Trigger Multi Pattern Spray Nozzle	4	10	
111001011	Die cast metal body with chip resisant coating	<b>—</b>	10	
	Dual soft grip overmold			
84	METAL LIPC CODE 06628301735.7			50% DISCOUNT
	WETAL UPC CODE 06628301735 7			
RW-7TCVP	2 PC Thumb Control Nozzle Set	5	6	
	1 x Thumb Control 8 Pattern Spray Nozzle			
	METAL 1 x Thumb Control Adjustable Spray Nozzle			
	Impact resisant nozzle body Non-slip overmold			
<b>+</b>	Non-slip overmoid SET			FOW DISCOUNT
	UPC CODE 06628301971 9			50% DISCOUNT
RW-GN03		1	12	
IVV-GIVUS	Adjustable Nozzle Adjustable grip nozzle - from spray to jet	4	12	
2	Soft rubberized coating			
	Metal and ABS construction			
	INDUSTRIAL			FOR DISCOUNT
	METAL UPC CODE 066283956038			50% DISCOUNT
	METAL 01 0 000 00020000000			



MODEL #	DESCRIPTION	WGT.	PACK	T T
RW-9524C	Twist Nozzle	4	10	
NW-93240	11101110	-	10	
500	Durable metal construction Comfort grip			
	Twist style to adjust water flow			50% DISCOUNT
	UPC CODE 066283014660			30% DISCOUNT
RW-N15608F	PRO Series Adjustable Front Trigger Nozzle	4	10	
100001	Dual soft grip overmold		10	
SÉRIE				
(PRO)	Durable die cast metal body  Metal crush resisant coupling			
SERIES	Fully adjustable tip-ideal for cleaning or gentle watering			50% DISCOUNT
	UPC CODE 066283 017302			50% Discositi
RW-N15110F	Front Trigger Adjustable Spray Nozzle	4	10	
	Dual soft grip overmold			
	Water flow control lever			
	Metal crush resisant coupling			
	Fully adjustable tip-ideal for cleaning or gentle watering			50% DISCOUNT
	UPC CODE 066283 017340			
RW-N15609F	PRO Series 8 Pattern Front Trigger Nozzle	4	10	
	Dual soft grip overmold			
SÉRIE	Durable die cast metal body			
TRU TRU	Metal crush resisant coupling			500/ B100011115
SERIES	8 different spray patterns available			50% DISCOUNT
	UPC CODE 066283 017296			
RW-N15115F	Front Trigger Multi Pattern Spray Nozzle	4	10	
	Dual soft grip overmold			
	Water flow control lever			
	Metal crush resisant coupling			
	8 different spray patterns available			50% DISCOUNT
	UPC CODE 066283 017333			,
RW-9301	Front Trigger 7 Pattern Nozzle	4	10	
	Durable metal construction			
	Easy to use front trigger with locking function			
	Built in water flow control lever			FOO DISCOUNT
	7 spray patterns available			50% DISCOUNT
DIM 0 404	UPC CODE 066283 093016			
RW-9401	METAL Front Trigger 7 Pattern Nozzle	4	10	
	Heavy duty metal construction			
The state of the s	Easy to use front trigger with locking function			
	7 spray patterns available UPC CODE 066283 09401 3			50% DISCOUNT
RW-EAT-RT	2 In 1 Rear Trigger Adjusable Nozzle	1	10	
	Rear trigger - Lightweight nozzle	-4	10	<del>                                     </del>
<b>@</b>	Rear trigger nozzle adjustable spray with flow			
	control adjustable knob, Easy lock on/off		E-Z Loc	
	Rear trigger handle with soft rubber overmold		On/Off	
	Aluminum tip - Brass colour			EO% DISCOUNT
	UPC CODE 066283 023129			50% DISCOUNT
RW-N15100R	Rear Trigger Adjustable Spray Nozzle	4	10	
	Dual soft grip overmold		_	
	Durable die cast metal body			
	METAL Metal crush resisant coupling			
	Fully adjustable tip-ideal for cleaning or gentle watering			50% DISCOUNT
	UPC CODE 066283 017326			30% DISCOUNT
RW-PSS	Pro Series Adjustable Nozzle	4	12	
0	Adjustable tip nozzle			
SÉRIE	Heavy duty zinc body with soft rubber components			
PRO 1	Metal water flow adjustment knob			
SERIES	D-Grip loop can be used to hang nozzle when not in use			
	Water pressure rated - 125 PSI			50% DISCOUNT
	UPC CODE 066283 014271	1		



MODEL #	DESCRIPTION	WGT.	PACK	
RW-N15101RT	Rear Trigger Adjustable Spray Nozzle	4	10	
	Durable plastic construction			
	Fully adjustable spray - ideal for cleaning or gentle watering			
				50% DISCOUNT
	UPC CODE 066283 017371			
RW-9100	Rear Trigger Adjustable Nozzle	4	10	
	Durable light weight ABS construction			
	Slip resistant rubberized grip			FOO DISCOUNT
	Adjustable tip - from spray to jet UPC CODE 066283 991008			50% DISCOUNT
RW-9448TP	Rear Trigger Adjustable Nozzle	4	12	
100	Adjustable tip - from spray to jet		12	
	Handy loop for storage			
•	Durable plastic construction			50% DISCOUNT
	UPC CODE 066283 004449			
RW-N15101R	Rear Trigger Multi Pattern Spray Nozzle	4	10	
	Dual soft grip overmold			
	Durable die cast metal body			
- 81	Metal crush resisant coupling			FOO DISCOUNT
	8 different spray patterns available			50% DISCOUNT
D	UPC CODE 066283 017319			
RW-9584	Rear Trigger 7 Pattern Spray Nozzle	4	12	
	Rust resisant stainless steel spring Aluminum steam and nut with brass colour			
	Heavy duty die cast construction			50% DISCOUNT
	METAL UPC CODE 066283 01484 4			
RW-N15106RT	Rear Trigger Multi Pattern Spray Nozzle	4	10	
	Durable plastic construction			
	8 different spray patterns available			
•				50% DISCOUNT
	UPC CODE 066283 01736 4			30% Discourt
RW-9439C	Rear Trigger 5 Pattern Nozzle	4	20	
	5 spray patterns available			
	Plastic construction			50% DISCOUNT
RW-9MP8	UPC CODE 066283 094396 15" Multi Pattern Spray Wand	4	12	
KAA-SIAILO	Easy to use thumb control	-4	12	
	8 watering patterns			
	Dual overmold on handle with metal coupling	11	- 11	
		1:	5"	50% DISCOUNT
	UPC CODE 066283 01762 3			30% DISCSON1
RW-95391	33" Shower Spray Wand	8	12	
•	Gentle shower spray for sensitive plants			
	Easily reachs into flower bed and handing baskets		0.11	
	Built in flow control lever	3	3"	50% DISCOUNT
DIV 0.000	UPC CODE 066283 014912		- 10	
RW-95393	33" 3-in-1 Watering Wand	8	12	
	180° rotating head  Built in water flow control lever			
•	3 watering patterns	2	3"	FOW DISCOUNT
	UPC CODE 066283 01492 9	3		50% DISCOUNT
RW-W3P	32" 3-in-1 Watering Wand	8	6	
	3 watering patterns		•	
	180° rotating head			
	Easy to use front trigger handle - one hand water flow lever	3.	2"	50% DISCOUNT
4/	UPC CODE 066283 01490 5			



MODEL #	DESCRIPTION	WGT.	PACK	
RW-N15015	Metal Shut-Off Nozzle	4	10	
	Powerful jet spray nozzle		.,	
	Easy ON/OFF lever		3"	
	METAL Metal tip			50% DISCOUNT
	UPC CODE 066283 01741 8			
RW-AEZN	16" EZ Wash 'N' Clean Wand	4	12	
	360° rotating head Lockable front trigger for continuous spray			
	Cleaning wand with soap dispenser-volume and rinse control lever			
	Power jet spray			
		16	o" )	50% DISCOUNT
•	UPC CODE 066283 00615 3			
RW-912-2D	Twin Tap Connector	2	12	
	Two Way shut off valve controls water flow for up two hoses			
	Extra large handles for easy grip and turning			
	Easy on swivel connection / coupling UPC CODE 06628309813 4			
	01 C CODE 00020303013 4			
	METAL			50% DISCOUNT
RW-912-22D	Soft Clad Hose 2 Way Distributor	2	8	
	Double Connector with Extra large handle			
	for easy grip and turning Easy on swivel brass connector for accurate connection			
	UPC CODE 06628309816 5			
	0.0000000000000000000000000000000000000			
	METAL			50% DISCOUNT
RW-912-1	Single Shut Off	1.5	12	
RW-912-1	Single Shut Off  SÉRIE  Extra large dials for easy use	1.5	12	
	Easy swivel on connector			
	SERIES Durable metal construction			
	UPC CODE 06628309814 1			
	METAL			50% DISCOUNT
PW-PSI 01		2	6	
INV-F3LUI		<del>-</del>	U	
	Extra large shut off knob with ergonomic grip controls water full-on to full-off			
5	Brass swivel coupling			50% DISCOUNT
				30% DI3COON1
DW N02400		2.7		
KVV-N931U9		3.1	ρ	
	Rain sensor and moisture sensor ready!			
3222312	,			50% DISCOUNT
	UPC CODE 066283 01932 5			
RW-PS3000	15 Jet Oscillating Sprinkler	7.2	6	
	· ·			FOW DISCOUNT
	UPC CODE 066283 01470 7			30% DISCOUNT
RW-PSL01  RW-N93109  RW-PS3000	RainWave Pro Series Brass Long Neck Long Neck Single Hose Shut Off Large Heavy Duty die cast BRASS body Extra large shut off knob with ergonomic grip controls water full-on to full-off Brass swivel coupling Increase performance of watering accessories! UPC CODE 066283 01437 0  Electronic Water Timer Easy to read LCD display - fully flexible programming 8 different watering programs can be set per day Rain sensor and moisture sensor ready!  UPC CODE 066283 01932 5  15 Jet Oscillating Sprinkler Durable plastic contrustion 15 polymer spray jets provide even water coverage-approx. 2,800 sq. ft. Wide stance ensures increased stability Adjustable range control	3.7	6	50% DISCOUNT  50% DISCOUNT  50% DISCOUNT



MODEL #	DESCRIPTION	WGT.	PACK	
RW-9AS59	Mini Tubro Oscillating Sprinkler	6.8		
	Mini oscillating sprinkler on a sled base			
	16 clog resistant spray nozzles for even coverage			
	Coverage of up to 2268 sq. ft			
7	Variable width and range controls			
	Flow adjustment dial			50% DISCOUNT
	UPC CODE 066283 09817 2			_
RW-N15240R	Whirling Sprinkler	8	6	
	Square pattern spray sprinkler			
	3 whirling arms			
	Approximately 45' x 45' diameter			
	METAL Ergo metal swivel coupling			50% DISCOUNT
	UPC CODE 066283 01743 3			
RW-970269M	7-Pattern Sprinkler	5	12	
2 1	Heavy duty durable metal alloy			
6 3 8 5	Attractive star design			
	Grey metal finish			
	METAL 7 different spray patterns available			50% DISCOUNT
	UPC CODE 066283 97026 3			30% Bisesoiti
CW-970269M	7-Pattern Sprinkler	5	12	
200	Heavy duty durable metal alloy			
	Attractive star design			
	Copper metal finish			
	7 different spray patterns available			50% DISCOUNT
•	UPC CODE 066283 91269 0			30% DISCOUNT
CW-DAHH-17H	Aluminum Wall Mounted Hose Hanger	3	1	
07233	Durable aluminum construction			
427	Holds up to 195' of 1/2" hose or 145' of 5/8" hose			
	All Aluminum - Fully Assembled			
	METAL			50% DISCOUNT
	UPC CODE 066283 01950 4			50% DISCOUNT
RW-5WK8	Lawn Watering Kit	6	10	
	Designed for watering narrow lawn strip areas and other odd		a Peach Loans Statement of the Martines of two degrees of	
	shaped or hard to water areas	Care Control		
	SET Easy to set up and store	Roll	The same of the sa	2017 S
	Coverage adjusts from 6 it to 30 it	Mayo	de line	
	Set includes:	200	D	DISPLAY
	2 x 15 ft sections of garden hose with plastic couplings	A STATE OF	4	DISPLAY
	3 x spike sprinklers with 8 watering patterns		@ The Co.	
	UPC CODE 06628301447 9			50% DISCOUNT
			18	





# PREMERSE





Crush resistant, aircraft
grade aluminum
couplings with easy to use
swivel on function

Working Pressure 70°F – 150PSI Burst Pressure 70°F – 450PSI The high quality hybrid polymer construction, makes this hose light weight and kink-resistant under pressure!

Working Temperature -40°C ~ 65°C (-40°F ~ 150°F)



-40°C ~ 65°C (-40°F ~ 150°F)







RW-ASF5825

Phthalate, Lead and Chemical Free Sans phthalate, plomb ni produits








Premium Polymer Hose

Tuyau de polymère de qualité







Phthalate, Lead and Chemical Free

Sans phthalate, plomb ni produits chimiques



DRINKING WATER SAFE!





Item #	Description  -40°C ~ 65°C (-40°F ~ 150°F)	Pk Size	
- Working pressure at 70°F – 150PSI - Burst pressure at 70°F – 450PSI PC CODE 0662830249	PREM-A-Flex Garden Hose - 3/4" x 25' Superior all weather flexibility with no memory - hose lays flat and coils/uncoils easily Light weight and kink resistant under pressure Drinking water safe - free of lead and phthalate! Abrasion, oil and UV resistant Burst pressure at 20°C - 450 PSI Constructed of high quality polymer material with crush resistant, aircraft grade aluminum couplings - easy to use swivel on function!	5	Routs Irds, and a strong strongs
- Working pressure at 70°F – 150PSI - Burst pressure at 70°F – 450PSI UPC CODE 06628302497	PREM-A-Flex Garden Hose - 3/4" x 50' Superior all weather flexibility with no memory - hose lays flat and coils/uncoils easily Light weight and kink resistant under pressure Drinking water safe - free of lead and phthalate! Abrasion, oil and UV resistant Burst pressure at 20°C - 450 PSI Constructed of high quality polymer material with crush resistant, aircraft grade aluminum couplings - easy to use swivel on function!	4	Resists MAx., Introduce and saffrages
- Working pressure at 70°F − 150PSI - Burst pressure at 70°F − 450PSI UPC CODE 06628302498	PREM-A-Flex Garden Hose - 3/4" x 75'  Superior all weather flexibility with no memory - hose lays flat and coils/uncoils easily  Light weight and kink resistant under pressure  Drinking water safe - free of lead and phthalate!  Abrasion, oil and UV resistant  Burst pressure at 20°C - 450 PSI  Constructed of high quality polymer material with crush resistant, aircraft grade aluminum couplings - easy to use swivel on function!	3	Resists lakes, tayles and Latifores
- Working pressure at 70°F – 150PSI - Burst pressure at 70°F – 450PSI UPC CODE 06628302499	PREM-A-Flex Garden Hose - 3/4" x 100' Superior all weather flexibility with no memory - hose lays flat and coils/uncoils easily Light weight and kink resistant under pressure Drinking water safe - free of lead and phthalate! Abrasion, oil and UV resistant Burst pressure at 20°C - 450 PSI Constructed of high quality polymer material with crush resistant, aircraft grade aluminum couplings - easy to use swivel on function!	2	Pesists livins, targes and stiffness





			_	
Item #	Description	-40°C ~ 65°C (-40°F ~ 150°F)	Pk Size	
RW-ASF5825	PREM-A-Flex Garden Hose - 5/8" x 25'		5	
5/8"	Superior all weather flexibility with no memory - hose lays flat and			
3/8	coils/uncoils easily			0
	Light weight and kink resistant under pressure			
	Drinking water safe - free of lead and phthalate!			
	Abrasion, oil and UV resistant			Realsta Ninka
	Burst pressure at 20°C - 450 PSI			tangles and stiffness
<ul> <li>Working pressure at 70°F – 150PSI</li> <li>Burst pressure at 70°F – 450PSI</li> </ul>	Constructed of high quality polymer material with crus	h resistant, <u>aircraft</u>		
UPC CODE 066283058251	grade aluminum couplings - easy to use swivel on f	unction!		
RW-ASF5850	PREM-A-Flex Garden Hose - 5/8" x 50'		4	
	Superior all weather flexibility with no memory - hos	e lays flat and		
	coils/uncoils easily			o suestr
	Light weight and kink resistant under pressure			The state of the s
	Drinking water safe - free of lead and phthalate!	2.5		
ar A inti-	Abrasion, oil and UV resistant			
- Working pressure at 70ºF − 150PSI	Burst pressure at 20°C - 450 PSI			Resists kinks, tangles and stiffness
- Burst pressure at 70°F – 450PSI	Constructed of high quality polymer material with crus	h resistant, <u>aircraft</u>		
UPC CODE 066283058527	grade aluminum couplings - easy to use swivel on f	unction!		
RW-ASF5875	PREM-A-Flex Garden Hose - 5/8" x 75'		3	
	Superior <u>all weather flexibility</u> with no memory - hos	e lays flat and		
	coils/uncoils easily			O Towns
	Light weight and kink resistant under pressure			
	Drinking water safe - free of lead and phthalate!			
	Abrasion, oil and UV resistant			
- Working pressure at 70°F – 150PSI	Burst pressure at 20°C - 450 PSI			Resists kinks, tangles and stiffness
- Burst pressure at 70°F – 450PSI	Constructed of high quality polymer material with crus			
UPC CODE 066283058534	grade aluminum couplings - easy to use swivel on f	unction!		
RW-ASF58100	PREM-A-Flex Garden Hose - 5/8" x 100'		2	
	Superior <u>all weather flexibility</u> with no memory - hos	e lays flat and		
A Company of the Comp	coils/uncoils easily			
	Light weight and kink resistant under pressure			O TOTAL STATE OF THE STATE OF T
	Drinking water safe - free of lead and phthalate!			10 m
The same of the sa	Abrasion, oil and UV resistant			
	Burst pressure at 20°C - 450 PSI			Resists kinks,
- Working pressure at 70ºF – 150PSI	Constructed of high quality polymer material with crus			Hodiste limbs, tengles and stiffness
- Burst pressure at 70ºF – 450PSI	grade aluminum couplings - easy to use swivel on f	unction!		
UPC CODE 066283058541				





Item #	Description	-40°C ~ 65°C (-40°F ~ 150°F)	Pk Size	
RW-ASF1225	PREM-A-Flex Garden Hose - 1/2" x 25'		7	
1/2"	Superior <u>all weather flexibility</u> with no memory - hose	lays flat and		
1/2	coils/uncoils easily			
	Light weight and kink resistant under pressure			o south
	Drinking water safe - free of lead and phthalate!			
	Abrasion, oil and UV resistant			
	Burst pressure at 20°C - 450 PSI			7
- Working pressure at 70°F – 150PSI - Burst pressure at 70°F – 450PSI	Constructed of high quality polymer material with crush	· ·		Resists kinks, tangles and stiffness
	grade aluminum couplings - easy to use swivel on fu	inction!		
UPC CODE 066283022481	DEFINATION AND TO SERVICE STATE OF THE SERVICE STAT			
RW-ASF1250	PREM-A-Flex Garden Hose - 1/2" x 50'	Java flat and	5	
	Superior all weather flexibility with no memory - hose	lays hat and		and the same of th
	coils/uncoils easily			
	Light weight and kink resistant under pressure  Drinking water safe - free of lead and phthalate!			
	Abrasion, oil and UV resistant Burst pressure at 20°C - 450 PSI	- AXEMICA		Resists kinks, tangles and stiffness
- Working pressure at 70°F – 150PSI	Constructed of high quality polymer material with crush	registant aircraft		January 1
- Burst pressure at 70°F – 450PSI UPC CODE 066283022498	grade aluminum couplings - easy to use swivel on fu	· ·		
RW-ASF1275	PREM-A-Flex Garden Hose - 1/2" x 75'	inotion:	4	
KW-A31 1273	Superior <u>all weather flexibility</u> with no memory - hose	lavs flat and	*	
	coils/uncoils easily	rayo nacana		Concern
	Light weight and kink resistant under pressure			
	Drinking water safe - free of lead and phthalate!			
- CO A 1150	Abrasion, oil and UV resistant			
	Burst pressure at 20°C - 450 PSI			Resists kinks, tangles and stiffness
<ul> <li>Working pressure at 70°F – 150PSI</li> <li>Burst pressure at 70°F – 450PSI</li> </ul>	Constructed of high quality polymer material with crush	resistant, <u>aircraft</u>		stiffness
UPC CODE 066283022511	grade aluminum couplings - easy to use swivel on fu	<u></u>		
RW-ASF12100	PREM-A-Flex Garden Hose - 1/2" x 100'		3	
	Superior all weather flexibility with no memory - hose	lays flat and		
	coils/uncoils easily			SWATE
	Light weight and kink resistant under pressure			
	Drinking water safe - free of lead and phthalate!			
A STATE OF THE STA	Abrasion, oil and UV resistant			
- Working pressure at 70°F – 150PSI	Burst pressure at 20°C - 450 PSI			Resists links, tangles and attitudes
- Burst pressure at 70°F – 450PSI	Constructed of high quality polymer material with crush	· · · · · · · · · · · · · · · · · · ·		
UPC CODE 066283022528	grade aluminum couplings - easy to use swivel on fu	inction!		



MODEL "	upo	DECODISTICAL		OUDE	DACK	
MODEL #	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
		INDUSTRIAL NOZZLES				
W-N15503R	01728 9	Fireman Style Nozzle	4	1	6	
		Rated for high pressure - up to 250 PSI				
	10.0.0.0.0.0.	Large ON/OFF lever				
	METAL	Adjustable tip alters the water stream				
	05400.4	INDUSTRIAL			- 10	
V-995403	95403 4	Fireman Nozzle	4	1	10	
		Spray adjusts from extra wide to blasting jet				
		Heavy duty metal construction				
		Slip resistant grip and handle Large water flow lever				
[2]	1707 - 7 - 7 - 7 - 7 - 7 - 7	Fit any standard garden hose				
	METAL	INDUSTRIAL				
V-9465C	09465 5	Insulated Nozzle	4	1	10	
V-9403C	03400 0	Threaded front with protective cover	7	•	10	
		Ideal for hot water use up to 160°F				
	10.0.0.0.0.	Soft rubber grip				
	METAL	INDUSTRIAL				
V-9480I	00449 4	Contractor Adjustable Spray Nozzle	4	1	6	
(i) 54001		Heavy duty zinc body and brass colour spray tip	'	•		
		Coated in soft rubber for added comfort				
SÉRIE		Hot water rated - 160°F				
PRO		Water pressure rated - 125 PSI				
SERIES	0.0.0.0.0	Crush resistant				
	METAL	INDUSTRIAL				
		THUMB CONTROL NOZZLES				
V-7PS-TC	01939 4	Thumb Control Adjustable Spray Nozzle	4	1	10	
		Non-slip rubber overmold				
		Solid metal body with comfort grip				
	METAL	Ergonomically shaped handle				
	9 0 0 0 m	Easy to use thumb control - takes fatigue out of watering				
V-7TCN	01972 6	Thumb Control 7 Pattern Spray Nozzle	4	1	10	
83		Non-slip rubber overmold				
		Comfort grip				
		Ergonomically shaped handle				
		Easy to use thumb control - takes fatigue out of watering				
	Al	DJUSTABLE FRONT TRIGGER NOZZLE	S			
V-N16608F-TC	01934 9	PRO Series Front Trigger Adjustable Spray Nozzle	4	1	10	
SÉRIE	010040	Easy to use lockable front trigger with adjustable spray	"	'	·	
PRO	0.0000	Aluminum spray tip with brass colour				
SERIES	METAL	Fully metal body with soft components for comfort				
V-FTT2	95612 0	Front Trigger Adjustable Nozzle	4	1	12	
		Fully adjustable tip - from spray to jet				
		Impact resistant metal body			1	
	METAL	Non-slip grip				
	METAL	Glass filled nylon front trigger			I	
	MU	LTI-PATTERN FRONT TRIGGER NOZZL	ES			
/-N16609F-TC	01935 6	PRO Series Front Trigger 9 Pattern Spray Nozzle	4	1	10	
SÉRIE		Easy to use lockable front trigger with adjustable spray				
PRO	0.0.0.0.0.0	9 different spray patterns available				
SERIES	METAL	Fully metal body with soft components for comfort			1	
V-FTD7	95607 6	Front Trigger 8 Pattern Nozzle	4	1	12	
		8 spray patterns available				
	<b>'</b>	Impact resistant metal body			1	
	METAL	Non-slip grip				
# IN	MEIAL	Glass filled nylon front trigger				



MODEL "	upo	DECODISTICAL		OUDE	DACK	
MODEL #	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
		INDUSTRIAL NOZZLES				
W-N15503R	01728 9	Fireman Style Nozzle	4	1	6	
		Rated for high pressure - up to 250 PSI				
	10.0.0.0.0.0.	Large ON/OFF lever				
	METAL	Adjustable tip alters the water stream				
	05400.4	INDUSTRIAL			- 10	
V-995403	95403 4	Fireman Nozzle	4	1	10	
		Spray adjusts from extra wide to blasting jet				
		Heavy duty metal construction				
		Slip resistant grip and handle Large water flow lever				
[2]	1707 - 7 - 7 - 7 - 7 - 7 - 7	Fit any standard garden hose				
	METAL	INDUSTRIAL				
V-9465C	09465 5	Insulated Nozzle	4	1	10	
V-9403C	03400 0	Threaded front with protective cover	7	•	10	
		Ideal for hot water use up to 160°F				
	10.0.0.0.0.	Soft rubber grip				
	METAL	INDUSTRIAL				
V-9480I	00449 4	Contractor Adjustable Spray Nozzle	4	1	6	
(i) 54001		Heavy duty zinc body and brass colour spray tip	'	•		
		Coated in soft rubber for added comfort				
SÉRIE		Hot water rated - 160°F				
PRO		Water pressure rated - 125 PSI				
SERIES	0.0.0.0.0	Crush resistant				
	METAL	INDUSTRIAL				
		THUMB CONTROL NOZZLES				
V-7PS-TC	01939 4	Thumb Control Adjustable Spray Nozzle	4	1	10	
		Non-slip rubber overmold				
		Solid metal body with comfort grip				
	METAL	Ergonomically shaped handle				
	9 0 0 0 m	Easy to use thumb control - takes fatigue out of watering				
V-7TCN	01972 6	Thumb Control 7 Pattern Spray Nozzle	4	1	10	
83		Non-slip rubber overmold				
		Comfort grip				
		Ergonomically shaped handle				
		Easy to use thumb control - takes fatigue out of watering				
	Al	DJUSTABLE FRONT TRIGGER NOZZLE	S			
V-N16608F-TC	01934 9	PRO Series Front Trigger Adjustable Spray Nozzle	4	1	10	
SÉRIE	010040	Easy to use lockable front trigger with adjustable spray	"	'	·	
PRO	0.0000	Aluminum spray tip with brass colour				
SERIES	METAL	Fully metal body with soft components for comfort				
V-FTT2	95612 0	Front Trigger Adjustable Nozzle	4	1	12	
		Fully adjustable tip - from spray to jet				
		Impact resistant metal body			1	
	METAL	Non-slip grip				
	METAL	Glass filled nylon front trigger			I	
	MU	LTI-PATTERN FRONT TRIGGER NOZZL	ES			
/-N16609F-TC	01935 6	PRO Series Front Trigger 9 Pattern Spray Nozzle	4	1	10	
SÉRIE		Easy to use lockable front trigger with adjustable spray				
PRO	0.0.0.0.0.0	9 different spray patterns available				
SERIES	METAL	Fully metal body with soft components for comfort			1	
V-FTD7	95607 6	Front Trigger 8 Pattern Nozzle	4	1	12	
		8 spray patterns available				
	<b>'</b>	Impact resistant metal body			1	
	METAL	Non-slip grip				
# IN	MEIAL	Glass filled nylon front trigger				



				<u></u>		
MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
		ADJUSTABLE REAR TRIGGER NOZZLES				
RW-N1615100R-RT	01936 8	PRO Series Rear Trigger Adjustable Spray Nozzle  Easy to use loackable rear trigger with adjustable spray  Aluminum spray tip with brass colour	4	1	10	
SERIES	METAL	Fully metal body with soft components for comfort				
2W-9448TM	00446 3	Rear Trigger Adjustable Nozzle  Adjustable tip nozzle  Durable metal construction covered in soft material	4	1	10	
<b>U</b>	60000	D-Grip loop can be used to hang nozzle when not in use				
W-9496C	01465 3	Adjustable Spray Nozzle Heavy duty metal construction Brass stem and nut BRASS adjustable spray tip	4	1	12	
	METAL	Soft grip overmold				
W-9495C	09495 2 METAL	Adjustable Tip Nozzle Slip resistant handle Soft rubber grip	4	1	10	
₩-9200	09200 2	Adjustable metal tip - from spray to jet  Rear Trigger Adjustable Nozzle	4	1	10	
	METAL	Heavy duty metal construction  Brass adjustable tip - from spray to jet  Slip resistant rubberized grip				
W-9438C	09438 9	Rear Trigger Adjustable Nozzle  Adjustable tip nozzle  Plastic construction  Cushion grip for comfort	4	1	10	
-		MULTI-PATTERN REAR TRIGGER NOZZLE	S			
RW-EAP-RT	23136	<u>9 In 1 Rear Trigger Adjusable Nozzle</u> Rear trigger - Lightweight nozzle Rear trigger nozzle adjustable spray with flow	4	1	10	
		control adjustable knob, Easy lock on/off Rear trigger handle with soft rubber overmold Aluminum tip - Brass colour		E-Z Loc On/Of		9 in 1
RW-N1615101R-RT	01937 5	PRO Series Rear Trigger 9 Pattern Spray Nozzle  Easy to use loackable rear trigger with adjustable spray  9 different spray patterns available	4	1	10	
SERIES	METAL	Fully metal body with soft components for comfort				
SÉRIE SERIES	01426 4 METAL	PRO Series 10 Pattern Nozzle  Heavy duty zinc body with soft rubber components  Metal water flow adjustment knob  D-Grip loop can be used to hang nozzle when not in use	4	1	10	
W-9449TM	00447 0	Water pressure rated - 125 PSI  Rear Trigger 9 Pattern Nozzle  9 spray patterns available	4	1	12	
	METAL	Durable metal construction covered in rubber components  D-Grip loop can be used to hang nozzle when not in use				
W-9201	09201 9	Rear Trigger 8 Pattern Nozzle Heavy duty metal construction 8 spray patterns available	4	1	10	
W 0240	METAL 20024 6	Slip resistant rubberized grip			40	
:W-9210	90024 6	Rear Trigger 7 Pattern Nozzle  Heavy duty metal construction  Soft components for added comfort  7 spray patterns available	4	1	12	
W 0504	00000	, ,,		4	40	
RW-9594	01486 8	7 Pattern Spray Nozzle Comfortable cushion vinyl grip Heavy duty metal construction	4	1	12	
8	METAL	Aluminum stem and nut with brass colour				



	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-9437C		09437 2	Rear Trigger 8 Pattern Nozzle  8 spray patterns available Plastic construction Cushion grip for comfort	4	1	10	
RW-9101	200	99102 2	Rear Trigger 7 Pattern Nozzle  Durable light weight ABS construction  Slip resistant rubberized grip  7 spray patterns available	4	1	10	
RW-9449TP		00445 6	Rear Trigger 9 Pattern Nozzle  9 spray patterns available Handy loop for storage Durable plastic construction	4	1	12	
			SPRAY GUNS				
RW-958TFR		01485 1 METAL	Insulated Spray Nozzle  Heavy duty metal construction  Rubber head guard to protect threads  Valve stem with permanent adjusting nut	4	1	12	
RW-9489C		09489 1	Insulated Nozzle Threaded front with protective cover Soft poly clad body Zinc construction	4	1	10	
RW-9493C		09493 8 METAL	Insulated Nozzle  Heavy duty zinc construction  Threaded front with protective cover  Soft poly clad body	4	1	10	
RW-9491C		09491 4 METAL	Metal Nozzle Threaded front Zinc construction  Full-size	4	1	10	
RW-9419C	R	01464 6	Plastic Spray Nozzle Impact resisant Rust-proof Mid-size, polymer constructiong Polymer valve assembly with fixed nut	4	1	12	
RW-9420C	T	09422 8	Rear Trigger Adjustable Nozzle  Threaded front Plastic construction  Full-Size	4	1	20	
			FIREMAN STYLE NOZZLES				
RW-9202		09202 6	Rear Trigger Fireman Nozzle  Heavy duty metal construction  Large rubberized brass spray head  Slip resistant grip and trigger	4	1	10	
			CLICK TRIGGER NOZZLES				
RW-N15657CT		01739 5	Click-Trigger Adjustable Spray Nozzle  Plastic body with metal crush resisant coupling  Quick click-trigger  Water flow control lever  Dual soft grip overmold	4	1	10	



FAN SPRAY NOZZLES	WGT	CUBE	PACK	
Fan Savey Namela				
<u>Fan Spray Nozzle</u> Water saving shut-off valve	4	1	12	
			i l	
- · · · · · · · · · · · · · · · · · · ·			i l	
	4	1	12	
			i	
	4		10	
	4	'	10	
	<u> </u>			
	4	1	10	
	CII			
Durable brass construction	•			
Brass Power Jet Nozzle	4	1	10	
Engineered for flexibily in all watering applications				
Twist style to adjust water flow	2"			
			i	
			10	
	4	1	10	
3 interigin	3"			
Brass				
Twist Sprayer	4	1	10	
4" in length	<b>4</b> "			
Heady duty brass				
4" Brass Twist Nozzle	4	1	10	
Durable brass construction with comfort overmold	<b>4</b> "			
Twist style to adjust water flow				
FILM ( I.T. ) ( A)			10	
	4	1	10	
Durable brass nozzie with rubber grip	-11			
	4	1	10	
The state of the s				
Durable aluminum nozzle with rubber grip				
Sweeper Sprayer	4	1	20	
Brass	3"			
3" in length		igsquare	igsquare	
Diagtic Conserva Namela	4	1	10	
Plastic Sweeper Nozzle	"	1 ' K		
Sweeper nozzle for cleaning or arrow spaces	3"   1			
	Brass Power Jet Nozzle Engineered for flexibily in all watering applications Twist style to adjust water flow Solid brass construction  Twist Sprayer 3" in length Brass  Twist Sprayer 4" in length Heady duty brass  4" Brass Twist Nozzle Durable brass construction with comfort overmold Twist style to adjust water flow  5" Metal Twist Nozzle  Durable brass nozzle with rubber grip Adjustable spray 5" in length Twist style to adjust water flow  Twist Sprayer 4" in length Durable aluminum nozzle with rubber grip  Sweeper Sprayer	Soft grip overmold Rust resisant metal inlet  Front Trigger Metal Fan Sprayer Angled for ease of use Allows for gentle watering Easy to use flow control Covered in soft, slip resistant plastic  Fan Sprayer Durable plastic material Easy to use dial flow control  WIST & SWEEPER NOZZLES  6" Brass Nozzle Sweeper for cleaning and arrow spaces Durable brass construction  Brass Power Jet Nozzle Engineered for flexibily in all watering applications Twist style to adjust water flow Solid brass construction  Twist Sprayer 4" in length Heady duty brass  A" Brass Twist Nozzle Durable brass construction with comfort overmold Twist style to adjust water flow  5" Metal Twist Nozzle Durable brass nozzle with rubber grip Adjustable spray 5" in length Twist style to adjust water flow  Twist Sprayer 4" in length Durable aluminum nozzle with rubber grip  Sweeper Sprayer Brass  4 A  4 A  4 A  4 A  4 A  4 A  4 A  4	Soft grip overmold Rust resisant metal inlet  Front Trigger Metal Fan Sprayer Angled for ease of use Allows for gentle watering Easy to use flow control Covered in soft, slip resistant plastic  Fan Sprayer Durable plastic material Easy to use dial flow control  WIST & SWEEPER NOZZLES  6" Brass Nozzle Sweeper for cleaning and arrow spaces Durable brass construction  Brass Power Jet Nozzle Engineered for flexibily in all watering applications Twist style to adjust water flow Solid brass construction  Twist Sprayer 3" in length Brass  Twist Sprayer 4" in length Heady duty brass  4 1  Durable brass construction with comfort overmold Twist style to adjust water flow  5" Metal Twist Nozzle Durable brass nozzle with rubber grip Adjustable spray 5" in length Twist Sprayer 4" in length Twist Sprayer 4" in length Twist style to adjust water flow  Twist Sprayer 4" in length Twist Syprayer 4" in length Twist Syprayer 4" in length Twist Syprayer 4" in length Twist Sprayer 4" in length Twist Sprayer 4" in length Durable aluminum nozzle with rubber grip  Sweeper Sprayer 4" in length Durable aluminum nozzle with rubber grip  Sweeper Sprayer Brass  3" 4 1	Soft grip overmold Rust resisant metal inlet  Front Trigger Metal Fan Sprayer Angled for ease of use Allows for gentle watering Easy to use flow control Covered in soft, slip resistant plastic  Fan Sprayer Durable plastic material Easy to use dial flow control  WIST & SWEEPER NOZZLES  6"Brass Nozzle Sweeper for cleaning and arrow spaces Durable brass construction  Brass Power Jet Nozzle Engineered for flexibily in all watering applications Twist style to adjust water flow Solid brass construction  Tivist Sprayer 3" in length Brass  Twist Sprayer 4" in length Heady duty brass  4 1 10  4" 10  4" 1 10  Turable brass construction with comfort overmold Twist style to adjust water flow  S" Metal Twist Nozzle Durable brass nozzle with rubber grip Adjustable spray 5" in length Twist style to adjust water flow  Tivist Sprayer 4" in length Twist style to adjust water flow  Tivist Sprayer 4" in length Twist style to adjust water flow  Twist style to adjus



					النار	
MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
		NOZZLE SETS				
RW-9CNS-17	01493 6	2 PC Nozzle Set  1 x Metal Rear Trigger 7 Pattern Nozzle 1 x Metal Rear Trigger Adjustable Spray Nozzle	SET 5	0.3	6	
RW-9CWS-79	10079 0	3 PC Watering Set  1 x 15" Mini Multi Pattern Water Wand 1 x Rear Trigger 9 Pattern Nozzle 1 x Rear Trigger Adjustable Tip Nozzle	SET 5	0.3	6	
RW-9CVNS-42	<b>METAL</b> 01494 3	2 PC Nozzle Set 1 x Rear Trigger 7 Pattern Nozzle 1 x Rear Trigger Adjustable Spray Nozzle	SET 5	0.3	6	
RW-73TCP	01970 2	3 PC Thumb Control Watering Set  1 x Thumb Control Adjustable Spray Nozzle 1 x Thumb Control 8 Pattern Nozzle 1 x 15" Thumb Control Multi Pattern Wand	SET 5	0.3	6	
		THUMB CONTROL WANDS				
RW-TCEW	01946 7	Telescopic Watering Wand - up to 60"  8 watering patterns  Easy to use thumb control  180° rotating head  Durable metal components - will not rust or corrode	up to 60"	4	12	
W-9MP33	Title votative  01764 7	33" Multi Pattern Spray Wand  Easy to use thumb control 7 watering patterns  Dual overmold on handle with metal coupling 180° rotating head	33"	4	12	
W-9MP16	01763 0	Easy to use thumb control 7 watering patterns Dual overmold on handle with metal coupling 180° rotating head	16"	2	12	
-		TRIGGER WANDS				
RW-98650D	98650 9	Multi-Pattern Telescopic Spray Wand Extends from 29" to 42" in length 8 different spray patterns available Flow control knob	8	4	12	
7.		All weather display stand for outside use				

#### 2023 RainWave Price List iem Maye CUBE UPC 066283 DESCRIPTION WGT **PACK** MODEL# RW-9916 Multi-Pattern Spray Wand 099162 12 8 different spray patterns available 16" Head swivels 180° Metal and ABS construction 16" in length Flow control knob 180 All weather display for outside use RW-9915 004807 Multi-Pattern Spray Wand 12 8 different spray patterns available 15" Flow control knob RW-9055 09055 8 Telescopic Shower Spray Wand Extends from 39" to 55" in length Extra large shower head Fully adjustable head Flow control knob 180° RW-TAEEW 12 Telescopic EZ Wash 'N' Clean Wand 8 006184 360° rotating head 32"-50" Lockable front trigger for continuous spray Cleaning wand with soap dispenser-volume and rinse control lever Power jet spray RW-9HPW 991176 High Power Telescopic Wand 8.2 Telescopic Cleaning Wand extends from 92 cm to 152 cm (3 to 5 ft) High pressure duckbill nozzle blasts dirt and debris from gutters. Great for patios, deck and driveways Container will hold up to 142 ml (5 oz) of soap for all cleaning needs 180° Adjustable angle sweeper head - adjustable up to 180° **WATER TIMERS** RW-74ZWT-2 09219 4 Zone Digital Water Timer Easy to read LCD display-fully flexible programming with dial control Waters from 1-180 mins for each zone - 4 zones available Up to 4 cycles can be set for each zone Rain sensor and moisture sensor ready! Includes 2 x solenoid valves RW-93ZPWT 00690 0 3 Zone Electronic Water Timer Each zone can be programmed with up to 4 watering cycles Watering duration from 1 minute to 240 minutes (6 hours!)

#### Flexible watering day feature for optimum watering 12 Rain delay for 6 days CAN BE USED WITH CYCLES Large, easy to read LCD display **RW-95SMS MOISTURE SENSOR** Long lasting metal coupling with rubberized coating 2 AA batteries required (not included) RW-92ZPWT 2 Zone Electronic Water Timer 006917 Each zone can be programmed with up to 4 watering cycles Watering duration from 1 minute to 240 minutes (6 hours!) Flexible watering day feature for optimum watering CAN BE USED WITH Rain delay for 6 days **CYCLES RW-95SMS MOISTURE SENSOR** Large, easy to read LCD display Long lasting metal coupling with rubberized coating 2 AA batteries required (not included)



MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-7EWT-1	01933 2	Electronic Water Timer  Manual ON/OFF  12 different watering programs available  Easy to use dial control with water delay button	3.3	1	6	
RW-93010	93010 6	Real Time Automatic Manual Timer Spring Operated Soft touch covering on dial for ease of use	3.3	1	8	
RW-93012	93012 0	Electronic Water Timer  Watering frequency adjustable from every 4 hours up to 7 days  Works with low pressure and drip hoses	3.7	1	4	
RW-93013MST	00489 0	Water Timer with Moisture Sensor Large LCD display Easy to use programming dial 2 cycles per day with watering duration of 120 minutes Frequency of 1-7 days Conserve mode will water for 3 minutes and off for 1 minute Allows for maximum absorption into the soil 4 moisture levels can be set Moisture sensor includes 5M length of wire Manual ON/OFF 2 AA batteries required (not included)	4	1	4	
RW-9FM	90028 4	Electronic Flow Meter  Controls water flow Help monitor water consumption Easy to read LCD display Available in litres and gallons	2	0.3	12	
		WATER TIMER ACCESSORIES	<u> </u>			
RW-91SV	01922 9	Solenoid Valve - 2 PACK Solenoid valve for item # RW-74ZWT-2 2 valves per pack	2	0.3	6	
RW-7MS-1	01924 0	Moisture Sensor Can be used with RAINWAVE water timers Item # RW-74ZWT-1, RW-74ZDT-1 & RW-N93108	2	0.3	6	
RW-7RS-1	01926 4	Rain Sensor Can be used with RAINWAVE water timers Item # RW-74ZWT-1, RW-74ZDT-1 & RW-N93108	2	0.3	6	



			<u> </u>	للنار	
UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
00689 4	Soil Moisture Sensor  To prevent over watering 5 levels of moisture sensitivity Desired moisture level can be set by turning the control knob Unit has built in 5M cable with plug FOR USE WITH RAINWAVE TIMERS ONLY 2 AA batteries required (not included)	2	0.3	4	
	OSCILLATING SPRINKLERS				
01509 4	15 Jet Oscillating Sprinkler  Durable metal contrustion  15 BRASS coloured spray jets provide even water coverage-approx. 2,800 sq. ft.  Wide stance ensures increased stability	8	2.8	6	
METAL	Adjustable range control				
01504 9 METAL	17 Jet Oscillating Sprinkler  Durable metal contrustion  17 BRASS coloured spray jets provide even water coverage-approx. 3,500 sq. ft.  Wide stance ensures increased stability  Adjustable range control	8	2.8	6	
01499 8	19 Jet Oscillating Sprinkler  Durable metal contrustion  19 BRASS coloured spray jets provide even water coverage-approx. 4,000 sq. ft.  Wide stance ensures increased stability  Adjustable range control	8	2.8	6	
01468 4 METAL	19 Jet Oscillating Sprinkler  Durable metal contrustion  19 BRASS coloured spray jets provide even water coverage-approx. 3,600 sq. ft.  Wide stance ensures increased stability	8	2.8	6	
01469 2	19 Jet Oscillating Sprinkler  Durable metal contrustion  19 BRASS coloured spray jets provide even water coverage-approx. 3,500 sq. ft.  Extra wide stance ensures increased stability	8	2.8	6	
09360 3	Turbo Gear Metal Oscillating Sprinkler  Aluminum Spray Tube with 18 Precision Brass spray jets  Waters up to 3600 sq ft (75 x 50ft)  Long Life turbo motor. Fully adjustable. Brass swivel Hose Coupling.	8	2.8	6	
09421 1	Turbo Motor with Plastic Water Tube with 18 Nozzles  Patented Fully variable dual tabs for precise full width control  Large Metal base. Covers up to 3900 Sq. Ft.	8	2.8	6	
09264 4	Turbo Gear Oscillating Sprinkler Aluminum Spray Tube with 16 precision holes Waters up to 2600 Sq. Ft.	7.2	2.8	9	
09280 4	Turbo Gear Oscillating Sprinkler Aluminum Spray Tube with 18 precision holes Waters up to 3000 Sq. Ft.	7.2	2.8	6	
09290 3	Turbo Gear Oscillating Sprinkler  Aluminum Spray Tube with 18 precision plastic brass coloured spray jets  Waters up to 3200 Sq. Ft.	7.2	2.8	6	
	00689 4  01509 4  01509 4  01504 9  METAL  01499 8  METAL  01468 4  01469 2  METAL  09360 3  METAL  09264 4  09280 4	Soil Moisture Sensor   To prevent over watering   Sievels of moisture sensitivity   Desired moisture level can be set by turning the control knob Unit has buil in SM cable with plug   FOR USE WITH RAINWAYE TIMERS ONLY   2 AA batteries required (not included)	Soil Moisture Sansor   To prevent over watering   Sevels of moisture sensitivity   Desired moisture level can be set by turning the control knob   Unit has built in Mc Acade with plug   FOR USE WITH RAINWAYE TIMERS ONLY   2 AA batteries required (not included)	UPC 985283   DESCRIPTION	UPC 066283



MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-93000	93000 7	Turbo Gear Oscillating Sprinkler with Brass Jets Aluminum Spray Tube with 18 precision brass jets Waters up to 3200 Sq. Ft.	7.2	2.8	6	
RW-9263	09263 7	Turbo Gear Oscillating Sprinkler Plastic Spray Tube with 16 precision holes Waters up to 2600 Sq. Ft.	6.8	2.4	9	
RW-9261	09261 3	Basic Oscillating Sprinkler Aluminum Spray tube with 15 precision holes Waters up to 2600 Sq. Ft.	6.8	2.4	9	
RW-94000	94000 6	Turbo Motor with Plastic Water Tube with 18 Nozzles and Slide adjustments .Dual Stage Long Life Turbo Motor Waters up to 3900 Sq. Ft.	6.8	2.8	6	
RW-9410	09410 5	Turbo Motor with Plastic Water Tube with 18 Nozzles Patented fully variable dual tabs for precise full width control levers. Large plastic base. Covers up to 3900 Sq. Ft.	6.8	2.8	6	
RW-9128	90035 2	Oscillating Sprinkler with Timer Metal spray tube with 18 Nozzles Coverage of up to 278 sq. m (3000 sq. ft) Manual timer - can be set from 0 to 120 minutes	6.8	2.8	6	
RW-94010	94010 5	Turbo Motor Oscillator Set  Turbo Motor with Plastic Water Tube with 18 Nozzles  Real Time Automatic Water Timer  Waters up to 3000 Sq. Ft.	6.8	2.8	6	
RW-94110	94110 2	Turbo Motor Oscillator Set  Turbo Motor with Plastic Water Tube with 18 Nozzles  Patented fully variable dual tabs for precise full width control  Real Time Automatic Water Timer Covers up to 3900 Sq. Ft.	6.8	2.8	6	
		ROTARY SPRINKLERS				
RW-600PGS	01682 4	6 Pattern Rotary Sprikler - Triple Prong Spike  Full or part circular coverage of approx. 70' diameter - 3,800 sq. ft.  Adjustable 6 pattern gear driven sprinkler  Mounted on a plastic triple prong spike base  Male and female coupling for use in a series	5	2	6	
RW-600SGS	01684 8	6 Pattern Rotary Sprikler - Metal Sled Base Full or part circular coverage of approx. 70' diameter - 3,800 sq. ft. Adjustable 6 pattern gear driven sprinkler Mounted on a strudy plastic sled base Male and female coupling for use in a series	5	2	6	
RW-400PGS	02022 7	4 Pattern Rotary Sprikler - Triple Prong Spike  Full or part circular coverage of approx. 70' diameter - 3,800 sq. ft.  Adjustable 4 pattern gear driven sprinkler  Mounted on a plastic triple prong spike base  Male and female coupling for use in a series	5	2	6	



						سب	
	MODEL #	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
N-400AGS		02023 4	4 Pattern Rotary Sprikler - Spike  Full or part circular coverage of approx. 70' diameter - 3,800 sq. ft.  Adjustable 4 pattern gear driven sprinkler  Mounted on a metal single prong spike base  Male and female coupling for use in a series	5.3	2	6	
W-400SGS		02024 1	4 Pattern Rotary Sprikler - Metal Sled Base  Full or part circular coverage of approx. 70' diameter - 3,800 sq. ft.  Adjustable 4 pattern gear driven sprinkler  Mounted on a strudy plastic sled base  Male and female coupling for use in a series	5	2	6	
			IMPULSE SPRINKLERS				
W-PS561		01433 2	Pro Series Impulse Sprinkler  Plastic impulse sprinkler with polymer step spike  Coverage of up to 5800 sq. ft (86 ft diameter)  Full or partial settings  Series connection compatible	5	2.2	12	
W-PS551		01434 9	Pro Series Impulse Sprinkler  Plastic impulse sprinkler with zinc step spike  Coverage of up to 5800 sq. ft (86 ft diameter)  Full or partial settings  Series connection compatible	5.4	2.2	12	
W-PS537		01435 6	Pro Series Impulse Sprinkler  Metal impulse sprinkler with heavy duty die cast step spike  Coverage of up to 5800 sq. ft (86 ft diameter)  Full or partial settings	5.5	2.2	12	
N-99560C		99560 0	Full or Part Pulsating Sprinkler  Waters all or any part of 85 ft diameter  Plastic spike	5	2.2	12	
V-99550C		99550 1	Full or Part Pulsating Sprinkler  Waters all or any part of 85 ft diameter  Metal spike	5	2.2	12	
W-99560D		99561 7	Full or Part Pulsating Sprinkler  Waters all or any part of 85 ft diameter  Plastic step spike  2 per card	8	3.5	12	
W-99535C		99535 8	Impulse Sprinkler on metal spike Waters all or any parts of 85 ft diameter	5	2.2	12	
W-P536ZS		09256 9  450% more coverage	Pro Series Triple Prong Metal Step Spike with swivel brass connection nut Trip levers for full or partial coverage with full reverse setting Covers up to 8,500 feet (106 ft diameter) Distance and stream patterns adjustable with diffuser pin Sprinkler head has 3/4" NPT connection to base Extra large water jet for more coverage than standard pulsating heads Extra large sprinkler features up to 50% more coverage!	7	3.2	6	



				/		
MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-PS961 SÉRIE SERIES	01436 3	Pro Series Impulse Sprinkler  Metal impulse sprinkler on a heavy duty impact resistant sled base  Coverage of up to 5800 sq. ft (86 ft diameter)  Full or partial settings  Series connection compatible	5	2.2	12	
RW-93900H	93900 0 <b>METAL</b>	Impulse Sprinkler on metal sled base Waters all or any parts of 85 ft diameter	5	2.2	6	
RW-99570	99570 9	Full or Part Pulsating Sprinkler on plastic sled base Waters all or any part of 85 ft diameter	5	2.2	12	
RW-99538	99538 9 <b>METAL</b>	Full or Part Pulsating Sprinkler  Metal sprinkler head on a metal sled base  Waters all or any part of 85 ft diameter	5	2.2	6	
RW-9955C	09955 1	Replacement Spike for metal and plastic heads	2	1.6	6	
RW-9953	09953 7	Replacement Pulsating Head for metal and plastic spike	2	1.6	6	
No.		WHEELED BASE SPRINKLERS				
RW-TS200	90036 9	Travelling Lawn Sprinkler  Variable spray coverage of up to 50 ft (15 m) diameter  Simply lay out hose and the unit will follow the set path Perfect for large, irregular shaped lawns Simply fill with water at rear of unit Light weight units makes for easy storage	5	0.5	1	
RW-99520	99520 4	Brass Pulsating Sprinkler on Large Wheeled Base Waters up to 85' (26m diameter circle). Unit to unit connection Stable sled base allows easy placement and movement	12	1	6	
RW-97000	97000 3 <b>METAL</b>	Metal 3-Arm Revolving Sprinkler  Durable metal construction  Series connection compatible  Equipped with wheels for easy transport	9	1	6	
		AUTO-SELECT SPRINKLERS				
RW-9IASTEP	00654 2	Auto Select Impulse Sprinkler  Plastic impulse sprinkler on a heavy duty triple prong step spike  Coverage of up to 5800 sq. ft (86 ft diameter)  Unique, easy to set disc allows for multiple setting points  Disc can be adjusted up or down 12 points within a single rotation  Speed control for even coverage  Series connection compatible	8	2.6	4	



MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-9IASB	00629 0	Auto Select Impulse Sprinkler  Plastic impulse sprinkler on a sturdy plastic sled base  Coverage of up to 5800 sq. ft (86 ft diameter)  Unique, easy to set disc allows for multiple setting points  Disc can be adjusted up or down 12 points within a single rotation  Speed control for even coverage  Series connection compatible	8.5	2.6	4	
RW-9AS58	00137 0	Auto Select Rotary Sprinkler  Plastic impulse sprinkler on a sturdy plastic sled base  Coverage of up to 2800 sq. ft (260 sq. m)  Unique, easy to set disc allows for multiple setting points  Plastic tilting rotary spray head  Constructed of impact resistant, rustproof polymer  Series connection compatible	18	3.6	4	
RW-9IAST	00655 9	Auto Select Impulse Sprinkler with Timer  Water timer included - can be set from 1 minute to 120 minutes  Plastic impulse sprinkler on a sturdy plastic sled base  Coverage of up to 5800 sq. ft (86 ft diameter)  Unique, easy to set disc allows for multiple setting points  Disc can be adjusted up or down 12 points within a single rotation  Speed control for even coverage  Series connection compatible	8.5	2.6	4	
		REVOLVING SPRINKLERS				
RW-97800	97800 9	Square Pattern Sprinkler Heavy duty zinc base  Coverage up to 35 sq. ft	6 56.9	1.3	6	
RW-9364	09364 1	3-Arm Rotating Sprinkler 3 adjustable plastic arms for gentle watering Tip resistant butterfly style base Unique ball joint connection allows for stationary and precise watering	3	1	6	
RW-9367P	00477 7	3-Arm Revolving Sprinkler 3 adjustable plastic tips for precise watering Sturdy plastic base	3	1	12	
		HI-RISE SPRINKLERS				
RW-936TTM SÉRIE PHD SERIES	01962 7 METAL	PRO Series Tri-Pod Impulse Sprinkler  Coverage of approx. 8.500 sq. ft 106' diameter  Heavy duty metal legs for extra stability  Trip levers with full or partial coverage with full reverse	8	2	6	
RW-P36TT	09236 1	Pro Series Tri-Pod Pulsating Sprinkler  Extra large coverage metal sprinkler  Telescopic Tripod reaches up to 142 cm (56")  Heavy Duty legs for stability  Trip levers for full or partial coverage with full reverse setting  Covers up to 8,500 feet (106 ft diameter)  Distance and stream patterns adjustable with diffuser pin  Extra large water jet for more coverage than standard pulsating head  Spikes included  Extra large sprinkler features up to 50% more coverage!	10	2	6	



	MODEL #	UPC <u>066283</u>	DESCRIPTION	WGT		PACK	
N-99600	4	99600 3	Tripod Pulsating Sprinkler	8	2	4	
	<i>//</i> /\		Waters up to 90 ft (27 m) diameter circle				
	///\\		Durable all metal head. Tripod base extends to 72"				
		0.0.0.0.0.0	Displayer Included				
	\	METAL					
W-9366T	1	09355 6	Hi-Rise Sprinkler	6	2	12	
<b>&lt;</b> -			Telescopes from 29" to 45"  Coverage of up to 35' X 35' square				
	*		Equipped with plastic step spike				
			MULTI-PATTERN SPRINKLERS				
W-9268M		09268 2	8 Pattern Turret Sprinkler	2	1.5	6	
		METAL	8 different spray patterns available Easy to use rubber ring				
		ta a wall a a d	Swivel female metal coupling covered in soft slip resistant plastic				
W-9269		09269 9	8-Pattern Turret Sprinkler	2	1.5	12	
	5" 4		8 different spray patterns available				
			Easy to use rubber ring Swivel female plastic coupling				
			Owiver remain plastic coupling				
			SPOT SPRINKLERS				
W-MB17	Stim	01958 0	Metal Bubbler	6	0.4	10	
		N	Gentle flow				
	進量	1 17	Ideal for soaking				
		METAL					
W-917LA	<i>a</i> -	01959 7	12" Metal Ground Sprinkler	6	1	10	
		N	Approx. coverage - <u>20' diameter</u> Gentle <u>LOW</u> angle fan spray				
		METAL	Gentile <u>LOW</u> angle fan spray				
N 047114		10 11 11 11 11 11	400 Makel Consum d Constitution			40	
W-917HA		01960 3	12" Metal Ground Sprinkler Approx. coverage - 20' diameter	6	1	10	
		77	Gentle <u>HIGH</u> angle fan spray				
		METAL					
W-9112	-	09112 8	Ring Sprinkler	6	1.1	12	
-			Coverage of up to a 45 ft diameter		·		
	67						
N-931		00478 4	Cast Iron Sprinkler	8	1	12	
			Rust resistant, powder coat paint				
			Heavy weight unit adds stability Designed for small, hard to water areas				
		00000	Covers up to 30 ft diameter				
		METAL					
N-932		00479 1	<u>Cast Iron Sprinkler</u> Rust resistant, powder coat paint	8	1	12	
			Heavy weight unit adds stability				
			Designed for small, hard to water areas				
		METAL	Covers up to 30 ft diameter				
V-934		00934 5	Die Case Spot Sprinkler	6	0.4	12	
		METAL					
N 005		100000	00 (1 0)		0.4	40	
N-935		00935 2	30 ft Circular Spot Sprinkler	6	0.4	12	
		METAL					

#### 2023 RainWave Price List Rain Wave UPC 066283 **DESCRIPTION** WGT CUBE **PACK** MODEL# RW-936 009369 Rectangular Pattern Spot Sprinkler 0.4 12 METAL RW-937 00937 6 Square Pattern Spot Sprinkler 6 0.4 12 METAL CW-901C 91901 5 Circular Pattern Spot Sprinkler 6 0.4 12 METAL CW-901R 919026 Rectangular Pattern Spot Sprinkler 0.4 12 6 METAL CW-901S 91903 3 12 Square Pattern Spot Sprinkler 6 0.4 METAL **QUICK CONNECTORS & ADAPTERS ACCESSORY ADAPTERS** RW-N041 01753 1 **Quick Connect Accessory Adapter** 0.3 10 2 adapters per pack NEW Durable plastic construction RW-947C 00947 5 **Accessory Adapter** 2 0.3 10 Brass Pack of 2 **BRASS** Includes o-rings RW-947S 08747 3 Accessory Adapter 2 0.3 10 No o-rings included Set of 2 BRASS RW-9AMC 903032 Accessory Adapter 0.3 10 Easily attaches to nozzles or sprinklers for quick connection to hose Durable metal construction METAL Comfortable rubber grips **TAP ADAPTERS** RW-N042 01756 2 **Quick Connect Tap Adapter** 0.3 10 2 adpaters per pack NEW < Durable plastic construction RW-92MQC 000922 **Quick Connect Tap Adapter** 10 Durable plastic construction RW-94TC 00578 1 Tap Adapter 2 0.3 10 Includes o-rings BRASS RW-948S 00145 5 **Tap Connector** 2 0.3 10 No o-rings included **BRASS QUICK CONNECTORS** RW-N501 **Quick Connector** 017548 2 0.3 10 Tap end connector Durable plastic construction RW-95MQC 909515 Male Hose Connector 0.3 10 2

Quick connect system Tap end adapter



	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK			
RW-947TC		00141 7 <b>BRASS</b>	<u>Male Hose Connector</u> fits standard garden hoses, outdoor faucets and watering accessories Brass	2	0.3	10			
RW-N500		01755 5	Quick Connector Accessory end connector Durable plastic construction	2	0.3	10			
RW-94MQC		00094 6	Female Hose Connector Quick connect system Accessory end adapter - water stop function	2	0.3	10			
RW-946C		00946 8  BRASS	Female Hose Connector  Brass	2	0.3	10			
RW-9A4FC		90302 5	Hose Connector Female Push/pull connect/disconnect system	2	0.3	10			
RW-N505		01761 6	Single Shut-Off Valve  Durable plastic construction  Ergo grip for easy connection  Quick release connector  QUICK CONNECT HOSE REPAIRERS	2	0.3	10			
RW-96MQC		00096 0	Hose End Repairer for 5/8" garden hose	2	0.3	10			
RW-97MQC		00097 7	Hose End Repairer with Water Stop for 5/8" garden hose	2	0.3	10			
			QUICK CONNECTOR SETS						
RW-N1QC		01757 9	Quick Connect Tap End Set  Tap end connector set  Durable plastic construction  1 x tap adapter  1 x quick connector	2	0.3	10			
RW-943TC		00579 8  BRASS	Tap Set  Set includes:  1 x tap adapter  1 x male hose connector  Includes o-rings	2	0.3	10			
RW-946S	60	00138 7  BRASS	Tap Connector Set  Set includes:  1 x tap connector  1 x male hose connector  No o-rings included	2	0.3	10			
RW-N500QC	6	01758 6	Quick Connect Accessory End Set  Accessory end connector set  Durable plastic construction  1 x accessory adapter  1 x quick connector	2	0.3	10			
RW-911MQC		00911 6	Accessory Set  Set includes:  1 x accessory adapter  1 x accessory end hose connector	2	0.3	10			
RW-945C		00945 1  BRASS	Accessory Set  Set includes:  1 x accessory adapter  1 x female hose connector  Includes o-rings	2	0.3				

#### 2023 RainWave Price List Rain Wave CUBE UPC 066283 **DESCRIPTION** WGT **PACK** MODEL# RW-945S 00895 1 **Hose End Connector Set** 10 Set includes: 1 x accessory adapter **SET** 1 x hose connector BRASS No o-rings included Quick Connect Set RW-9A11QS 903018 2 0.3 10 Set includes: 1 x accessory adapter SET 1 x hose connector METAL RW-N02QC 01760 9 **Quick Connect Starter Set** 2 0.3 10 2 x accessory end apaters 1 x tap end adapter **SET** 1 x single shut off valve 1 x quick connector RW-915MQC 009154 **Quick Connect Stater Set** 0.3 10 Set includes: 1 x accessory adapter 1 x accessory end hose connector **SET** 1 x tap adapter 1 x tap end hose connector RW-N502 01759 3 Single Shut-Off Valve Set 2 0.3 10 Durable plastic construction Ergo grip for easy connection SET 1 x single shut off valve 1 x accessory adapter **HOSE REPAIRERS FEMALE HOSE REPAIRERS** RW-N15031R 01745 6 Female End Hose Repairer - 5/8" & 3/4" 10 0.3 Brass and nylon construction 5/8" BRASS RW-99003 99003 2 Female Hose Repairer 2 10 0.3 5/8" hose end repairer 5/8" **BRASS** Twist on design RW-9F12M 900086 Female Hose Repairer 2 0.3 10 Durable metal construction 1/2" hose repairer METAL RW-9F58M 900093 Female Hose Repairer 0.3 10 Durable metal construction 5/8" 5/8" hose repairer METAL Female End Hose Repairer - 5/8" & 3/4" RW-N156M 01751 7 0.3 10 Durable metal construction 5/8" METAL RW-N156PS Female End Hose Repairer - 5/8" & 3/4" 01748 7 10 2 0.3 Durable plastic construction 5/8"

#### 2023 RainWave Price List Rain Wave **DESCRIPTION** WGT CUBE **PACK** MODEL# **UPC 066283** RW-96PS 90996 6 Female Hose Repairer 10 Plastic material For 1/2" or 5/8" or 3/4" 1/2" 5/8" RW-91FMC Female Hose Repairer 900918 2 0.3 10 Plastic material 1/2" 1/2" hose repairer RW-92FMC 909928 2 0.3 10 Female Hose Repairer Plastic material 5/8" 5/8" hose repairer MALE HOSE REPAIRERS RW-N15035R 01744 9 Male End Hose Repairer - 5/8" & 3/4" 10 2 0.3 Brass and nylon construction **BRASS** RW-99002 99002 5 Male Hose Repairer 2 0.3 10 5/8" hose end repairer Twist on design 5/8" **BRASS** RW-9M12M Male Hose Repairer 900048 0.3 10 Durable metal construction 1/2" 1/2" hose repairer METAL RW-9M58M 90007 9 Male Hose Repairer 2 0.3 10 Durable metal construction 5/8" 5/8" hose repairer METAL RW-N157M 01750 0 Male End Hose Repairer - 5/8" & 3/4" 2 0.3 10 Durable metal construction 5/8" METAL RW-N157PS 01747 0 Male End Hose Repairer - 5/8" & 3/4" 2 0.3 10 Durable plastic construction 5/8" Male Hose Repairer RW-97PS 909973 0.3 10 Plastic material For 1/2" or 5/8" or 3/4" 1/2" 5/8" RW-91MMC 909911 Male Hose Repairer 2 0.3 10 Plastic material 1/2" hose repairer RW-92MMC 901922 Male Hose Repairer 2 0.3 10 Plastic material 5/8" hose repairer 5/8" **HOSE MENDER** RW-N15032R 017463 Hose Mender - 5/8" & 3/4" 2 0.3 10 Brass and nylon construction 5/8" **BRASS**



						كنى	
	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
W-99004		99004 9	Mender Hose Repairer 5/8" inline hose repairer Twist on design	2	0.3	10	
		BRASS					
W-9HM12M		90000 0	Mender Hose Repairer  Durable metal construction 1/2" inline hose repairer	2	0.3	10	
W-9HM58M		90002 4	Mender Hose Repairer Durable metal construction 5/8" inline hose repairer	2	0.3	10	
W-N158M		01752 4	Hose Mender - 5/8" & 3/4"  Durable metal construction	2	0.3	10	
		METAL	5/8" 3/4"				
W-N158PS		01749 4	Hose Mender - 5/8" & 3/4"  Durable plastic construction  5/8"	2	0.3	10	
W-98PS		90998 0	Mender Hose Repairer Plastic material For 1/2" or 5/8" or 3/4"	2	0.3	10	
			1/2" 5/8" 3/4"				
W-901MC		90901 0	Mender Hose Repairer Plastic material 1/2" inline hose repairer	2	0.3	10	
W-902MC		90902 7	Mender Hose Repairer Plastic material 5/8" inline hose repairer	2	0.3	10	
			HOSE REPAIR COUPLINGS				
W-922Z1/2		00922 2	Female Coupling  Stainless steel clamp included	2	0.3	10	
W-922Z5/8		00929 1	Female Coupling Stainless steel clamp included	2	0.3	10	
W-9D22Z1/2		90013 0 <b>METAL</b>	1/2" Female Coupling Stainless steel clamp included	2	0.3	10	
W-9D22Z5/8		90021 5	Female Coupling Stainless steel clamp included	2	0.3	10	
W-928Z1/2		00928 4 <b>METAL</b>	Male Coupling Stainless steel clamp included	2	0.3	10	
W-928Z5/8		90928 7	Male Coupling  Stainless steel clamp included	2	0.3	10	
W-9D28Z1/2		90014 7	Male Coupling Stainless steel clamp included	2	0.3	10	



	20 Hairivi			Manne		
	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK
W-9D28Z5/8		90019 2 <b>METAL</b>	Male Coupling  Stainless steel clamp included	2	0.3	10
W-921Z1/2		90921 8 <b>METAL</b>	Female Coupling	2	0.3	10
N-921Z5/8	No.	00921 5	Female Coupling	2	0.3	10
N-9D12Z1/2	566	90016 1	Male & Female Coupling Stainless steel clamp included	2	0.3	10
W-9D12Z5/8	866	90222 2 <b>METAL</b>	Male & Female Coupling Stainless steel clamp included	2	0.3	10
W-911Z1/2		91911 8 <b>METAL</b>	Male & Female Coupling	2	0.3	10
N-9D11Z1/2	80	90017 8	Male & Female Coupling	2	0.3	10
N-9D11Z5/8	80	90023 9	Male & Female Coupling  5/8"	2	0.3	10
W-9D21Z1/2		90010 9 <b>METAL</b>	Female Coupling	2	0.3	10
N-9D21Z5/8		90020 8	Female Coupling	2	0.3	10
N-926Z1/2		00927 7	Male Coupling	2	0.3	10
N-926Z5/8		00926 0	Male Coupling  5/8"	2	0.3	10
W-9D26Z1/2		90012 3	Male Coupling	2	0.3	10
N-9D26Z5/8		90018 5	Male Coupling	2	0.3	10
V-91HM1/2		BRASS	Mender Hose Repairer Stainless steel clamps included	2	0.3	10
V-91HM5/8		BRASS	Mender Hose Repairer Stainless steel clamps included	2	0.3	10
V-91HM3/4		BRASS	Mender Hose Repairer Stainless steel clamps included	2	0.3	10
N-931Z1/2		00931 4	Mender Hose Repairer	2	0.3	10
N-931Z5/8		00932 1 <b>METAL</b>	Mender Hose Repairer  5/8"	2	0.3	10



								لنا	
	MODEL#	UPC <u>066283</u>		DESCRIPTION	W	VGT	CUBE	PACK	
W-95Z1/2	00	00095 3 <b>BRASS</b>	1/2"	Male & Female Coupling		2	0.3	10	
W-95Z5/8	000	90095 6 BRASS	5/8"	Male & Female Coupling		2	0.3	10	
W-96Z1/2		90096 3 BRASS	1/2"	Female Coupling		2	0.3	10	
W-96Z5/8		90196 0 BRASS	5/8"	Female Coupling		2	0.3	10	
W-97Z1/2		90097 0 BRASS	1/2"	Male Coupling		2	0.3	10	
W-97Z5/8		90197 7 BRASS	5/8"	Male Coupling		2	0.3	10	
W-98Z1/2	00	90098 7 BRASS	1/2"	Mender Hose Coupling		2	0.3	10	
W-90C1/2		00458 6 BRASS	1/2"	Male & Female Hose End Replacement		2	0.3	10	
W-90C5/8		00461 6 BRASS	5/8"	Male & Female Hose End Replacement		2	0.3	10	
RW-90C3/4		00464 BRASS	3/4"	Male & Female Hose End Replacement		2	0.3	10	
W-90M1/2		00569 3  BRASS	1/2"	Male Hose End Replacement		2	0.3	10	
W-90M5/8		00462 3 BRASS	5/8"	Male Hose End Replacement		2	0.3	10	
W-90M3/4		00465 4 BRASS	3/4"	Male Hose End Replacement		2	0.3	10	
W-90F1/2		00460 9  BRASS	1/2"	Female Hose End Replacement		2	0.3	10	
W-90F5/8		00463 0 BRASS	5/8"	Female Hose End Replacement		2	0.3	10	
W-90F3/4		00466 1 BRASS	3/4"	Female Hose End Replacement		2	0.3	10	
W-91C1/2		00467 8 BRASS	1/2"	Male & Female Hose End Replacement 2 clamps included		2	0.3	10	
W-91C5/8		00470 8 BRASS	5/8"	Male & Female Hose End Replacement 2 clamps included		2	0.3	10	
W-91C3/4	868	00473 9 BRASS	3/4"	Male & Female Hose End Replacement 2 clamps included		2	0.3	10	
	W								



		avoii	100 List		<b>"</b>	الثال	
	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT		PACK	
RW-91M1/2		00468 5 BRASS	Male Hose End Replacement  Clamp included	2	0.3	10	
W-91M5/8		00471 5 BRASS	5/8" Male Hose End Replacement Clamp included	2	0.3	10	
W-91M3/4		00474 6 <b>BRASS</b>	Male Hose End Replacement Clamp included	2	0.3	10	
W-91F1/2		00469 2 BRASS	Female Hose End Replacement Clamp included	2	0.3	10	
W-91F5/8		00472 2 BRASS	Female Hose End Replacement Clamp included	2	0.3	10	
W-91F3/4		00476 0 BRASS	Female Hose End Replacement  Clamp included	2	0.3	10	
			BRASS FITTINGS				
RW-960Z1/2		00960 4 BRASS	Double Male Hose Fitting 3/4" GHT x 1/2" NPT	2	0.3	10	
W-960Z3/4		00961 1 <b>BRASS</b>	Double Male Hose Fitting 3/4" GHT x 3/4" NPT	2	0.3	10	
W-962Z1/2		00962 8 BRASS	Male/Female Hose Fitting 3/4" GHT x 1/2" NPT	2	0.3	10	
W-962Z3/4		00963 5 BRASS	Male/Female Hose Fitting 3/4" GHT x 3/4" NPT	2	0.3	10	
W-964Z1/2		00964 2 BRASS	Double Female Hose Fitting with Swivel 3/4" GHT x 1/2" NPT	2	0.3	10	
W-964Z3/4		00965 9 BRASS	Double Female Hose Fitting with Swivel 3/4" GHT x 3/4" NPT	2	0.3	10	
W-959Z FB		00958 1 BRASS	Double Male Fitting Fits 2 standard garden hoses	2	0.3	10	
W-959Z MB		00959 8 BRASS	Double Female Fitting Fits 2 standard garden hoses	2	0.3	10	
			HOSE VALVES & ACCESSOR	RIES			
W-PS61		014394 BRASS	RainWave Pro Series Metal Angled Connection Angles hose or accessories away from water source Solid METAL body Soft over mold on body Easy on swivel connector assures accurate connection to	DE	0.3	12	
W-58S		01444 8	Goose Neck Connector  Angles hose away from water source Rugged, metal construction	2	0.3	10	
PRO		METAL	Easy on swivel connector				



MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-9360S	99360 6	Goose Neck Connector  Durable metal construction  Directs hose away from water source  Easy swivel on connector	2.2	0.3	10	
RW-9FL36	00451 7	"FLEXI" Faucet Connector Prevents kinking and twisting of hose Rotates 360° when connected to male or female fittings Swivels up to 180°	2.2	0.3	10	
RW-250S	01443 1 METAL	2-Way Water Distributor  Durable metal material  Longer legs to prevent hose from kinking  Easy on swivel connector	2.2	0.3	10	
RW-9290KF	99290 6	Hose Protector Prevents hose from kinking	3	0.6	10	
RW-9TFC	90030 7	Twist Flow Control Controls water flow Easy twist action ON/OFF Variable water flow	2	0.3	12	
RW-99001	99001 8  BRASS	Single Shut Off  Durable brass construction  Easy on swivel connector  Control water flow to one garden hose  Rubberized coating on lever for easy turning	2	1	10	
RW-94S	01445 5 METAL	Single Shut Off  Durable zinc construction  Full ball & retainer rings to reduce leakage  Easy on swivel connector	2	1	10	
RW-9391PSG	90391 9 METAL	Single Shut Off  Extra large lever for easy use  Soft rubberized components for grip and comfort  Easy swivel on connector  Protective caps included	2	1	8	
RW-9395S	09395 5	Single Shut Off  Durable metal construction	1.4	1	10	
RW-PS91	01440 0	Pro Series Single Shut Off  Controls water flow for one garden hose Easy on swivel connector  Full ball & retainer rings to reduce leakage	1.4	1	12	
RW-9391HF	90491 6	Single Shut Off  Extra large dial for easy use  Easy swivel on connector  45% increased water flow	45% inc	1 reased	12	er flow!
RW-9391	09391 7	Single Shut Off  Extra large lever for easy use  Soft rubberized components for grip and comfort  Easy swivel on connector	2	1	8	



ı	MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-9391HS		91391 8	Single Shut Off with Hose Protector  Extra large lever for easy use  Soft rubberized components for grip and comfort  Easy swivel on connector  Kink free hose protector included	2	1	8	
RW-9390S		09390 0	Single Shut Off  Durable plastic material	1.4	1	10	
RW-9900		09900 1  BRASS	"Y" Shut Off  Easy on swivel connector  Durable brass construction  Control water flow to two hoses	2	1	10	
RW-95S		01446 2 METAL	"Y" Shut Off  Dual shut off valve controls water flow for two hoses  Longer legs to prevent hose from kinking  Durable zinc construction  Easy on swivel connector	2	1	10	
RW-9312MHF		00452 4	"Y" Shut Off  45% increased water flow Extra large dials for easy use Easy on swivel connector	2	1	10	
SERIES	-	METAL	Durable metal construction	45% inc	rease	a wate	er flow!
RW-9314PSG		90314 8 METAL	"Y" Shut Off  Extra large lever for easy use  Soft rubberized components for grip and comfort  Easy swivel on connector  Protective caps included	2	1	8	
RW-9312S		09312 2	<u>"Y" Shut Off</u> Durable metal construction	2	1	10	
RW-PS15		01442 4	Pro Series "Y" Shut Off Controls water flow for two garden hoses Easy on swivel connector  Full ball & retainer rings to reduce leakage	1.4	1	12	
RW-PS16		01442 4	Pro Series "Y" Shut Off with Dial  Dual shut off with dial regulator valve for water flow control  Flow control can be positioned to right, left or combined flow  Easy on swivel connector	1.4	1	12	
RW-9314HF		90414 5	"Y" Shut Off  Extra large dials for easy use  Easy swivel on connector  45% increased water flow	1.4 45% inc	1 rease	10 d wate	er flow!
RW-9314		09314 6	"Y" Shut Off  Extra large lever for easy use  Soft rubberized components for grip and comfort  Easy swivel on connector	2	1	8	



	MODEL #	UPC 066283	DESCRIPTION	WGT	CUBE	PACK	
W-9314HS				2			
N-9314H5		91314 7	"Y" Shut Off with Hose Protector Extra large lever for easy use	4	1	8	
	200		Soft rubberized components for grip and comfort				
			Easy swivel on connector				
			Kink free hose protectors included				
			Milk free flose protectors included				
W-9313S		09313 9	"Y" Shut Off	1.4	1	10	
			Durable plastic material				
W-9314S		92391 7	"Y" Shut Off	1.4	1	10	
			Durable plastic material				
			Easy swivel on connector				
W-99009S		99009 4	4-Way Shut Off	3	1	4	
			Durable brass construction				
SÉRIE	Call		Easy on swivel connector				
SERIES		BRASS	Control water flow to four garden hoses				
W-9344		99344 6	Rubberized coating on lever for easy turning	3	1		
vv-3544		99344 0	<u>4-Way Shut Off</u> Extra large levers for easy use	3		6	
1			Controls water flow to four hoses				
1	1		Easy on swivel connector				
'		00000	Heavy duty clad metal body				
		METAL	ricavy daty clad metal body				
W-934MHF		00456 2	4-Way Shut Off	3	1	6	
	_		45% increased water flow				
			Controls water flow to four hoses				
	D. XI	METAL	Extra large dials for easy use				
SÉRIE	199	MEIAL	Easy on swivel connector	450/			
SERIES		METAL	Durable metal construction	45% inc	rease	a wate	er flow!
W-934PHF		00457 9	A Mess Obsert Off		_		
W-934PHF		00457 9	4-Way Shut Off 45% increased water flow	2	1	6	
			45% increased water flow Controls water flow to four hoses				
-			Extra large dials for easy use				
SÉRIE			Easy on swivel connector				
(PRO)			Durable plastic construction	45% inc	rease	d wate	er flow!
SERIES	<b>1</b>		Sarasio pidodo obilod dodoli				
W-99009P		99008 7	4-Way Shut Off	2	1	6	
	THE RESERVE TO SERVE		Extra large dials for easy use				
	1		Controls water flow to four hoses				
	220		Easy on swivel connector				
			Durable plastic material				
			HOSE REELS				
			HOSE REELS				
W-9786		09786 1	Wall Mounted Hose Reel	8.2	2	4	
****J10U	Solar	09100 1	Can hold up to 200 ft of 1/2" hose (150 ft of 5/8")	0.2	′	4	
			Fully assembled				
	M mail		Connection hose included				
			Connocadii 11030 iiidada				
W-9788		09788 5	Wall Mounted Hose Reel with Guide	8.2	2	4	
	100		Fully assembled	""	l -		
			Can hold up to 200 ft of 1/2" hose (150 ft of 5/8")				
			Connection hose included				
	& That						
		09796 0	Wall Mounted Hose Reel	8.2	5.9	4	
		09796 0	Fully assembled	8.2	5.9	4	
		09796 0		8.2	5.9	4	
W-9796		09796 0	Fully assembled	8.2	5.9	4	



				/		
MODEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
RW-9796HM	01704 3 METAL	Wall Mounted Hose Reel - Includes Hose Guide Fully assembled Can hold up to 200 ft of 1/2" hose (150 ft of 5/8") Connection hose included	8.2	5.9	4	
RW-9798	09798 4	Wall Mounted Hose Reel with Tray & Guide Fully assembled Storage tray to hold watering tools Can hold up to 200 ft of 1/2" hose (150 ft of 5/8") Connection hose included	8.2	5.9	4	
RW-9790	09790 8	Reeltote Hose Reel Fully assembled Can be mounted on the wall or placed on the ground Can hold up to 200 ft of 1/2" hose (150 ft of 5/8") Connection hose included	8.2	3.3	4	
RW-9795	09795 3	Hose Reel Cart Fully assembled Storage tray to hold watering tools Can hold up to 200 ft of 1/2" hose (150 ft of 5/8") Connection hose included Large wheels for easy transportation	10	5.8	4	
RW-9HC90	90031 4	Hose Cart Compact hose cart that offers mobility and ease of use Tough outer case protects hose while providing storage Easy rewind with side crank-hose holder molded on side Wide wheels make it easy to move around the yard Handle extends to 33" (86cm) while in use Retracts for storage Holds up to 90ft (30m) of 1/2" Fully Assembled	10	5.8	4	
		HOSE HANGERS				
RW-975HD	01952 8 METAL	Metal Wall Mounted Hose Hanger  Durable metal construction  Holds up to 150' of 5/8" garden hose	13	0.8	6	
RW-9750	09750 2	Metal Hose Hanger  Can hold up to 50 ft of 5/8" garden hose	13	0.8	12	
RW-9754	09754 0	Hose Hanger Plastic material with storage bin	8.2	2	12	
RW-9755	09755 7	Hose Hanger Can hold up to 150 ft of 5/8" garden hose Enclosed storage compartment	8.2	2	12	



МС	DDEL#	UPC <u>066283</u>	DESCRIPTION	WGT	CUBE	PACK	
			ACCESSORIES				
RW-92260	8880	01770 8	<b>O-Rings</b> 10 per pack Rubber	1	0.3	10	
RW-9200C	00 00 00 00 00 00 00 00 00	99200 5	<u>Hose Washers</u> 12 per pack	1	0.3	30	
RW-9202S	0000 000 00	99202 9	Hose Washers 10 per pack Neoprene	1	0.3	10	
RW-WKIT		01467 7	All-in-One Accessory Kit  Kit includes:  4 x filtered rubber washers  10 x rubber washers  4 x o-rings  2 x plastic end caps  2 x hose clamps  Packed in a convenient clear plastic box	1.4	0.3	12	
RW-9225S	9 <sup>0</sup> 0	09225 5	<u>Filtered Washers</u> 5 per pack Brass wire filters	1	0.3	10	
RW-95201	\$ 658 658 6	95201 6	Accessory Kit  Kit includes:  12 x washers  1 x plastic "Y" shut off  3 x hose end repairers	1.4	0.3	6	
RW-941		00941 3 <b>BRASS</b>	End Cap Brass 1 per pack	1	0.3	10	
RW-940		00940 9	<u>End Cap</u> Plastic 2 per pack	1	0.3	20	
RW-92-08S		99208 1	<u>Hose Clamps - #8</u> Stainless steel 2 per pack	1	0.3	10	
RW-9786-788K		99786 4	Hose Reel Repair Kit for 786/788	1	0.3	1	
RW-9798K		99798 7	Hose Reel Repair Kit for 798	1	0.3	1	