



BULLY TOOLS

Est. 1994

MESSAGE FROM OUR PRESIDENT

Founded in 1994, Bully Tools has been proudly producing 100% American made tools. We control our quality and costs with in-house manufacturing from our state-of-the-art facilities designed and built in 2006 in Steubenville, Ohio.

Our in-house operations include stamping, robotic welding, plasma cutting, heat treating, tempering, powder coating and product design. This not only guarantees the quality, durability and reliability of our

The strategic location of our plant allows for quick order turn-arounds, saving our customers money. Our products reach our customers in a maximum of four days at a price LOWER than imported tools of an equal or lesser quality.

With an unprecedented history of quality, Bully Tools is committed to applying the same reliability to our business practices. We continue to grow and adapt to meet the ever-changing needs of the economy and our consumers.

Mark Gracy, CEO and Founder
Bully Tools



INDEX

PAGES

- 4-5 Ash Handled and Fiberglass Shovels
- 6 Trench Shovels
- 7-8 Specialty Shovels and All Steel Spades
- 9 Snow Pushers and Ice Scrapers
- 10 Steel Snow Pushers
- 11 Grain/Mulch and Hand Scoops
- 12 Lawn Rakes and Bow Rakes
- 13 Landscaping Rakes and Level Head Rakes
- 14 Post Hole Diggers, Digging Bars and Tampers
- 15-17 Home Gardening Tools
- 18 Digging and Cultivating Forks
- 19 Garden Hoes
- 20 Field Hoes and Sod Lifter
- 21 Stall and Barn Cleaning Tools
- 22 Brush Clearing and Cutting
- 23 Heavy Duty Scrapers
- 24 Concrete Tools
- 25 Roofing and Flooring Material Removers

- 27 Manhole Cover Hooks, Soil Probes, Water Keys



Not available for general distribution.

PRODUCTION CAPABILITIES



HEAT TREATING



DUAL PLASMA CUTTING TABLES




POWDER COATING SYSTEM



FULLY AUTOMATED ROBOTIC WELDING

PRODUCT FEATURES

Our high-strength pultruded fiberglass handles provide the benefits of strength as well as resistance to corrosion, heat and weathering. This cost-effective element enables us to provide our customers with quality products at affordable prices.



Resin Bonded Glass Strands Mat

Polyester Veil


Thick fiberglass the entire length with special proprietary rovings, mats and veils. A wood reinforcing core through the stress point for maximum handle strength.



All shovels have a closed back to eliminate debris build up.



Ribs provide additional strength.



All Planting Spades feature a sharpened edge to penetrate dense soil and sod.




Wide D-grip accommodates work gloves.



Strong rivet secures the D-grip to the fiberglass handle.



One-piece ferrule won't split like other models.



Strong rivet secures the ferrule to the fiberglass handle.



Welded "I-beam" support, as well as the extended and crimped ferrule, ensures no excessive bending.



Our shovels are up to 30% thicker than competitor models. True 14 gauge.

1" Forward step provides greater control.

SHOVELS AND SPADES • ASH

Support rib adds strength • American Ash handle
Extended length ferrule • Forward step

A 72515 • 3/Bundle

14 Ga. Round Point Shovel. North American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 46.5", tool length: 57.5".

B 72525 • 3/Bundle

14 Ga. Square Point Shovel. North American Ash Long Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 46", tool length: 56.75".

C 72530 • 3/Bundle

12 Ga. 14" Drain Spade. North American Ash Long Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 45", tool length: 57".

D 72502 • 3/Bundle

12 Ga. 13" Edging and Planting Spade. North American Ash Long Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 44", tool length: 57".

E 72510 • 3/Bundle

14 Ga. Round Point Shovel. North American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.25"x11", handle: 31.5", tool length: 42.375".

F 72520 • 3/Bundle

14 Ga. Square Point Shovel. North American Ash D-grip Handle. Closed back, support rib for strength, extended length ferrule. Blade: 9.5"x12", handle: 31", tool length: 42.25".

G 72535 • 3/Bundle

12 Ga. 14" Drain Spade. North American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 5.24"x14", handle: 30", tool length: 44".

H 72500 • 3/Bundle

12 Ga. 13" Edging and Planting Spade. North American Ash D-grip Handle. Closed back, extended length ferrule. Blade: 7.5"x13", handle: 28.5", tool length: 40".



Closed back design eliminates debris build up.



True 14 gauge steel.
Up to 30% thicker than the competition.



SHOVELS AND SPADES • FIBERGLASS



Support rib adds strength • Reinforced fiberglass handle
Extended length ferrule • Forward step

A 82515 • 3/Bundle

14 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".

B 82525 • 3/Bundle

14 Ga. Square Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 49", tool length: 59.25".

C 82530 • 3/Bundle

12 Ga. 14" Drain Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 42", tool length: 58".

D 82502 • 3/Bundle

12 Ga. 13" Edging and Planting Spade. Fiberglass Long Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 44.5", tool length: 58.25".

E 82510 • 3/Bundle

14 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".

F 82520 • 3/Bundle


14 Ga. Square Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 33", tool length: 44".

G 82535 • 3/Bundle

12 Ga. 14" Drain Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 5.24"x14", handle: 32", tool length: 45.5".

H 82500 • 3/Bundle

12 Ga. 13" Edging and Planting Spade. Fiberglass D-grip Handle. Closed back, reinforced handle, extended length ferrule. Blade: 7.5"x13", handle: 27", tool length: 40".



Closed back design eliminates debris build up.



No handle break-through. One piece ferrule won't separate.



SHOVELS AND SPADES • FIBERGLASS



Reinforced fiberglass handle • Forward step

A 62515 • 3/Bundle

14 Ga. Round Point Shovel. Fiberglass Long Handle. Reinforced handle. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".

B 62525 • 3/Bundle

14 Ga. Square Point Shovel. Fiberglass Long Handle. Reinforced handle. Blade: 9.5"x12", handle: 49", tool length: 59.25".

C 62510 • 3/Bundle

14 Ga. Round Point Shovel. Fiberglass D-grip Handle. Reinforced handle. Blade: 9.5"x12", handle: 33", tool length: 44".

D 62520 • 3/Bundle

14 Ga. Square Point Shovel. Fiberglass D-grip Handle. Reinforced handle. Blade: 9.5"x12", handle: 33", tool length: 44".



TRENCHING SHOVELS

A 92719 • 3/Bundle

3" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 3"x12", handle: 47", tool length: 59".

B 92720 • 3/Bundle

4" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".

C 92721 • 3/Bundle

5" Trench Shovel. Fiberglass Long Handle. 14 Ga., closed back, reinforced handle, extended length ferrule. Blade: 5"x12", handle: 47", tool length: 59".

D 92730 • 2/Bundle

4" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 4"x12", handle: 47", tool length: 59".

E 92731 • 2/Bundle

6" Box Style Trench Shovel. Fiberglass Long Handle. 14 Ga., 2" sides, closed back, reinforced handle, extended length ferrule. Blade: 6"x12", handle: 47", tool length: 59".



SPECIALTY SHOVELS



Closed back design • Support rib adds strength
Reinforced fiberglass handle • Extended length ferrule • Forward step

A 92515 • 3/Bundle
12 Ga. Round Point Shovel. Fiberglass Long Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.25"x11", handle: 48.5", tool length: 59.25".

B 92510 • 3/Bundle
12 Ga. Round Point Shovel. Fiberglass D-grip Handle. Closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x12", handle: 35", tool length: 46".

C 92702 • 3/Bundle
Weighted Caprock/Pony Shovel. Fiberglass Long Handle. 12 Ga., closed back, reinforced handle, extra long ferrule. Blade: 10"x9", handle: 48.5", tool length: 59.375".

D 92701 - 2/Bundle
All Steel Caprock/Pony Shovel. 12 Ga., closed back, reinforced handle, extra long ferrule. Blade: 9.25"x9", handle: 46", tool length: 56.25".

E 92712 • 3/Bundle
Emergency/Camping Shovel. Steel D-grip Handle. Round Point, 14 Ga., closed back. Blade: 6.75"x8.5", handle: 24.25", tool length: 32.75".

F 92705 • 3/Bundle
Mud Shovel - "USA" Pattern. Fiberglass Long Handle. Round Point, 14 Ga., closed back, support rib, extended length ferrule. 71 drain holes, reinforced handle. Blade: 9.25"x11", handle: 48.5", tool length: 59".

Holes in the Mud Shovels provide drainage when working in wet soils.



SPECIALTY SHOVELS

A 92718 • 3/Bundle

Irrigation Shovel. American Ash Long Handle. 14 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 9.5"x11", handle: 46.5", tool length: 55.25 (3.25" Lift)

B 92716 • 3/Bundle

Irrigation Shovel. Fiberglass Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 48.5", tool length: 57.25 (4" Lift)

C 92717 • 3/Bundle

Irrigation Shovel. Ash Long Handle. 12 Ga., closed back, sharpened blade, foot step, support rib for strength, reinforced handle, extended length ferrule. Blade: 7.25"x9.5", handle: 46.5", tool length: 55.5 (4" Lift)

D 92704 • 3/Bundle

Rice Shovel. Fiberglass Long Handle. 14 Ga., 3 drain holes, closed back, support rib for strength, reinforced handle, extended length ferrule. Blade: 9"x10", handle: 48.5", tool length: 59.375".

E 92600 • 3/Bundle

13" All Steel Spade, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x13", handle: 28", tool length: 41".

F 92601 • 3/Bundle

15" All Steel Spade, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".

G 92602 • 3/Bundle

15" All Steel Spade, Steel Long Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 50", tool length: 65".

H 92603 • 3/Bundle

15" All Steel Spade, Pointed Tip, Steel D-grip Handle, 12 Ga., closed back. Blade: 7.25x15", handle: 28", tool length: 43".



12 Ga. spades are sharpened for easier digging.

SNOW PUSHERS AND ICE SCRAPERS



Large capacity pushers, scoops and scrapers.

A 92813 • 3/Bundle

27" Snow Pusher Fiberglass D-grip Handle.
Head: 27.5"x13.75", handle: 42.75" (from head),
tool length: 56.5"

B 92814 • 3/Bundle


22" Combination Snow Pusher • Fiberglass D-grip.
Poly Scoop. Scoop: 22"x13", 4" deep,
handle: 43" (from head), tool length: 56".

C 92200 • 3/Bundle

Sidewalk Scraper. Steel Long Handle. 11 Ga.
Head: 6"x7", handle: (from head) 50",
tool length: 57".

D 92201 • 3/Bundle

Sidewalk Scraper. Steel D-grip Handle. 11 Ga.
Head: 6"x7", handle: (from head) 41",
tool length: 46".



Breaks
thick ice.

STEEL SNOW PUSHERS

All steel snow pushers.

A 92816 • 2/Bundle
24" Spring Steel Snow Pusher.
Fiberglass Long Handle. 16 Ga. blade,
12 Ga. Heel. Blade: 24" x 12",
tool length: 54".

B 92817 • 2/Bundle
24" Spring Steel Snow Pusher.
Fiberglass D-grip Handle.
16 Ga. blade, 12 Ga. Heel.
Blade: 24" x 12", tool length: 54".

C 92819 • 2/Bundle
30" Spring Steel Snow Pusher.
Fiberglass D-grip Handle.
16 Ga. blade,
12 Ga. Heel. Blade: 30" x 12",
tool length: 54".

D 92818 • 2/Bundle
30" Spring Steel Snow Pusher.
Fiberglass Long Handle.
16 Ga. blade, 12 Ga. Heel.
Blade: 30" x 12",
tool length: 54".

24" Width



30" Width



GRAIN/MULCH AND HAND SCOOPS



Large capacity scoops.

A 92801 • 3/Bundle

Non-sparking D-grip Handle. Poly scoop. Scoop: 42"x12", 3" deep, handle: 42.5", tool length: 56".

B 92400 • 3/Bundle

Snow/Grain Scoop. Fiberglass D-grip Handle. Poly scoop. Scoop: 15"x19.75", 4.5" deep, handle: 33.75", tool length: 53.5".

C 92402 • 3/Bundle

AlumiNy Scoop. Fiberglass D-grip Handle. Nylon/Fiberglass blend. Scoop: 15"x19.75", 4.5" deep, handle: 33.75", tool length: 53.5".

D 92160 • 3/Bundle

Small Hand Scoop - Black. Dimensions: 3.5" Wide, Scoop Length: 10.25" Perfect for salt, grain, feed, pet foods and bird seed.

E 92161 • 3/Bundle

Large Hand Scoop - Black. Dimensions: 6.5" Wide, Scoop Length: 15" Perfect for salt, grain, feed, pet foods and bird seed.



A



B



C



D



E

Large grips for gloved hands.

8" Taller than others means less back strain.

500% more durable than aluminum.

LAWN & LEAF AND BOW RAKES

A 92624 • 3/Bundle

24" Poly Rake. Head: 24"x22", handle: 53", tool length: 72".

B 92630 • 3/Bundle

30" Poly Rake. Head: 30"x22", handle: 53", tool length: 72".

C 92312 • 3/Bundle

24 Tine Spring Steel Leaf and Thatching Rake. Fiberglass Handle. 24 Spring steel tines. Head: 22.25"x16", handle: 46", tool length: 63.75".

D 1000 • 3/Bundle

Poly Leaf Scoops. (Pair) 14.5"x12.5"

E 92309 • 3/Bundle


16" Bow Rake. 58". Fiberglass Handle. 10 Ga., 15 tines, steel head. Head: 16.5"x4", handle: 55", tool length: 58.5".

F 92379 • 3/Bundle

16" Bow Rake. 66". Fiberglass Handle. 10 Ga., 15 tines, steel head. Head: 16"x4", handle: 55", tool length: 66.5".

G 62310 • 3/Bundle

14" Bow Rake. 58". Fiberglass Handle. 10 Ga., 13 tines, steel head. Head: 14.5"x4", handle: 55", tool length: 58.5".



Welded connection can't separate.

LEVEL HEAD AND LANDSCAPE RAKES



A 92311 • 3/Bundle

16" Level Head Rake. 60". Fiberglass Handle.
7 Ga., 16 tines, steel head. Head: 16"x4",
tool length: 60.5".

B 92301 • 3/Bundle

16" Level Head Rake. 66". Fiberglass Handle.
7 Ga., 16 tines, steel head. Head: 16"x4",
tool length: 66".

C 92369 • 3/Bundle

18" Stone Rake. 66". Fiberglass Handle.
7 Ga., 18 tines, steel head. Head: 18"x3.5",
handle: 54.5", tool length: 66".

D 92316 • 3/Bundle

17" Landscape Rake. Steel Handle. 16 - 2.5"
hardened steel tines, interchangeable head.
Head: 18"x3.5", handle: 60, tool length: 61.5".

E 92320 • 3/Bundle


24" Landscape Rake. Steel Handle. 22 - 2.5"
hardened steel tines, interchangeable head.
Head: 24"x3.5", handle: 60, tool length: 61.5".

F 92313 • 3/Bundle

30" Landscape Rake. Steel Handle. 26 - 2.5"
hardened steel tines, interchangeable head.
Head: 30"x3.5", handle: 60, tool length: 61.5".

G 92315 • 3/Bundle

36" Landscape Rake. Steel Handle.
32 - 2.5" hardened steel tines,
interchangeable head.
Head: 36"x3.5", handle: 60,
tool length: 61.5".



Interchangeable rake heads are bolted on for extra stability.

POST HOLE DIGGERS AND TAMPERS

A 92382 • 2/Bundle

5" Post Hole Digger. Fiberglass Handles.
12 Ga., reinforced handles.
Blades: 9"x5", handle: 47", tool length: 59.5".

B 92384 • 2/Bundle

6.5" Post Hole Digger. Fiberglass Handles.
12 Ga., reinforced handles.
Blades: 9"x6.5", handle: 47", tool length: 59.5".

C 92539 • 2/Bundle

Digging Bar. 69". 1" Diameter solid steel bar,
3/8" thick plate. Head: 3"x5", tool length: 69".

D 92448 • 2/Bundle

Digging Bar. 48". 1" Diameter solid steel bar,
3/8" thick plate. Head: 3"x5", tool length: 48".

E 92202 • 2/Bundle

Square Edger/Root Cutter. Steel Long Handle.
7 Ga., beveled blade, 1" solid handle. Head: 8"x6",
handle: (from head) 53", tool length: 59".

F 92540 • 2/Bundle

Tamper. 9.75"x9.75", 3/8" thick steel plate, steel
handle. Tool length: 49". (Ships Disassembled)

5"
SPREAD

6.5"
SPREAD



3/8"
Thick head.

C
69"

D
48"

E

15 LBS.
CUTS ROOTS
FASTER

F



Tamper head
is bolted on for
easier storage.



A 92319 • 3/Bundle

8" Shrub Rake. Short Fiberglass Handle.
10 Spring steel tines. Head: 8"x10",
tool length: 26.25".

B 92317 • 3/Bundle

8" Shrub Rake. Fiberglass Handle.
10 Spring steel tines. Head: 9"x10",
handle: 50", tool length: 59".

C 92711 • 3/Bundle

Floral Spade, Fiberglass D-grip Handle.
14 Ga., closed back, support rib for strength,
extended length ferrule. Blade: 6.5"x8.5",
handle: 35.5", tool length: 44".

D 92710 • 3/Bundle

Floral Spade. Fiberglass Handle. 14 Ga.,
closed back, support rib for strength,
extended length ferrule. Blade: 6.5"x8.5",
handle: 47", tool length: 56.5".



**HEAVY
DUTY
SHRUB
RAKES**

HOME GARDENING

A 92302 • 3/Bundle

3" Diameter Bulb Planter.

Steel T-style Handle.

Tube: 3"x9", handle: 26.5", tool length: 36".

B 92100 • 3/Bundle

Dirt Ripper Cultivator. Steel T-style Handle.

Four 1/2" offset beveled steel tines penetrate 8".

Handle: 29", tool length: 41.75".

C 92251 • 3/Bundle

Lawn Edger. Steel T-style Handle. 12 Ga.

Head: 9"x7", handle: 33", tool length: 38.375".

D 92300 • 3/Bundle

Root Soaker Irrigation Tool. Steel T-style Handle.

1/2" Diameter tube, pointed tip, hose fitting.

Tool length: 38".

E 92350 • 3/Bundle

Weed Bully Weed Extractor. Steel T-style Handle.

6 - 3" tines pull the weeds quickly. Handle: 33",

tool length: 36".

F 92307 • 3/Bundle

7" Level Head Rake. Steel Handle. 12 Ga.

8 Tines. Head: 7"x3.5", tool length: 46.375".





A 92150 • 3/Bundle
Dirt Ripper, Jr. 4". All Steel.
Beveled tines. Handle: 6",
tool length: 10".

B 92151 • 3/Bundle
Hand Rake. All Steel. 7"-9" tines.
Head: 3" wide, tool length: 18.125".

C 92158 • 3/Bundle
Korean Hoe. All Steel. 14 Ga.
Blade: 3"x7", tool length: 11.75".

D 92153 • 3/Bundle
Japanese Hoe. All Steel. 14 Ga.
Blade: 2.75"x4.25", tool length: 11.75".

E 92152 • 3/Bundle
Garden Trowel. All Steel. 14 Ga.
Blade: 3.75"x6", tool length: 14".

F 92154 • 3/Bundle
Transplanting Trowel. All Steel. 14 Ga.,
depth indicators. Blade: 3"x7",
tool length: 15.125".

G 92505 • 3/Bundle
Tulip Spade. All Steel. 14 Ga.,
8" T-style handle. Blade: 3.5"x6",
tool length: 15.75".

H 92159 • 3/Bundle
7" Level Head Rake. All Steel. 12 Ga.,
8 tines. Head: 7"x3.75",
tool length: 15.375".



DIGGING AND CULTIVATING FORKS

A 92363 • 3/Bundle

Super Fork. Steel T-style Handle.
4 Tines (1/2"), 7.25"x10" head.
Handle: (from head) 33", tool length: 43".

B 92370 • 3/Bundle

Spading Fork. Fiberglass D-grip Handle. 4 Tines,
7"x10" head. Handle: (from head) 32",
tool length: 43.875".

C 92334 • 3/Bundle

Four-Tine Cultivator. Fiberglass Handle.
4 Tines, 4.5"x4.5" head. Handle: (from head) 51.5",
tool length: 54.5".

D 92627 • 2/Bundle

Broadfork. Fiberglass Handles. 5 steel tines,
detachable handles. Head: 19.5"x12.5",
Handles: 43.75".

E 92381 • 2/Bundle

Dibble Bar. Steel T-style Handle. 3/8" thick steel bar,
plant up to 12" deep. Head: 3/8"x10",
handle: (from head) 27", tool length: 38.125".



GARDEN HOES AND WEEDERS



A 92343 • 3/Bundle

Nursery/Beet Hoe. 7"x3.5". Fiberglass Handle. 12 Ga.
Head: 7"x3.5", handle: (from head) 57.5".

B 92346 • 3/Bundle

Nursery/Beet Hoe. 6"x2.5". Fiberglass Handle. 12 Ga.
Head: 6"x2.5", handle: (from head) 57".

C 92348 • 3/Bundle

Loop Hoe. Fiberglass Handle. 12 Ga.
Head: 6"x3.25", handle: (from head) 55".

D 92353 • 3/Bundle

Garden Hoe. Fiberglass Handle. 12 Ga.
Head: 6.5"x4.75", handle: (from head) 56".

E 92354 • 3/Bundle


Warren Hoe. Fiberglass Handle. 12 Ga.
Head: 5"x6.5", handle: (from head) 56".

F 92351 • 3/Bundle

Cavex Hoe. Fiberglass Handle. 7 Ga.
Head: 7.5"x5.5", handle: (from head) 59.5".

G 92357 • 3/Bundle

Two Prong Weeding Hoe. Fiberglass Handle. 12 Ga.
Head: 3.75"x9.25", handle: (from head) 59".



FIELD HOES AND SOD LIFTER

A 92417 • 3/Bundle

Curved Garden Hoe. Fiberglass Handle. 7 Ga.
Head: 7"x5.5", handle: (from head) 56.25",
tool length: 56.5".

B 92415 • 3/Bundle

5" Field Hoe. Fiberglass Handle. 7 Ga.
Head: 5"x5.5", handle: (from head) 58.25",
tool length: 59".

C 92414 • 3/Bundle

4" Field Hoe. Fiberglass Handle. 7 Ga.
Head: 4"x5.5", handle: (from head) 58.25",
tool length: 59".

D 92323 • 2/Bundle

8" Field Hoe. Fiberglass Handle. 7 Ga.
Head: 8"x8.5", handle: (from head) 42",
tool length 42.5".

E 92390 • 3/Bundle

Sod Lifter. Fiberglass D-grip Handle. 12 Ga.,
steel shank. Head: 9"x4.5",
handle: (from head) 52", tool length 54".



BARN AND STALL CLEANING TOOLS



A 92342 • 3/Bundle

Stall Fork. Fiberglass Handle. 18 Tines, 15"x12" head. Handle: (from head) 48.5", tool length: 58.5".

B 92361 • 3/Bundle

Livestock Hoe. All Steel. 12 Ga. Blade: 12"x3", tool length: 60.5".

C 92371 • 3/Bundle

24" Barn Scraper. Fiberglass Handle. 14 Ga., detachable curved blade. Blade: 24"x7.5", handle: 62", tool length: 67".



BRUSH CLEARING AND CUTTING

A 92397 • 3/Bundle

Curved Corn Knife. Fiberglass Handle. 12 Ga., adjustable steel blade. Blade: 16"x1.375", handle: 19".

B 92391 • 3/Bundle

Grass Hook. All Steel. 12 Ga. Blade: 18"x.75", tool length: 14".

C 92392 • 3/Bundle

Weed Cutter. Fiberglass Handle. 12 Ga., sharpened steel blade. Blade: 14"x2.25", handle: 43", tool length: 45".

D 92395 • 3/Bundle

Bean Hook/Paver Weeder. Fiberglass Handle. 7 Ga. 3" Dual-sided sharpened blade. Steel shank. Blade: 3", handle: (from head) 47", tool length: 49".

E 92386 • 3/Bundle

Ditch Bank Blade. 16", 12 Ga. 36" Hickory Handle. Tool length: 52.375".

F 92387 • 3/Bundle

Double Edge Brush Hook. 36" Hickory Handle. 12 Ga. Blade: 12"x3.5". Tool length: 45"

Not Shown:

G 92497 • 3/Bundle
Corn Knife Blade. 12 Ga.

12 Ga. Replacement Blades
and Handle • 3/Bundle

H 92486 for #92386 • 11#

I 92487 for #92387 • 10#

J 99300 36" Handle • 12#



D

Dual edge cuts weeds when pushed or pulled. Cleans between pavers too.



E

F

HEAVY DUTY SCRAPERS



A 92201 • 3/Bundle

Sidewalk Scraper. Steel D-grip Handle. 11 Ga.
Head: 6"x7", handle: (from head) 41", tool length: 46".

B 92200 • 3/Bundle

Sidewalk Scraper. Steel Long Handle. 11 Ga.
Head: 6"x7", handle: (from head) 50", tool length: 57".

C 92424 • 3/Bundle

4" Scraper. Fiberglass Long Handle. 7 Ga.,
beveled head. Head: 4"x9", handle: (from head) 50",
tool length: 59".

D 92423 • 3/Bundle

4" Scraper. Fiberglass D-grip Handle. 7 Ga.,
beveled head. Head: 4"x9",
handle: (from head) 40", tool length: 49.5".


E 92426 • 3/Bundle

7" Scraper. Fiberglass Long Handle. 7 Ga.,
beveled head. Head: 7"x9",
handle: (from head) 50", tool length: 59".

F 92425 • 3/Bundle

7" Scraper. Fiberglass D-grip Handle. 7 Ga.,
beveled head. Head: 7"x9", handle: (from head) 40",
tool length: 49.5".

**BREAKS
THICK ICE**



CONCRETE TOOLS

A 92419 • 3/Bundle

Short Mortar Hoe. Fiberglass Handle. 12 Ga.
Head: 6.5"x4.25", handle: (from head) 17.5",
tool length: 21".

B 92360 • 3/Bundle

Mason Hoe. Fiberglass Handle. 12 Ga.
Head: 6.5"x4.25", handle: (from head) 57",
tool length: 57.25".

C 92375 • 3/Bundle

Mortar Hoe. Fiberglass Handle. 12 Ga. Head: 10"x6",
handle: (from head) 65.75", tool length: 66".

D 92308 • 3/Bundle

16" Asphalt Rake. Fiberglass Handle. 7 Ga.,
14 tines, 18" diameter steel shank.
Head: 16"x4", handle: (from head) 71.5",
tool length: 80". *Ships Disassembled*



ROOFING AND FLOORING REMOVERS



Flooring remover blades sharpen easily with a file or grinder.

A 91117 • 3/Bundle

Shingle Shovel. Fiberglass D-grip Handle. 12 Ga., 7 teeth. 14 Ga. Fulcrum for leverage. Head: 7.625"x12", handle: 29.5", tool length: 41.5".



Fulcrum back for better leverage.

B 91116 • 3/Bundle

Shingle Shovel. Fiberglass Long Handle. 12 Ga., 7 teeth. 14 Ga. Fulcrum for leverage. Head: 7.625"x12", handle: 43", tool length: 55".

C 91109 • 2/Bundle

Shingle Bully. Steel Handle. 10 Ga., beveled teeth, 1" diameter handle. Head: 9.75"x11", handle: (from head) 50, tool length: 57.5".

D 91110 • 3/Bundle

ProShingle. Fiberglass D-grip Handle. 10 Ga., notched teeth, replaceable blade. Head: 9", handle: (from head) 40", tool length: 44.75".

E 91115 • 3/Bundle

Replacement Blade for 91110.

F 91300 • 3/Bundle


Floor Bully Flooring Scraper. Fiberglass Handle. 11 Ga., 6" width, resharpen with a file or grinder. Head: 6"x7", handle: (from head) 50", tool length: 57".

G 91340 • 3/Bundle


Big Bully Flooring Scraper. Fiberglass Handle. 11 Ga., 12" width, resharpen with a file or grinder. Head: 12"x7", handle: (from head) 50", tool length: 57".

H 91350 • 3/Bundle

Floor Bully, Jr. Scraper. Steel Handle. 11 Ga., 2" width, resharpen with a file or grinder. Head: 2"x3.5", handle: (from head) 9", tool length: 13.875".



Skid plate for longer life.



STRIKING TOOLS

A 93510 • 2/Bundle
16# Sledge/Maul. Fiberglass Handle.
Handle: (from head) 30", tool length: 33".

B 93540 • 2/Bundle
Pick Mattock. Hickory Handle.
Tool length: 35.5".

C 93530 • 2/Bundle
Michigan Double Bit Axe. Fiberglass Handle.
Handle: (from head) 32.5", tool length: 34.75".

D 93520 • 2/Bundle
Dayton Single Bit Axe. Fiberglass Handle.
Handle: (from head) 31.25", tool length: 34.5".



E 93550 • 2/Bundle
6# Sledge. Fiberglass Handle.
Handle: (from head) 30.875",
tool length: 33".

F 93560 • 2/Bundle
8# Sledge. Fiberglass Handle.
Handle: (from head) 30.875", tool length: 33.25".

G 93570 • 2/Bundle
10# Sledge. Fiberglass Handle.
Handle: (from head) 31.5", tool length: 34".

H 93580 • 2/Bundle
12# Sledge. Fiberglass Handle.
Handle: (from head) 31.5", tool length: 34.25".

I 93590 • 2/Bundle
16# Sledge. Fiberglass Handle.
Handle: (from head) 31.5", tool length: 33.375".





A 99200 • 3/Bundle
24" Manhole Cover Hook.
Steel T-style Handle.
½" Diameter Steel, 4" hook.

B 99201 • 3/Bundle
36" Manhole Cover Hook.
Steel T-style Handle.
½" Diameter Steel, 4" hook.

C 99202 • 3/Bundle
36" Soil Probe. Steel T-style Handle.
½" Diameter Steel,
sharpened tip.

D 99203 • 3/Bundle
48" Soil Probe. Steel T-style Handle.
½" Diameter steel, sharpened tip.


E 99204 • 3/Bundle
60" Soil Probe. Steel T-style handle.
½" Diameter steel, sharpened tip.

F 99208 • 3/Bundle
60" Water Key. Steel T-style Handle.
½" Diameter steel, 5/8" key opening.

G 99207 • 3/Bundle
48" Water Key. Steel T-style Handle.
½" Diameter steel, 5/8" key opening.

H 99206 • 3/Bundle
36" Water Key. Steel T-style Handle.
½" Diameter steel, 5/8" key opening.

I 99205 • 3/Bundle
12" Water Key. Steel T-style Handle.
½" Diameter steel, 5/8" key opening.



BULLY TOOLS, INC.
14 TECHNOLOGY DRIVE
STEUBENVILLE, OH 43952
800-469-5522
WWW.BULLYTOOLS.COM

