



CORONA CONFIDENCE





CORONA

SEASON AFTER SEASON

Season after season, Corona® Tools deliver professional results to pros and passionate gardening enthusiasts alike, helping them create inspired outdoor spaces. Our tools are at the root of the pride and satisfaction felt in every job, every project, every beautiful outcome. Every Corona tool consistently delivers years of reliability and performance, and our proven designs, quality craftsmanship, and industry-leading customer service deliver on our most important promise – to provide every user with Corona Confidence.



CORONA WARRANTY





CORONA

SEASON AFTER SEASON



**LIFETIME
WARRANTY**

GARANTÍA DE POR VIDA

Corona® Tools has upgraded our 10-year limited warranty policy to a lifetime warranty*, which guarantees our products to be free of defects in materials and workmanship for the life of the tool. If a Corona tool is found to be defective, Corona will replace free of charge once the tool has been returned along with the original customer's proof of purchase.

*unless otherwise noted

TABLE OF CONTENTS



NEW PRODUCTS

6-9



PLANTING, CULTIVATING & TURNING SOIL

10-21

Hoes
Cultivators
Forks
Small Hand Tools
Lawn & Garden Tools
Garden Tools



KIDS TOOLS

22-23

Kids Garden Tools
Kids Wheelbarrows



RAKING, CLEANUP & HAULING

24-35

Bow Rakes
Level Head Rakes
Landscape Rakes
Lawn Rake
Leaf Rakes
Brooms
Wheelbarrows
Yard Carts



SHOVELING & TRENCHING

36-45

All-Steel Shovels
MAXForged Shovels
Closed-Back Shovels
Standard Shovels
Trench Shovels
Scoop Shovels
Lightweight Shovels
DIY Shovels & Spades
Post Hole Diggers



DEMOLITION, SPLITTING & PRYING

46-49

Axes
Hammers
Picks & Mattocks
Heavy Bars



COMMERCIAL & MUNICIPAL MAINTENANCE

50-53

Cutting Tool
Probe
EZ Out Tools
Wrenches
Tamps & Post Drivers
Scrapers



STEM, BRANCH & LIMB PRUNING

54-77

Hand Pruners
Accessories
Grass Shears
Hedge Shears
Loppers
Machetes
Pruning Saws
Tree Pruners
Fruit Picker



THINNING, SHEARING & HARVESTING

78-83

Shears & Snips
Hydroponic Tools
Floral Shears



ACCESSORIES

84-85

Scabbard
Sharpener
Kneeler Pad



DISPLAYS & PROMO PACKS

86-88

Corrugated Displays
Display Racks
Promo Packs



INDEX

89-90

NEW PRODUCTS



FlexREACH System™

Cut, prune and saw with the all-new FlexREACH System™ from Corona® Tools. This innovative modular system combines our tree pruner and RazorTOOTH Saw™ blade into one easy-to-use, extendable pole saw. Simply lock your pruner or saw head into place and extend the pole to make quick work of cutting or pruning hard-to-reach branches. For lower branches, simply detach the saw blade to use it as a hand saw. Easily store and transport your FlexREACH System by collapsing the pole to 5 ½-ft. Components sold separately.



DETACHABLE SAW HEAD

TP13001

- Can be used as a hand saw or attached to the pole to cut branches that are out of reach
- RazorTOOTH sharpness and 3-sided teeth cut 2X faster
- Durable hardened steel
- Lifetime warranty



PRUNER HEAD

TP13005

- For cutting branches and limbs up to 1 ¼-in
- Dual-pulley power requires less effort
- Heavy-duty smooth action chain drive system
- Ergonomic angled head
- Lifetime warranty



EXTENDABLE POLE

TP13489

- Extends to 15-ft; collapses to 5 ½-ft
- Fiberglass safety outer pole
- Aluminum lightweight inner poles
- Use with TP13001 Saw Head and TP13005 Pruner Head
- Telescoping pole collapses for easy transportation and storage
- Lifetime warranty



PRUNING TOOLS



NEW PRODUCTS

ALUMINUM HEDGE & SHRUB SHEAR *PrecisionCUT*

HS15340CC

- Pointed steel blades for perfect cuts and topiary work
- Weighs less than 2-lb for less fatigue when trimming overhead
- Rubber cushioned, nonslip grip
- Rubber bumpers prevent jarring
- Lifetime warranty



HEDGE & SHRUB SHEAR *YardEssentials*

HS11109

- Bypass cutting action and extended reach
- Nonstick coating on blades for minimal stickiness while cutting
- Reduced hand and shoulder fatigue due to integral rubber bumpers
- Lifetime warranty



LOPPER *YardEssentials*

SL 3310

- Compact design perfect for cutting small branches
- High carbon steel blades for lasting sharpness and precise cutting
- Contoured cushioned grip, tubular steel handles and bumper system minimize vibration and reduce fatigue
- Replaceable parts available
- Lifetime warranty

CUTS UP TO
1 1/2 in



ERGO DEAD HEADER SNIP *ErgoCUT*

FS14630

- Perfect for repetitive deadhead removal
- Ergonomic design reduces hand strain
- Finger loop provides improved control
- Precision-ground, high carbon steel blades for lasting sharpness
- Easy release secure blade lock
- Lifetime warranty

CUTS UP TO
1/4 in



HOUSEPLANT PRUNER *YardEssentials*

BP13623

- Specially-shaped blade is designed to help isolate the leaf or stem
- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- Lifetime warranty

CUTS UP TO
1/4 in



MINI FLORAL SNIPS *YardEssentials*

FS43623

- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- Lifetime warranty

CUTS UP TO
1/4 in



POCKET PRUNER *YardEssentials*

BP13630

- Compact design perfect for smaller hands
- High carbon steel blades for lasting sharpness and precise cutting
- Rust-resistant stainless steel blade
- Contoured cushioned grip makes repetitive cuts more ergonomic
- Easy to open swivel latch lock
- Lifetime warranty

CUTS UP TO
1/2 in



HOUSEPLANT PRUNER VARIETY PACK *YardEssentials*

BP13624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warranty

CUTS UP TO
1/4 in



MINI FLORAL SNIPS VARIETY PACK *YardEssentials*

FS43624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warranty

CUTS UP TO
1/4 in



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LASTING PERFORMANCE SINCE 1928

GARDEN TOOLS

MACHETE WITH NYLON SHEATH

MA13161


- Makes quick work of unwanted dense vegetation
- Durable, tempered steel blade stays sharp
- Ergonomically balanced handle with integral rubber grip
- Includes a nylon sheath with belt loop
- Lifetime warranty



KNEELER PAD

KN 1000

- Shock absorbing EVA foam
- Ultra cushioning memory foam
- Water-resistant neoprene
- Easy Grip with carrying handle
- 1-year warranty



MULTI-SCOOP

ComfortGEL.

CT15411

- Serrated edge, stainless-steel scoop
- Perfect for digging, weeding, scooping, and furrowing
- ComfortGEL® grip reduces stress on hands and wrists
- Lifetime warranty



3-PC. GARDEN HAND TOOL SET

CT 2000

- Transplanting trowel, rake, narrow transplanting trowel
- Hanger for easy storage
- Ideal gift for parents or kids
- Made of sturdy hard nylon plastic
- 1-year warranty



NURSERY SHOVEL

DigMASTER

LG13744

- Narrow, hardened steel blade
- Long reach powder-coated steel handle
- Soft ComfortGEL® grip
- Ideal for digging in small spaces
- Lifetime warranty



WOODEN HANDLE GARDEN TOOLS

CT 4020 TRANSPLANTER

CT 4030 CULTIVATOR

CT 4050 WEEDER

CT 4060 SCOOP

CT 4080 BULB TRANSPLANTER

- Carbon steel heads with wood handles
- Perfect for the gardener looking for a natural aesthetic
- Individually sold
- 1-year warranty



KIDS TOOLS



NEW PRODUCTS

KIDS LONG HANDLE TOOLS

KD 1000

- Sold as a PDQ: Includes 30 tools (10 shovels, 10 rakes and 10 hoes)
- For ages 4+
- Durable 30-in metal handle
- 1-year warranty



KD 1000SH SHOVEL



KD 1000RA RAKE



KD 1000HO HOE

3-PC. KIDS GARDEN TOOL SET

KD 1001

- Great for outdoor use alongside parents
- Sold as 3-piece hand tool set in a container
- For ages 4+
- 1-year warranty



KIDS WHEELBARROW

KD 1002

- Perfect starter wheelbarrow for kids
- Poly tray
- Easy assembly
- For ages 6+
- 1-year warranty



GARDEN CARTS AND WHEELBARROW

POLY DUMP CART

CR 1000

- 4-cu ft poly tray
- Quick release dumping mechanism
- 400-lb capacity
- 10-in pneumatic tires for smoother ride
- 1-year warranty



METAL LANDSCAPE CART

CR 1001

- Tough steel construction
- 400-lb capacity
- Easy to assemble
- Sides fold down for easy configuration
- 10-in pneumatic tires for smoother ride
- 1-year warranty



5-CU FT STEEL WHEELBARROW IN A BOX

WB 1000

- Strong steel construction
- Solid hardwood handles
- 15-in flat free tires
- Robust braces for maximum support
- Handles and tray ship in 1 box
- Easy to assemble
- 1-year warranty



- **AC10001** Replacement wheel and tire
- **AC10002** Replacement handles (2)

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

LASTING PERFORMANCE SINCE 1928



FURROW. WEED. AERATE.

HOES
CULTIVATORS
FORKS
SMALL HAND TOOLS
LAWN & GARDEN TOOLS
GARDEN TOOLS



MAX HOES

STRENGTH & DURABILITY

MAXFORGED EYE HOE

FH 71000 | 7-IN BLADE | 60-IN ASH HANDLE


FH 71002 | 7 2/3-IN BLADE | 60-IN ASH HANDLE



- Forged, tempered steel blades for maximum strength, long service life and superior sharpness
- Sharpened blade easily penetrates soil and slices through weeds
- 60-in wood handle withstands heavy weed chopping
- Ox-eye connections for extra-thick handles
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 71000-4 - Handle
 - 71000-8 - 7-in head
 - 71002-8 - 7 2/3-in head

MAX GARDEN HOE

SH 60060 | 6-IN BLADE | 60-IN ALUMINUM HANDLE



- Tempered steel head for strength and long life
- Gooseneck design ideal for working around plants
- 6-in wide blade most popular size for general maintenance tasks
- Lightweight aluminum, non-slip oval-shaped handle
- Lifetime warranty

MAX OSCILLATING HOE


SH 60001 | 5-IN BLADE | 60-IN ASH HANDLE



- Heavy-duty blade design for long service life
- Heads automatically angle to slice weeds just below surface on both forward and back stroke
- Concave blades sharpen during use
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60100-4 - Handle
 - 60101-8 - Head

MAX OSCILLATING HOE

SH 60061 | 6-IN BLADE | 60-IN ALUMINUM HANDLE



- Heavy-duty, double-edged blade for push/pull weed cutting
- Slice weeds just below the surface with automatically angling blade
- 60-in lightweight aluminum, non-slip, 2X bolt-thru handle
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60061-8 - Head

MAX DIAMOND HOE

SH 61000 | 8-IN BLADE | 60-IN ASH HANDLE



- 8-in diamond-shaped head with four sharpened edges cuts weeds on both forward and back strokes
- Points of diamond-shaped blade can nick even small weeds from hard to reach areas
- Easily sharpened carbon steel blade
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - Handle

MAX HEAVY-DUTY WEEDING HOE

SH 63000 | 7-IN BLADE | 60-IN ASH HANDLE



- Tough, tempered, abrasion-resistant 7-in steel blade holds edge
- Notched and sharpened blade cuts on both push and pull stroke, slices easily through fibrous, overgrown weeds such as thistles, bindweed, wild mustard and clumping grasses
- Extra-long handle lets you work upright and reduces back strain
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 60001-4 - Handle

MAX MCLEOD HOE

SH 65000 | 48-IN ASH HANDLE

SH 65000KD | KNOCKED-DOWN



- Tempered steel tines for superior strength and long service life
- Very versatile, used for raking, scraping, grubbing and tamping
- 10 4/5 x 8 4/5-in head with 9-in sharpened edge and 3 3/5-in tines
- SH65000KD- Knocked-down version of SH 65000 for shipping purposes - assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 65001-8 - Head
 - 65000-4 - Handle

HOES

GARDEN HOE

SH 20000 | 6-IN BLADE | 54-IN WOOD HANDLE



- Swan-shaped neck keeps soil from building up on the tool
- Strong socket joint bolstered with a screw
- 6-in wide blade most popular size for general maintenance tasks
- Lifetime warranty

MAX CULTIVATORS

STRENGTH & DURABILITY

MAX 4 PRONG CULTIVATOR

CV 60064 | 60-IN ALUMINUM HANDLE



- Strong tempered steel heads for weeding and cultivating soil
- Reinforced riveted connections to prevent handle wobble
- Lightweight aluminum, non-slip, oval-shaped handles
- Lifetime warranty

CULTIVATORS



4 PRONG CULTIVATOR

CV 20004 | 54-IN ASH HANDLE



- Tempered steel head for long service life
- Welded tines have oval cross-section for reduced pulling effort
- Weeding and cultivating in one stroke
- Lifetime warranty

MAX FORKS

STRENGTH & DURABILITY

MAXFORGED DIGGING FORKS

FK 70000 | 4 TINES | 48-IN ASH HANDLE



- Forged, tempered tines for maximum strength and long service life
- Tines are narrow and tapered for easier soil penetration, yet extra thick to prevent splaying
- Riveted steel tang for maximum strength head-to-handle connection
- Durable Ash wood handles, 2X varnished for weather resistance
- Lifetime warranty

MAXFORGED REFUSE FORK

FK 70004 | 4 TINES | 54-IN ASH HANDLE



- Use to drag refuse and harvest root vegetables
- Heavy-duty forged steel head for maximum durability
- Steel ferrule design for stronger connection
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Lifetime warranty

MAXFORGED HAY FORKS

FK 71005 | 5 TINES | 54-IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving loose hay, mulches, tree trimmings, landscape waste
- Oval tines for greater lifting strength
- Durable Ash wood handles, 2X varnished for weather resistance
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
71002-4 - Handle

MAXFORGED MANURE FORK

FK 72065 | 5 TINES | 54-IN ALUMINUM HANDLE



- Tempered steel head for superior strength and long service life
- 5-tine configuration is ideal for lifting and transferring materials
- Oval tines for greater lifting strength
- Lightweight aluminum, non-slip, oval-shaped handle
- Lifetime warranty

MAX FORKS

STRENGTH & DURABILITY

MAXFORGED MANURE FORKS

FK 72004 | 4 TINES | 54-IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
71001-4 - Handle

MAXFORGED MANURE FORKS

FK 72005 | 5 TINES | 54-IN ASH HANDLE



- Forged, tempered steel heads for maximum strength and long service life
- Heavy-duty forks for moving manure, compost, planting mix and other dense, damp material
- Oval tines for greater lifting strength
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
71002-4 - Handle

FORKS

DIGGING FORK

FK 42000 | 4 TINES | 29-IN D-GRIP ASH HANDLE



- Tempered steel tines for long service life
- 10-in tapered tines for easier soil penetration
- 29-in D-grip handle is easy to use in tight spaces
- Lifetime warranty

MANURE FORK

FK 42010 | 10 TINES | 48-IN ASH HANDLE



- Tempered steel head to lift manure, compost or dense materials
- Durable Ash wood tapered handle, 2X varnished for weather resistance
- Long steel ferrule provides strength and durability
- Lifetime warranty

ENSILAGE FORK

FK 44010 | 10 TINES | 30-IN D-GRIP ASH HANDLE



- Tempered welded steel head to lift ensilage, construction debris, mulch or other loose materials
- Durable Ash wood handle, 2X varnished for weather resistance
- Lifetime warranty

MAX SMALL HAND TOOL

STRENGTH & DURABILITY

MAX PLANTING MATTOCK

HT 69200 | DUAL BLADES - 1 1/3-IN AND 2-IN WIDE

- Chop through hardpan soil up to 4 1/3-in deep
- 14-gauge welded steel construction withstands repeated use and exposure to the elements
- 14-in handles with non-slip grips reduce hand strain, absorb vibration and make for easy work in close quarters
- Quickly set "pony pack" plants
- Lifetime warranty





Premium Grade Stainless **STEEL** Comfort**GEL**® Garden Tools

Our line of stainless steel hand tools is built to work as hard as you do for the long haul. This fully featured line comes with ComfortGEL® grips, large diameter reinforced square tangs for added strength. Welded joints and robust tool heads, backed by a lifetime warranty promise to deliver for all-day use.

HOE/CULTIVATOR Comfort**GEL**® CT 3344

- Dual working heads - 2 tools in 1
- Sharp hoe to break up clumpy soil
- Cultivator for weeding between rows
- Lifetime warranty



TROWEL Comfort**GEL**® CT 3314

- Integrated bag ripper
- Flat-ended tamper handle/grip
- Finger guard protects hand during digging
- Depth gauge for precise holes
- Lifetime warranty



WEEDER Comfort**GEL**® CT 3354

- 2-prong end for piercing soil, extracting weed at root
- Serrated-edge for cutting weeds and weed roots
- Lifetime warranty



TRANSPLANTER Comfort**GEL**® CT 3324

- Depth gauge for precise holes
- Finger guard protects hand during digging
- Ideal for transplanting smaller plants
- Lifetime warranty



SCOOP Comfort**GEL**® CT 3364

- Large scoop for transporting more soil, ice melt and pet food
- Finger guard protects hand during use
- Lifetime warranty



CULTIVATOR Comfort**GEL**® CT 3334

- Large-diameter robust tines
- Finger guard protects hand during digging
- Ideal for aerating around young plants/weeding between rows
- Lifetime warranty



FORK Comfort**GEL**® CT 3374

- Straight tines to break and mix up soil while avoiding damage to plants
- Finger guard protects hand during use
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SMALL HAND TOOLS

*Stainless***STEEL** *Comfort***GEL**® Garden Tools

Designed to deliver comfort to gardeners who seek an easier, more therapeutic gardening experience, these tools feature tactile gel grips, anti-slip thumb risers, and finger guards. The lightweight, one-piece construction and stainless steel alloy heads ensure durability and prevent bending, breaking, or rusting.



TROWEL *Comfort***GEL**®

CT 3214

- Graduated 3-in wide blade with bag ripper
- Lifetime warranty



HOE/CULTIVATOR *Comfort***GEL**®

CT 3244

- Convenient 2-in-1 tool for weeding and cultivating
- Lifetime warranty



TRANSPLANTER *Comfort***GEL**®

CT 3224

- Serrated 2 ½-in wide blade with bag ripper
- Lifetime warranty



WEEDER *Comfort***GEL**®

CT 3254

- Easier weeding with 6-in serrated blade and forked tip
- Lifetime warranty



CULTIVATOR *Comfort***GEL**®

CT 3234

- Penetrate soil easily with tapered tines
- Lifetime warranty



SCOOP *Comfort***GEL**®

CT 3264

- Large capacity scoop
- Lifetime warranty



SMALL HAND TOOLS



MULTI-SCOOP ComfortGEL® CT15411

NEW

- Serrated edge, stainless-steel scoop
- Perfect for digging, weeding, scooping, and furrowing
- Elongated tang for additional reach and access in tight spaces
- Lifetime warranty



WIDGER ComfortGEL® CT15408

- Long, narrow shape for levering plants out of pots
- Depth markings on blade assure precise planting depth
- Lifetime warranty



HORI HORI GARDEN KNIFE ComfortGEL® CT15409

- Flanged at base to protect hand from slipping onto blade
- Serrated multi-purpose steel blade for digging, cutting & transplanting
- Depth markings on blade assure precise planting depth
- Lifetime warranty



Garden Tools

These essential hand tools are ideal for a broad range of gardening applications. The one-piece aluminum alloy heads provide a lightweight and durable solution, complemented by cushioned non-slip grips for added comfort.

TROWEL CT 3010i

- Easily dig, plant, pot and more with a sharpened 3-in wide blade
- Lifetime warranty



TRANSPLANTER CT 3020i

- Insert new plants at proper depth with a 2 1/8-in wide marked and graduated blade
- Lifetime warranty



CULTIVATOR CT 3030i

- 3 angled tines set 1 1/4-in apart to break and mix up soil while avoiding damage to plants
- Lifetime warranty



FORK CT 3040i

- 3 straight tines set 1 1/2-in apart to break and mix up soil while avoiding damage to plants
- Lifetime warranty



WEEDER CT 3050i

- Get at weeds' roots with a tapered 7 1/4-in long blade
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SMALL HAND TOOLS

Wooden Handle Garden Tools

Discover the perfect blend of functionality and natural aesthetics with these wooden handle garden tools. Featuring carbon steel heads and classic wood handles, they are ideal for gardeners who appreciate both durability and timeless charm in their gardening essentials.



- TRANSPLANTER**
CT 4020 **NEW**
- Easily dig, plant, pot and more with a sharpened blade
 - 1-year warranty



- CULTIVATOR**
CT 4030 **NEW**
- Penetrate soil easily with tapered tines
 - 1-year warranty



- SCOOP**
CT 4060 **NEW**
- Large capacity scoop
 - 1-year warranty



- WEEDER**
CT 4050 **NEW**
- Weeding made easier with a tapered blade
 - 1-year warranty

- BULB TRANSPLANTER**
CT 4080 **NEW**
- Deep serrations cuts soil with ease
 - Depth markings for precise planting
 - 1-year warranty



- 3-PC. GARDEN HAND TOOL SET**
CT 2000 **NEW**
- Transplanting trowel, rake, narrow transplanting trowel
 - Hanger for easy storage
 - Ideal gift for parents or kids
 - Made of sturdy hard nylon plastic
 - 1-year warranty

ComfortGEL[®] Lawn and Garden Tools

Introducing Corona's newest line of lawn and garden tools with ComfortGEL[®] grips for exceptional comfort and control. We've engineered and developed this range of tools to provide you with hand-held solutions to cultivate, weed, till and maintain your property. Repair your lawn, edge a border or prepare a garden bed with comfort and innovative features.



NURSERY SHOVE
DigMASTER **NEW**
with ComfortGEL[®] grip
LG13744

- Narrow, hardened steel blade
- Long reach powder-coated steel handle
- Ideal for digging in small spaces
- Lifetime warranty



LAWN & SOIL AERATOR
YardBREATHER[®]
with ComfortGEL[®] grip
LG 3604

- Penetrates and breaks up grass and compact soil to allow air, water and nutrients to reach the roots, promoting growth
- Designed to automatically eject 3.5-in long soil plugs with each step
- Slip-resistant, traction groves on the footplate add safety and stability
- Heat-treated steel on footplate and spikes for lasting durability
- Lifetime warranty



GARDEN TILLER
SoilRIPPER
with ComfortGEL[®] grip
LG 3624

- Used for tilling soil and the development of seed-rows in gardens
- A substitute for rototillers in small developed gardens or raised-bed gardens
- Durable, heat-treated high carbon steel tines versus cast aluminum
- Self-sharpening, large 9-in wide x 6-in long steel tines
- All metal footplate will withstand high-load bearing pressure
- Quick release plunger to push out dirt and mud clots from tool between submersions into soil
- Lifetime warranty

U.S Patent D838,150



GARDEN & SOIL CULTIVATOR
DiscCULTIVATOR[®]
with ComfortGEL[®] grip
LG 3634

- 3 tine-configurations for different uses: weed, aerate and till soil
- Three, easy to adjust sets of detachable rotational tines
- Large steel tines quickly break up soil and are self-cleaning
- All metal footplate versus plastic for added durability
- 60-in long angled handle for enhanced leverage and reduced back strain
- Lifetime warranty

U.S Patent D845,093 and D868,552



WEEDING TOOL
WeedDESTROYER[®]
with ComfortGEL[®] grip
LG 3654

- Removes tough weeds without the use of chemicals
- All-steel footplate with slip-resistant traction groves for added control
- Fully heat-treated, high carbon steel blades for extra strength when driving into the soil
- Quick release plunger for removing weed from tool
- Lifetime warranty

U.S Patent D843,799

LAWN & GARDEN TOOLS



DutchHOE

with **ComfortGEL**® grip

LG 3664

- Long reach handle eliminates back pain associated with the need to stoop/bend down to weed or till soil
- Open head design keeps hoe socket section clear of soil and debris build-up when in use
- Lifetime warranty



GROUND CLEARING TOOL

QuickCOLLECTOR®

with **ComfortGEL**® grip

LG 3694

- Reduces time and effort in collecting tree nuts and seed pods
- Simple rolling action easily picks up and gathers nuts
- Flexible spring-steel cage makes emptying quick and easy
- 48-in carbon steel handle for a comfortable, long reach
- Lifetime warranty



CrackWEEDER

with **ComfortGEL**® grip

LG 3674

- Long reach handle eliminates back pain associated with the need to stoop/bend down to weed or till soil
- Tool head is designed to slice, dig pull and extract weeds between pavers and in other tight spaces
- Lifetime warranty



TREE & SHRUB IRRIGATOR

RootIRRIGATOR

with **ComfortGEL**® grip

LG 3710

- Provides water or irrigation directly to the roots for healthy growth
- Prompts trees to grow roots deeper and further from trunk for longevity
- Eliminates water runoff and evaporation
- Detachable, universal, 3-in shut off brass valve makes it easy to control water flow
- Depth markers of 12-in, 18-in and 24-in for precise watering of tree roots
- Lifetime warranty



SIDEWALK & BORDER EDGER

EdgeMASTER™

with **ComfortGEL**® grip

LG 3684

- Quick clean cuts in grass, sod or soil
- Trim sidewalks or create borders for gardens or flower beds
- Ribbed blade that's self-sharpening, durable, fully heat-treated and made from high carbon steel
- Double-traction grooved footplate supports additional load bearing pressure
- Lifetime warranty



SOD & LAWN TRANSPLANTER

SodPLUGGER®

with **ComfortGEL**® grip

LG 3720

- Fill grassless areas without the expense of buying and installing sod
- Creates properly sized holes to accept standard 3-in grass and sod plugs
- The quick release plunger efficiently removes sod plugs
- Heat-treated, high carbon steel construction for lasting durability
- Slip-resistant traction grooves designed into the footplate
- Lifetime warranty



EXTENDED REACH ComfortGEL® Garden Tools

Specifically designed for working on raised-bed gardens, small gardens and tight access locations, Corona's ComfortGEL® garden tools feature an optimal length for extended reach and balance. Ideal for those with physical strength limitations, these tools also include unique trapezoid-shaped handles for added comfort and control, along with ComfortGEL® grips for an easier, more therapeutic gardening experience.



7-TINE RAKE ComfortGEL®

GT 3234

- 36-in extended reach
- Tines cultivate soil during planting process
- 7 tine sides to transport, break-up and level soil
- Grooved top for fine smoothing of soil
- Lifetime warranty

U.S. Patent D852,021



HOE/CULTIVATOR ComfortGEL®

GT 3244

- 36-in extended reach
- Breaks up clumpy-soil and digs up weeds
- Moves and aerates soil
- Lifetime warranty

U.S. Patent D852,021



2-PRONG WEEDER ComfortGEL®

GT 3254

- 40-in extended reach
- Sharpened, fork-tipped blade pulls weeds at root source
- Lifetime warranty

U.S. Patent D852,021



ExtendaHANDLE Garden Tools

Corona's ExtendaHANDLE garden tools feature lightweight steel handles that extend from 18 to 34 inches for added reach. The fully heat-treated heads ensure enhanced durability, while protective coatings resist chipping and rust. Non-slip grips provide comfort during extended use, and convenient hanging rings facilitate easy storage. Backed by a lifetime warranty.



GT 3040 - WEEDER



GT 3050 - RAKE



GT 3060 - GARDEN HOE/CULTIVATOR



GT 3070 - CULTIVATOR



GT 3080 - TROWEL



GT 3090 - 3 TINE HOE

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



DIG. PLANT. PLAY.

KIDS GARDEN TOOLS
KIDS WHEELBARROWS



3-PC. KIDS GARDEN TOOL SET **NEW**

KD 1001

- Great for outdoor use alongside parents
- Sold as 3-piece hand tool set in a container
- For ages 4+
- 1-year warranty



KIDS LONG HANDLE TOOLS **NEW**

KD 1000

- Sold as a PDQ: Includes 30 tools (10 shovels, 10 rakes & 10 hoes)
- For ages 4+
- Durable 30-in metal handle
- 1-year warranty



KD 1000SH SHOVEL

KD 1000RA RAKE

KD 1000HO HOE




KIDS WHEELBARROW **NEW**

KD 1002

- Perfect starter wheelbarrow for kids
- Poly tray
- Easy assembly
- For ages 6+
- 1-year warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DPHP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

A photograph of a grey wheelbarrow filled with brown mulch, positioned on a dirt path in a garden. In the background, there are green plants and a yellow sign with a horse silhouette. The text 'PUSH. PULL. LIFT. DUMP.' is overlaid in large white letters on the left side of the image.

PUSH. PULL. LIFT. DUMP.

BOW RAKES
LEVEL HEAD RAKES
LANDSCAPE RAKES
LAWN RAKE
LEAF RAKES
BROOMS
WHEELBARROWS
YARD CARTS



MAX BOW RAKES

STRENGTH & DURABILITY



MAXFORGED BOW HEAD RAKES

RK 65001 | 14-IN | 14 TINES | 60-IN ASH HANDLE

RK 65002 | 16-IN | 16 TINES | 60-IN ASH HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in handles lets you work upright, reduces back strain
- Lifetime warranty
- **REPLACEMENT PART AVAILABLE**
64002-4 - Handle - RK 65001



MAX BOW HEAD RAKES

RK 65061 | 14-IN | 14 TINES | 60-IN ALUMINUM HANDLE


- 14-in bow-head design acts as spring for better control of tine depth, small head is ideal for working in close quarters
- Extra-thick, tempered steel tines for greater strength and long life
- Curved tines efficiently gather and move soil
- Lightweight aluminum, non-slip oval-shaped handle
- Lifetime warranty

MAXFORGED BOW HEAD RAKES

RK 65021 | 14-IN | 14 TINES | 60-IN FIBERGLASS HANDLE

RK 65022 | 16-IN | 16 TINES | 60-IN FIBERGLASS HANDLE

- Tempered, single-piece heads for maximum durability
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in handle with poly jacket lets you work upright, reduces back strain
- Lifetime warranty



BOW RAKES

BOW HEAD RAKE

RK 20002 | 16-IN | 16 TINES | 60-IN ASH HANDLE

RK 20022 | 16-IN | 16 TINES |

60-IN FIBERGLASS HANDLE*

- Tempered heads for long service life
- Curved tines efficiently gather and move soil
- Bows serve as spring for better control of tine depth
- Extra-long 60-in handles let you work upright, reduces back strain
- Lifetime warranty



* with cushion grip

MAX LEVEL HEAD RAKES


STRENGTH & DURABILITY



MAXFORGED LEVEL HEAD RAKE

RK 64002 | 16-IN | 14 TINES | 60-IN ASH HANDLE

- Wide head for rapid tilling and leveling
- Extra-thick, tempered, single-piece head for greater durability and long service life
- Flat-head design for smooth tamping of seed beds
- Extra-long 60-in handle lets you work upright, reduces back strain
- Lifetime warranty
- **REPLACEMENT PART AVAILABLE**
64000-4 - Handle
64002-4 - Handle



MAX LEVEL HEAD RAKE

RK 64060 | 14-IN | 4 TINES | 60-IN ALUMINUM HANDLE

- Level-head design for efficient tilling and leveling of landscape materials in close quarters
- Extra-thick, tempered steel tines for greater strength and long service life
- Flat head with straight tines for smooth tamping of seed beds
- Lightweight aluminum, non-slip, oval-shaped handle
- Lifetime warranty

MAX LANDSCAPE RAKES

STRENGTH & DURABILITY




MAX ALUMINUM LANDSCAPE RAKES

- All-aluminum construction combines durability with ease of use during finish grading process
- Angled, extra-thick tine tips for long service life
- 66-in lightweight aluminum handles with non-slip vinyl sleeves for gripping comfort in extreme heat or cold
- Wrap-around brace supports and heavy-duty heads
- Assembly required
- Lifetime warranty

* Product availability and packaging specifications are subject to change without notice. Please contact Corona® Customer Service for the latest information.



RK 61061 | 24-IN | 24 TINES



RK 61063 | 30-IN | 30 TINES

RK 61062 | 36-IN | 36 TINES

RK 61064 | 42-IN | 42 TINES

LAWN RAKE

THATCH/GROOM RAKE

RK 42000 | 16-IN HEAD | 54-IN WOOD HANDLE

- Head adjusts up or down to suit the height of the users
- 15-in head width works push and pull for easier removal of thatch and dead grass
- 54-in wood handle lets you work in an upright position, reduces back strain
- Lifetime warranty



MAX SPRING BRACE RAKES

STRENGTH & DURABILITY



MAX SPRING BRACE RAKE

RK 24061 | 24-IN | 24 TINES | 54-IN ALUMINUM HANDLE

- 54-in long aluminum handle with anti-slip vinyl sleeve for gripping comfort
- A-shaped head combines flexible tines with durability of metal for raking power
- Bolt-thru head to handle connection for added durability
- Stress distribution bar prevents the 24 tines from twisting or breaking
- Tines and spring are made of high carbon steel, providing long-lasting performance
- Powder-coated frame and tines resist rust
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 62060-4 - Handle
 - 24003-8 - Head

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

SPRING BRACE RAKES



SPRING BRACE RAKES

RK 24002 | 22-IN | 22 TINES | 54-IN WOOD HANDLE

RK 24003 | 24-IN | 24 TINES | 54-IN WOOD HANDLE

- Fan-shaped heads combine flexible tines with durability of metal
- Stress distribution bars that prevent tines from twisting or breaking when pressed on
- Coated frames and tines resist rust
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

24003-4 - Handle

24003-8 - Head, 24-in/24 Tines - RK 24003

SPRING BRACE RAKE REPLACEMENT HEAD

24003-8 | 24-IN | 24 TINES

- Easy to replace this fan-shaped replacement head for RK 24061 and RK 24003



MAX FIXED TINE RAKES

STRENGTH & DURABILITY



MAX FIXED TINE LEAF RAKES

RK 62001 | 19-IN | 25 TINES | 54-IN WOOD HANDLE

RK 62061 | 19-IN | 25 TINES

54-IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- 3 Rivets hold heads to handles
- 25 extra-wide tines
- Double crimps hold tines in place
- 19-in/25 Tines
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

62000-4 - Wood Handle

62060-4 - Aluminum Handle

62001-8 - Head



MAX FIXED TINE SHRUB RAKES

RK 62000 | 8-IN | 11 TINES | 54-IN WOOD HANDLE

RK 62060 | 8-IN | 11 TINES

54-IN ALUMINUM HANDLE

- Tempered spring steel for greater durability and long service life
- Bi-curved bows give even pressure to all tines for maximum raking efficiency
- Tines apply light pressure for debris removal without damage to plant feeder roots
- Narrow heads for working between closely spaced plants
- 2 Rivets hold heads to handles
- Double crimps hold tines in place
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

62000-4 - Wood Handle

62060-4 - Aluminum Handle

62000-8 - Head

POLY LEAF RAKES



BigLOAD™ LEAF RAKE


RK 45030 | 30-IN | 30 TINES

60-IN ALUMINUM HANDLE

- Oversize head rakes up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 30-in poly head is both lightweight and durable
- 60-in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Lifetime warranty

REPLACEMENT PART AVAILABLE

45030-4 - Handle



BigLOAD™ JR LEAF RAKE

RK 45026 | 26-IN | 26 TINES

60-IN ALUMINUM HANDLE

- Rake up to 2X faster than standard leaf rakes
- Unique head design maximizes load capacity
- 26-in poly head is both lightweight and durable
- 60-in aluminum handle with anti-slip vinyl grip for gripping comfort in extreme heat or cold
- Lifetime warranty

REPLACEMENT PART AVAILABLE

45030-4 - Handle

POLY LEAF RAKES



POLY LEAF RAKES

RK 25024 | 24-IN | 26 TINES | 48-IN WOOD HANDLE

RK 25030 | 30-IN | 30 TINES | 48-IN WOOD HANDLE

- Gather large amounts of leaves with closely spaced tines
- Extra-thick polypropylene construction with weather-resistant UV inhibitor
- Hardwood handles 2X varnished for weather resistance
- Assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
25030-4 - Handle - RK 25030

VALUE RAKES

LIGHT-DUTY BOW HEAD RAKE

RK 10000 | 48-IN WOOD HANDLE

- Tempered head with 14 tines for greater durability and long-lasting performance
- Curved tines for easy penetration and gathering of soil
- 1-year warranty

MAX BROOMS

MAX PUSH BROOM

**BM 61002 | 2 BRISTLES | 24-IN HEAD
60-IN BAMBOO HANDLE**



- Heavy-duty replaceable hardwood head
- Scraper blade for removing congealed dirt, gum and other residues
- Cast-metal socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61002-4 - Handle
61002-60 - Hardware
61018-8 - Head



MAX PUSH BROOM

**BM 62060 | 1 BRISTLES | 24-IN HEAD
60-IN ALUMINUM HANDLE**

- Heavy-duty replaceable hardwood head
- Cast-metal socket with bolted connection and wrap-around braces
- Oval-shaped aluminum handle is sturdy and lightweight
- Assembly required
- Lifetime warranty



BROOMS

PUSH BROOM

BM 41002 | 24-IN HEAD | 60-IN BAMBOO HANDLE

- Poly socket with bolted connection and wrap-around braces
- Tough bamboo handle for improved strength-to-weight ratio
- Assembly required
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX WHEELBARROWS

STRENGTH & DURABILITY

EasyLIFTER®



MAX EASYLIFTER® WHEELBARROWS

WB 2806 | STEEL HANDLES | PNEUMATIC TIRE

WB 2806FF | STEEL HANDLES | FLAT-FREE TIRE

- Heavy-duty all-steel frames and 6 cubic foot powder-coated trays for durability
- Lift with less effort by aligning wheel with center of gravity
- Effortless dumping with built-in fulcrum action
- Steel reinforcing plate under tray reduces puncture risk
- Two handle configurations: removable for easy transport and storage or 4-bolt semi-permanent connection*
- Heavy-duty wheel options
- Smooth operation with 16-in wheels featuring solid steel bushings and grease fittings
- For typical applications: WB 2806 with pneumatic 4-ply tire
- For the toughest jobs: WB 2806FF with flat-free tire
- Optional dual wheel kit sold separately for heavier loads and increased stability
- Assembly required
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

- 2806-4 - Handle - Steel (2)
- 2806-80 - Tray - Steel
- 2806-83 - Front - Steel Bar - Flat
- 2806-87 - Rear Bracket - Trapezoidal
- 2806-88 - Steel Plate - Under Tray
- 2806-91 - Hardware Kit
- 2806-92 - Handle Pin - D-Locking (2)
- 2806-93* - Steel Bushing for Pneumatic and Flat-Free Wheels
- 2806-100 - Frame - Left
- 2806-101 - Frame - Right
- 2806-102 - Front Bracket
- 2806-103 - Axle and Locking Pin
- 2806-104 - Flat-Free Wheel and Hardware Kit - Handle

*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.



All Corona® Wheelbarrows come with self-retaining washers for easier and faster tub-to-handle assembly. (Does not apply to WB 2506 and WB 2606 models due to Quick-connect design)



MAX EASYLIFTER® DUAL WHEEL KITS

AC 2806 | 16-IN PNEUMATIC 4-PLY TIRE

AC 2806FF | 16-IN SOLID FLAT-FREE TIRE

- Increase capacity and stability to make short work of the toughest jobs
- Kits include 1 wheel, 1 axle and hardware
- Includes steel bushings and grease fitting
- Work in conjunction with single wheel on WB 2806 or WB 2806FF (sold separately)
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

2806-93* - Steel Bushing for Pneumatic and Flat-Free Wheels

*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.



MAX WHEELBARROWS

STRENGTH & DURABILITY



6-Cubic Foot Wheelbarrows

All Corona® MAX Wheelbarrows feature 6-cu ft class trays, optimizing carrying capacity with typical worker's lifting ability.



Leg stabilizers help to prevent tipping by distributing the load weight



Leg stabilizers help to prevent tipping by distributing the load weight

MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706S | 60-IN STEEL HANDLES | 16-IN PNEUMATIC TIRE

WB 2706SFF | 60-IN STEEL HANDLES

16-IN FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- 6-cu ft class tray balances carrying capacity with typical worker's lifting ability
- Assembly required
- Lifetime warranty

U.S. Patent D677,852

MAX HEAVY-DUTY CONTRACTOR WHEELBARROWS

WB 2706 | 60-IN WOOD HANDLES | 16-IN PNEUMATIC TIRE

WB 2706FF | 60-IN WOOD HANDLES

16-IN FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Squared holes in tray make tightening easier, helps avoid loosening during heavy work
- Handles feature 10% larger cross-section than standard pro wheelbarrows
- Bolt-through design helps legs sustain loads better than with tabbed cross-braces
- Wheel with steel bushings and grease fitting
- Assembly required
- Lifetime warranty

U.S. Patent D677,852

HEAVY-DUTY CONTRACTOR WHEELBARROW - REPLACEMENT PARTS

FIT WB 2706SFF, WB 2706S, WB 2706FF, WB 2706

2706-4 - Handles - Wood (2)

2706-4S - Handles - Steel (2)

2706-80 - Tray

2706-82 - Leg Stabilizers (2)

2706-83 - Bumper Bracket

2706-84 - Wedges (2)

2706-85 - Stands (2)

2706-86 - Front Stay Braces (2)

2706-87 - Brace Stand

2706-88 - Cross Braces (Short and Long)

2706-89 - Axle and 2 Brackets

2706-91 - Hardware Pack

2806-93* - Steel Bushing for Pneumatic and Flat-free Wheels

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.

Flat-Free Tires

Fit all Corona models with a 16-in tire or axles that are 5/8-in diameter.

MAX FLAT-FREE TIRE

AC 2500 | **KNOBBY**

- 16-in solid flat-free tire with steel bushings and grease fitting
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 2806-93*** - Steel Bushing for Pneumatic and Flat-Free Wheels



MAX FLAT-FREE TIRE

AC 2600 | **RIBBED**

- 16-in solid flat-free tire with steel bushings and grease fitting
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 2806-93*** - Steel Bushing for Pneumatic and Flat-Free Wheels



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX WHEELBARROWS

STRENGTH & DURABILITY



Leakproof tray



Leakproof tray

MAX HEAVY-DUTY STEEL WHEELBARROWS

WB 2506K | 60-IN WOOD HANDLES | 16-IN PNEUMATIC TIRE

WB 2506KFF | 60-IN WOOD HANDLES

16-IN FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Contractor-grade hardwood handles
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Lifetime warranty

MAX HEAVY-DUTY STEEL WHEELBARROWS

WB 2606K | 60-IN STEEL HANDLES | 16-IN PNEUMATIC TIRE

WB 2606KFF | 60-IN STEEL HANDLES

16-IN FLAT-FREE KNOBBY TIRE

- 1.4-mm wrinkle-free, extra-heavy-duty, powder-coated steel tray for durability
- Reinforced steel front tray braces for added support and stability
- Steel wheel bushings for years of smooth performance and grease fittings for easy lubricating
- Steel handles with comfort grips
- Quick-connect system for faster assembly and a leak-proof tray
- With no bolts exposed on the inside of the tray, it creates a smooth finish for easier shoveling
- Assembly required
- Lifetime warranty

• 6-CT FT HEAVY-DUTY STEEL WHEELBARROW REPLACEMENT PARTS FIT - WB 2506KFF, WB 2506K, WB 2606KFF, WB 2606K

2506-4 - Wooden Handles (2)

2606-4 - Steel Handles (2)

2506-80 - Tray

2506-81 - Pneumatic Wheel

2506-83 - Bumper Bracket

2506-84 - Wedges (2)

2506-85 - Stands (2)

2506-86 - Front Stay Brace (2)

2506-87 - Stand Brace

2506-88 - Long And Short Cross Brace

2506-89 - Axle and 2 Brackets

2506-91 - Hardware Pack

AC 2500 - Flat-Free Knobby Tire

AC 2600 - Flat-Free Ribbed Tire

2806-93* - Steel Bushing for Pneumatic and Flat-free Wheels

*Fits all Corona® MAX wheelbarrows and AC 2500/AC 2600 flat-free tires.



6-CU FT STEEL WHEELBARROW

WB 2006 | 60-IN HARDWOOD HANDLES | 15-IN 2-PLY PNEUMATIC TIRE

WB 2006FF | 60-IN HARDWOOD HANDLES | 16-IN FLAT-FREE TIRE

- 1.0-mm wrinkle-free steel tray
- Reinforced steel front tray braces for added support and stability
- 15-in hub with ball bearings for years of smooth performance
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 2006-4** - Handles (2)
 - 2006-80** - Tray
 - 2006-81** - Pneumatic Wheel
 - 2006-83** - Bumper Bracket
 - 2006-84** - Wedges (2)
 - 2006-85** - Stands (2)
 - 2006-86** - Front Stay Brace (2)
 - 2006-87** - Stand Brace
 - 2006-88** - Long And Short Cross Brace
 - 2006-89** - Axle and 2 Brackets
 - 2006-91** - Hardware Pack
 - AC 2500** - Flat-Free Knobby Tire
 - AC 2600** - Flat-Free Ribbed Tire

6-CU FT POLY WHEELBARROW

WB 1006 | 60-IN HARDWOOD HANDLES | 15-IN 2-PLY PNEUMATIC TIRE

WB 1006FF | 60-IN HARDWOOD HANDLES | 16-IN FLAT-FREE TIRE

- Corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- Steel bushings and grease fitting ball bearings for years of smooth performance
- Assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 2006-4** - Handles (2)
 - 1006-80** - Tray
 - 2006-81** - Pneumatic Wheel
 - 1006-91** - Hardware
 - 2006-83** - Bumper Bracket
 - 1006-84** - Wedges (2)
 - 2006-86** - Front Stay Brace (2)
 - 1006-87** - Stand Brace
 - 2006-85** - Stands (2)
 - 2006-89** - Axle and 2 Brackets
 - AC 2500** - Flat-Free Knobby Tire
 - AC 2600** - Flat-Free Ribbed Tire

WHEELBARROWS



6-CU FT STEEL WHEELBARROW

NEW

WB13060 | 6.0 CUBIC FOOT WHEELBARROW | PNEUMATIC TIRE

- Durable steel tray & undercarriage
- Sealed wood handles
- Pneumatic tire
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- AC60007 - Wood Handles 60-in (2)
- AC50012 - Hardware Kit



6-CU FT STEEL WHEELBARROW

NEW

WB13163 | 6.0 CUBIC FOOT WHEELBARROW | FLAT-FREE TIRE

- Durable steel tray & undercarriage
- Steel handles with comfort grips
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- AC50045 - Flat Free Wheel 16-in
- AC60014 - Metal Handles 60-in (2)
- AC50012 - Hardware Kit



10-CU FT POLY WHEELBARROW

WB 1010 | 60-IN HARDWOOD HANDLES

DUAL 15.5-IN 2-PLY PNEUMATIC KNOBBY TIRE

- Heavy-duty, corrosion-proof poly tray with UV protection
- Reinforced steel front tray braces for added support and stability
- 2-ply knobby tires provide added control and stability when carrying heavy loads
- Steel hub bushings for years of smooth performance
- Contractor-grade hardwood handles
- Assembly required
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 1010-4 - Handles (2)
- 1010-80 - Tray
- 1010-81 - Pneumatic Wheel
- 1010-83 - Bumper Bracket
- 1010-85 - Stands (2)
- 1010-89 - Axle Bracket, Plate, Spacers (2)
- 1010-91 - Hardware Pack
- 2006-86 - Front Stay Brace (2)
- 2006-87 - Stand Brace
- 2506-88 - Long And Short Cross Brace



5-CU FT STEEL WHEELBARROW IN A BOX

NEW

WB 1000

- Handles and tray ship in 1 box making it easy to transport
- Strong steel construction
- Solid hardwood handles
- 15-in flat free tires
- Robust braces for maximum support
- Easy to assemble
- 1-year warranty
- **REPLACEMENT PARTS AVAILABLE**
- AC10001 - Replacement wheel and tire
- AC10002 - Replacement handles (2)

YARD CARTS



POLY DUMP CART

NEW

CR 1000

- 4-cu ft poly tray
- Quick release dumping mechanism
- 400-lb capacity
- 10-in pneumatic tires for smoother ride
- 1-year warranty



METAL LANDSCAPE CART

NEW

CR 1001

- Tough steel construction
- 400-lb capacity
- Easy to assemble
- Sides fold down for easy configuration
- 10-in pneumatic tires for smoother ride
- 1-year warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov









DIG UP DIG DOWN. TRENCH. SCOOP.

**ALL-STEEL SHOVELS
MAXFORGED SHOVELS
CLOSED-BACK SHOVELS
STANDARD SHOVELS
TRENCH SHOVELS
SCOOP SHOVELS
LIGHTWEIGHT SHOVELS
DIY SHOVELS & SPADES
POST HOLE DIGGERS**



CHOOSE THE RIGHT SHOVEL

| STEP 1 Select Shovel Head | MAX MAXFORGED | | | | | | |
|---|---|----------------------|----------------------|------------------|--|-----------------|------------------------|
| | PRO/Master Gardener | | | | General Use/DIY | | Value |
| | ALL-STEEL SHOVELS | MAXFORGED SHOVELS | CLOSED-BACK SHOVELS | STANDARD SHOVELS | LIGHTWEIGHT SHOVELS | DIY SHOVELS | VALUE SHOVELS |
| | PRICE LEVELS | \$ \$ \$ \$ \$ | \$ \$ \$ \$ \$ | \$ \$ \$ | \$ \$ | \$ | |
| QUALITY/GRADE LEVELS | ★★★★★ | ★★★★★ | ★★★ | ★★ | ★ | | |
| STEEL THICKNESS | ALL-STEEL 12 GAUGE FORGED | 14 GAUGE | 14 GAUGE OR 15 GAUGE | 15 GAUGE | 16 GAUGE | | |
| HEAD TYPE | Closed- or Open-Back | Closed- or Open-Back | Closed- or Open-Back | Open-Back | Open-Back | | |
|  <p>ALL-STEEL SHOVEL HEADS:</p> <ul style="list-style-type: none"> Feature closed backs that are welded onto steel handles BEST FOR EXTREME DIGGING AND PRYING |  | | | |  | | |
|  <p>MAXFORGED SHOVEL HEADS:</p> <ul style="list-style-type: none"> Feature double rivets and single-piece, solid-socket designs for superior strength and durability. BEST FOR BREAKING THROUGH CLAY, CAPSTONE AND CORAL | | | | | | | |
|  <p>CLOSED-BACK SHOVEL HEADS:</p> <ul style="list-style-type: none"> Welded, closed-back designs improve blade strength BEST FOR PROTECTING HANDLE FROM MUD AND DIRT BUILD-UP | | | | | | | |
|  <p>OPEN-BACK SHOVEL HEADS:</p> <ul style="list-style-type: none"> Light weight design with textured epoxy blade finish to reduce rust. BEST FOR LIGHT DUTY JOBS | | | | | | | |
| STEP 2 Select Shovel Handle | ALL-STEEL SHOVELS | MAXFORGED SHOVELS | CLOSED-BACK SHOVELS | STANDARD SHOVELS | LIGHTWEIGHT SHOVELS | DIY SHOVELS | VALUE SHOVELS |
| <p>AEROSPACE-GRADE STEEL HANDLES:</p> <ul style="list-style-type: none"> Extra-heavy-duty steel handles made for extreme pulling, pushing and digging | LONG and D Grip | | | | | | |
| <p>SOLID-CORE FIBERGLASS HANDLES:</p> <ul style="list-style-type: none"> Made from millions of continuous parallel glass fibers, featuring thick, molded poly jackets and integral compression bars for heavy-duty use | | LONG | LONG and D Grip | | | | VALUE WOOD ONLY |
| <p>ASH WOOD HANDLES:</p> <ul style="list-style-type: none"> Specially coated with two layers of protectant for weather resistance and years of smooth, splinter-free performance. | | | LONG and D Grip | LONG and D Grip | | LONG and D Grip | Long and D Grip |
| <p>NON-SLIP FIBERGLASS:</p> <ul style="list-style-type: none"> Provides the perfect balance in durability, strength and value | | | | | LONG and D Grip | | |
| WARRANTY | LIFETIME WARRANTY | | | | LIFETIME WARRANTY | | 1-YEAR WARRANTY |

STEEL THICKNESS: The LARGER the gauge number, the THINNER and lighter the blade.

MAX ALL-STEEL SHOVELS

STRENGTH & DURABILITY



MAX ALL-STEEL SHOVELS

Unleash maximum digging and prying power with these all-steel shovels. The closed-back blade design provides extra strength and eliminates dirt buildup, while the solid steel end cap under the red grip allows for tamping. The thick, powder-coated, aerospace-grade steel handle is welded to the 12-gauge blade to ensure durability.

MAX ALL-STEEL SHARPSHOOTER SPADE

AS 90110 | 14 1/2-IN BLADE, 29-IN STEEL D GRIP HANDLE



AS 90100 | 14 1/2-IN BLADE, 63 1/2-IN STEEL HANDLE



- Sharpened blades for easy ground penetration and slicing through roots
- Large, forward-turned steps prevent material from spilling off rear of blade
- Extended widow's peak sockets with double rivets for stronger, secure connections
- Blade is enamel finished to protect against rust
- Lifetime warranty

MAX ALL-STEEL SPADE

AS 90220 | 15-IN DIAMOND BLADE, 26-IN STEEL D GRIP HANDLE



AS 90240 | 15-IN DIAMOND BLADE, 51-IN STEEL HANDLE



- Made for spading, planting, prying, cutting roots, installing edging and digging
- 15-in pre-sharpened diamond blade
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC 90000 - Footpad

MAX ALL-STEEL SPADE

AS 90010 | 12-IN STRAIGHT BLADE, 26-IN STEEL D GRIP HANDLE



AS 90040 | 15-IN STRAIGHT BLADE, 54-IN STEEL HANDLE



- Made for spading, planting, prying, cutting roots, installing edging and digging
- Pre-sharpened straight blade, steel handle
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC 90000 - Footpad

ABOUT LIFT

- Handles with larger lift provide greater leverage.
- Handles with smaller lift allow a nearly vertical cut.
- Flat-bowled heads are nearly flat for straight cuts.
- Deep-bowled heads are concave for "cupped" cuts.

The 1-in LIFT on AS 90310 allows for a nearly vertical cut. Maximum accessibility in tight spaces



The 2 1/2-in LIFT on AS 90320 allows for increased leverage.



MAX ALL-STEEL CAPROCK SHOVEL

AS 90310 | 10-IN FLAT BOWL, 48-IN STEEL HANDLE, 1-IN LIFT



AS 90320 | 10-IN DEEP BOWL, 48-IN STEEL HANDLE, 2 1/2-IN LIFT



- For maximum digging and prying power
- Closed-back blade design provides extra strength and eliminates dirt buildup
- Lifetime warranty

MAX ALL-STEEL NURSERY #2 ROUND POINT SHOVEL

AS 90300 | 48-IN HANDLE



- Made for spading, planting, prying, cutting roots and digging
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC 90000 - Footpad

MAX ALL-STEEL WIRE AND EDGING TRENCHER

AS 90400 | 45-IN OVERALL LENGTH



- Use to install wire for landscape lighting, edging and more
- Designed for the professional who needs maximum digging and prying power
- Extra large steps on 8 1/4 x 10-in pre-sharpened blade, 45-in overall length
- T-handle design for extra leverage
- Lifetime warranty

FOOTPAD

AC 90000

- Replacement footpad for AS 90220, AS 90240, AS 90010, AS 90040, AS 90300,



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX SHOVELS

STRENGTH & DURABILITY

MAXFORGED #2 CAPROCK SHOVEL SF 80000 | 48-IN ASH HANDLE



SF 80020 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Forged, one-piece, tempered head for greater strength and long service life
- Breaks up dense material such as coral rock, clay and decomposed granite
- Sharpened blade edge
- 48-in handles give added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
70000-4 - Handle - SF 80000
77000-4 - Handle - SF 80000
61020-4 - Handle - SF 80020

MAX #2 ROUND POINT CLOSED-BACK SHOVEL SS 60000 | 48-IN ASH HANDLE



SS 60020 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Thick, 14-gauge tempered steel blade for long service life
- Welded, closed-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- 48-in handle gives added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61000-4 - Handle - SS 60000
61020-4 - Handle - SS 60020

MAX CLOSED-BACK NURSERY/GARDEN SPADE SS 63010 | 12-IN BLADE, 30-IN ASH D GRIP HANDLE



- Thick, tempered steel blade for longer service life
- Welded, closed-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- Short handle helps turn loosened soil, easier to use in close quarters
- Lifetime warranty

MAX CLOSED-BACK SHOVELS

STRENGTH & DURABILITY

MAX CLOSED-BACK DRAIN SPADE SS 62000 | 16-IN BLADE, 48-IN ASH HANDLE



SS 62010 | 16-IN BLADE, 30-IN ASH D GRIP HANDLE



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- Thick, 14-gauge tempered steel blade for long service life
- Welded, close-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61000-4 - Handle - SS 62000
61010-4 - Handle D Grip - SS 62010

MAX CLOSED-BACK DRAIN SPADE SS 62020 | 16-IN BLADE, 48-IN SOLID-CORE FIBERGLASS HANDLE



SS 62130 | 16-IN BLADE, 27-IN SOLID-CORE FIBERGLASS D GRIP



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- Thick, 14-gauge tempered steel blade for long service life
- Welded, close-back design for greater strength
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61030-4 - Handle D Grip - SS 62130

MAX STANDARD SHOVELS

STRENGTH & DURABILITY



MAX #2 SQUARE POINT SHOVEL SS 66000 | 48-IN ASH HANDLE



SS 66020 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Square-head design for efficient lifting and moving of loose material
- Thick, 14-gauge tempered steel blade for long service life
- Large, forward-turned steps prevent material from spilling off rear of blade
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61000-4 - Handle - SS 66000
61020-4 - Handle - SS 66020

MAX #2 ROUND POINT SHOVEL SS 65000 | 48-IN ASH HANDLE



SS 65020 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Thick, 14-gauge tempered steel blade for long service life
- Large, forward-turned steps for firmer footing
- Sharpened blade edge penetrates ground easily, slices through small roots
- 48-in long handle gives added leverage for easier breaking of dense, heavy soils
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61000-4 - Handle - SS 65000
61020-4 - Handle - SS 65020

MAX #2 ROUND POINT, IRRIGATION SHOVEL SS 65500 | 48-IN ASH HANDLE



- Smaller head for easy digging around plants or narrow areas
- Heavy-duty 14-gauge tempered steel, sharpened blade with enamel finish
- Ash tapered handle with 2X rivet connection, 2X varnished - 48-in
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61000-4 - Handle

MAX TRENCH SHOVELS

STRENGTH & DURABILITY

Corona® offers industry-correct, color-coded trenchers for digging new trenches and cleaning them out.

Finish the job faster with these durable trench shovels, featuring heavy-duty 12-gauge tempered steel blades that outperform thinner-gauge blades and dual handle angles at 35° and 28° that are optimized for digging or clean-out. Available in industry-standard head sizes and colors to quickly find the right-sized tool for the job.

Sole Saver Step
REDUCES BOOT WEAR
WITH ROUNDED CORNERS



MAX 3-IN TRENCH SHOVEL SS 64103 | 48-IN ASH HANDLE



SS 64123 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64223 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- 35° angle is ideal for both cleaning and digging out trenches
- V-shaped beveled blade for easy soil penetration
- Color-coded blue for quick identification
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64103

MAX 4-IN TRENCH SHOVEL SS 64104 | 48-IN ASH HANDLE



SS 64124 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64224 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- 35° angle is ideal for both cleaning and digging out trenches
- V-shaped beveled blade for easy soil penetration
- Color-coded orange for quick identification
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64104

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX TRENCH SHOVELS

STRENGTH & DURABILITY

MAX 5-IN TRENCH SHOVEL

SS 64105 | 48-IN ASH HANDLE



SS 64125 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64225 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- 35° angle is ideal for both cleaning and digging out trenches
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded red for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64105

MAX 6-IN TRENCH SHOVEL

SS 64106 | 48-IN ASH HANDLE



SS 64126 | 48-IN HOLLOW FIBERGLASS HANDLE



- 35° angle is ideal for both cleaning and digging out trenches
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded green for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64106

MAX 3-IN TRENCH SHOVEL

SS 64303 | 48-IN ASH HANDLE



SS 64323 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64333 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded blue for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64303

MAX 4-IN TRENCH SHOVEL

SS 64304 | 48-IN ASH HANDLE



SS 64324 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64334 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded orange for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64304

MAX 5-IN TRENCH SHOVEL

SS 64305 | 48-IN ASH HANDLE



SS 64325 | 48-IN HOLLOW FIBERGLASS HANDLE



SS 64335 | 48-IN SOLID-CORE FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded red for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64305

MAX 6-IN TRENCH SHOVEL

SS 64306 | 48-IN ASH HANDLE



SS 64326 | 48-IN HOLLOW FIBERGLASS HANDLE



- Flatter, 28° lift angle brings handle closer to worker for efficient digging
- Heavy-duty 12-gauge tempered steel blade outperforms some thicker blades
- V-shaped beveled blade for easy soil penetration
- Color-coded green for quick identification
- Sole Saver step design reduces boot wear with rounded corners
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
64100-4 - Handle - Ash - SS 64105

MAX SCOOP SHOVELS

STRENGTH & DURABILITY



MAX #10 ALUMINUM WESTERN SCOOP SHOVEL

SS 68000 | 48-IN LONG WOOD HANDLE



- Strong, 12-gauge aluminum head reduces workload to a minimum while giving a long service life
- Western-style scoop head with reinforced ribs
- 48-in Ash wood handle
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
68000-4 - Handle

MAX #10 ALUMINUM WESTERN SCOOP SHOVEL

SS 68010 | 30-IN WOOD D GRIP HANDLE



- Strong, 12-gauge aluminum head reduces workload to a minimum while giving long service life
- Western-style scoop head with reinforced ribs
- 30-in steel and Ash wood D grip helps turn loosened soil, easier to use in close quarters
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
68010-4 - Handle

LIGHTWEIGHT SHOVELS

#2 ROUND POINT SHOVEL

SS 30020 | 48-IN FIBERGLASS HANDLE



- Strong, 14-gauge tempered steel blade
- Large, forward-turned steps
- Textured epoxy finish protects head
- 48-in fiberglass handle with non-slip grip
- Round point allows easy penetration of a variety of materials
- Steel collar for strong connection
- Lifetime warranty

DIY SHOVELS

#2 ROUND POINT SHOVEL

SS 26000 | 48-IN WOOD HANDLE



SS 26010 | 30-IN WOOD D GRIP HANDLE



SS 26020 | 48-IN FIBERGLASS HANDLE



- 15-gauge tempered steel blade
- Large, forward-turned steps
- Round point allows easy penetration of a variety of materials
- Textured epoxy finish protects head
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
26000-4 - Handle - SS 26000

#2 SQUARE POINT SHOVEL

SS 27000 | 48-IN WOOD HANDLE



SS 27020 | 48-IN FIBERGLASS HANDLE



- 15-gauge tempered steel blade
- Large, forward-turned steps
- Square-head design for efficient lifting and moving of loose material
- Textured epoxy finish protects head
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
26000-4 - Handle - SS 27000

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

DIY SHOVELS

MULTI-PURPOSE MINI SHOVEL

SS 25010 | 26 3/4-IN WOOD D GRIP HANDLE



- 5-gauge tempered steel blade
- Forward-turned steps for firmer footing
- D grip handle to help control material being moved
- Lifetime warranty

DIY SPADES

GARDEN SPADE

SS 29000 | 11 3/4-IN BLADE, 48-IN WOOD HANDLE



SS 29010 | 11 3/4-IN BLADE, 30-IN WOOD D GRIP HANDLE



- 15-gauge tempered steel blade
- Rounded edge penetrates ground easily, slices through small roots
- Forward-turned steps for firmer footing
- Textured epoxy finish protects head
- Hardwood handle
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61100-4 - Handle - SS 29000
26000-4 - Handle - SS 29000

DRAIN SPADE

SS 28000 | 16-IN BLADE, 48-IN WOOD HANDLE



SS 28010 | 16-IN BLADE, 30-IN WOOD D GRIP HANDLE



- Tapered, round-nose, slightly cupped blade for efficient digging of deep, round-bottom drains and trenches
- 15-gauge tempered steel blade for long service life
- Large, forward-turned steps for firmer footing
- Hardwood handle
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
61100-4 - Handle - SS 28000
61101-4 - Handle - SS 28010

SCOOP SHOVELS

#12 PLASTIC WESTERN SCOOP SHOVEL

SS 42001 | 48-IN WOOD HANDLE



- Designed for efficient moving of light, loose material
- Western-style scoop head with reinforced ribs
- 48-in hardwood handle
- Lifetime warranty

#12 PLASTIC WESTERN SCOOP SHOVEL

SS 42011 | 30-IN WOOD D GRIP HANDLE



- Designed for efficient moving of light, loose material
- Western-style scoop head with reinforced ribs
- 30-in hardwood handle with D grip to help control material being moved, easier to use in close quarters
- Lifetime warranty

VALUE SHOVELS

LIGHT-DUTY #2 ROUND POINT SHOVEL

SS 10000 | 46-IN WOOD HANDLE

- 16-gauge tempered steel blade
- Round point allows easy penetration of a variety of materials
- 1-year warranty

LIGHT-DUTY #2 SQUARE POINT SHOVEL

SS 11000 | 46-IN WOOD HANDLE

- 16-gauge tempered steel blade
- Square-head design for efficient lifting and moving of loose material
- 1-year warranty

LIGHT-DUTY FLORAL SHOVEL

SS 47000 | 42-IN HARDWOOD HANDLE

- 16-gauge tempered steel blade
- Small 6-in x 8-in round point head design for easier use in gardens and tight spaces
- 1-year warranty

MAX POST HOLE DIGGERS



MAX

**Hercules Pattern
POST HOLE DIGGER
PD 60000**



- Extra heavy-duty, 10-gauge tempered steel head for superior strength and long service life
- Sharpened blade edges easily penetrate ground, slice through small roots
- 48-in extra-thick Ash handles for durability and longer service life
- Square-to-round connection between handles and head prevents twisting
- Pivot point between blades optimally positioned to allow wider opening
- Lifetime warranty
- **REPLACEMENT HANDLES AVAILABLE**

**10
GAUGE STEEL**



6-in

Atlas Pattern POST HOLE DIGGERS



4 3/4-in

POST HOLE DIGGER

PD 40020 | 48-IN FIBERGLASS HANDLE

- Fiberglass handles for best combination of weight and durability
- Heavy-duty 12-gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Ruler markings make gauging depth of hole an easy task
- Lifetime warranty

POST HOLE DIGGER

PD 40000

48-IN HARDWOOD HANDLE

- Heavy-duty 12-gauge tempered steel heads for greater strength and long service life
- Sharpened blade edges for easy ground penetration and slicing through small roots
- Lifetime warranty



5 1/4-in



Square-to-round connections between head and handles prevent twisting

POST HOLE DIGGER

PD 20000

48-IN HARDWOOD HANDLE

- 14-gauge tempered steel head
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

A close-up photograph of a person's arm holding a hammer with a bright red handle and a black head. The hammer is positioned against a red brick wall. The person is wearing a dark grey t-shirt. The background is a textured brick wall.

CHOP. POUND. FRACTURE. PRY.

**AXES
HAMMERS
PICKS & MATTOCKS
HEAVY BARS**



MAX AXES

STRENGTH & DURABILITY

MAXFORGED MICHIGAN AXE

AX 70020 | 34-IN SOLID-CORE FIBERGLASS HANDLE


- Forged, 3 ½-lb tempered steel head hardened for maximum strength
- Sharpened and polished blade edge, cuts cleaner and with less effort
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- Lifetime warranty



MAXFORGED PULASKI ROOT GRUBBING TOOL

AX 71020 | 34-IN SOLID-CORE FIBERGLASS HANDLE

- Sharpened 3 ½-lb axe blade with steep bevel holds edge while cutting roots in soil
- Triangular-shaped mattock blade for excavating around large roots
- Maximum-strength solid-core fiberglass handle with thick, molded poly jacket dampens vibration from overstrikes to prevent breakage
- 34-in solid-core fiberglass handle
- Lifetime warranty



MAX HAMMERS

STRENGTH & DURABILITY

Featuring durable forged, tempered steel heads, these hammers are designed to break through virtually any material, including concrete, asphalt, masonry, or drywall. Dual ground and polished convex striking faces minimize deflections for faster completion of tasks. Backed by a lifetime warranty.

MAXFORGED SLEDGEHAMMERS

WITH SOLID-CORE FIBERGLASS HANDLES

ST 70020 | 4-LB HEAD | 15-IN HANDLE

ST 70021 | 8-LB HEAD | 32-IN HANDLE

ST 70023 | 10-LB HEAD | 32-IN HANDLE

ST 70024 | 12-LB HEAD | 34-IN HANDLE

ST 70025 | 16-LB HEAD | 34-IN HANDLE



MAXFORGED DRILLING HAMMERS

ST 73003 | 3-LB HEAD

10-IN SOLID-CORE FIBERGLASS HANDLE

- Minimize deflections and finish your work faster with dual ground polished convex striking faces
- Lifetime warranty



MAX PICKS & MATTOCKS

STRENGTH & DURABILITY



Pick & Mattock Heads are hardened for maximum strength

These picks and mattocks feature exceptionally durable heads that are hardened for maximum strength and connected through eye holes to allow for easy replacement. Choose between a Hickory wood handle with shock-absorbing Poly Guards or a maximum-strength, solid-core fiberglass handle. Readily available replacement parts.

MAXFORGED RAILROAD PICK

PM 40000 | 36-IN POLY GUARD HICKORY HANDLE

- Points for fracturing rock and concrete
- Chisels for smoothing of rough edges and light prying
- Lifetime warranty



MAXFORGED PICK MATTOCK

PM 41000 | 36-IN POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Points for fracturing, prying rock
- Lifetime warranty



MAXFORGED CUTTER MATTOCK

PM 42000 | 36-IN POLY GUARD HICKORY HANDLE

- Extra-wide mattock blades for more efficient breaking of dense heavy soils
- Extra-sharp cutter blades for severing roots
- Lifetime warranty



REPLACEMENT PARTS

MAXFORGED RAILROAD PICK HEAD

40000-8



MAXFORGED PICK MATTOCK HEAD

41000-8



MAXFORGED CUTTER MATTOCK HEAD

42000-8



MAX 36-IN POLYGUARD HICKORY HANDLE

41000-4



MAX 36-IN HICKORY HANDLE

40000-4



MAX HEAVY BARS

STRENGTH & DURABILITY

MAXFORGED SAN ANGELO BAR

BR 70090 | 14-LB | 60-IN

- Point for fracturing rock and concrete
- 2-in wide chisel edge for straight line concrete breaking, smoothing of rough edges and prying
- Lifetime warranty



MAXFORGED DIGGING BAR

BR 71090 | 17-LB | 70-IN

- 2 3/8-in wide, thick blade for efficient digging in dense, heavy and rocky soils
- Tamp for compacting soils around fence posts, forms, etc.
- Lifetime warranty



⚠ **WARNING:** This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

TWIST. EXTRACT. PROBE. TAMP.

CUTTING TOOL
PROBE
EZ OUT TOOLS
WRENCHES
TAMPS & POST DRIVERS
SCRAPERS





MAX PVC CUTTING TOOL

MAX PVC PIPE CUTTER

UT 65050

- Easy one-hand cutting with ratchet-action blade
- Ergonomic handles with rubberized non-slip grips
- Use left- or right-handed
- Cuts schedule 40 PVC pipe
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
65050-1C - Replacement blade
65050-3C - Pivot bolt, spring, washer



Change the blade quickly by flipping up the tab, turning to release the blade.

MAX SOIL PROBES

MAX STEEL SOIL PROBE

UT 64050 | 48-IN STEEL SHAFT

- High-quality welded steel construction for greater strength
- Locate underground utilities and pipelines before digging
- Cushioned, non-slip T-bar handle for best control
- Lifetime warranty



MAX EZ OUT TOOLS

MAX EZ OUTS

UT 65001 | 1-IN & 1¼-IN

UT 65002 | ½-IN & ¾-IN

- Extractors to remove broken plastic riser stubs in irrigation systems
- Non-painted serrated zinc tips for a better grip
- Tapered tips fit two sizes for convenience
- Comfortable T-loop handles
- High-quality durable steel
- Lifetime warranty



U.S. Patent D540,632



MAX WRENCHES

MAX OPERATING WRENCH 3-IN-1

UT 69000

- Multifunctional; used to open gate valves, extends from 3 to 5-ft easily by releasing a snap button
- Includes 3 interchangeable heads with snap button lock store on the tool - 1, 1½ and 2-in
- 2-in square key operates gate valves with a 2-in square operating nut
- T-bar handle design for better leverage, solid steel construction for durability
- Red color so it's easier to find on the job
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**



½-IN SQUARE METER KEY HEAD
69000-050



1-IN VALVE KEY HEAD
69000-100



1 1/8-IN METER KEY HEAD
69000-118



2-IN SQUARE METER KEY HEAD
69000-200



83 1/2-IN SQUARE TUBING EXTENDER BAR
69000-835

- Converts UT 69000 to easily adjust deep valves. Snap button locks at 7, 8 or 9-ft depths.

MAX DIRT TAMPS

STRENGTH & DURABILITY



- Heavy-duty steel construction for long service life
- ¼-in steel plate and gussets for maximum strength and even tamping
- Lifetime warranty



MAX DIRT TAMP UT 60053 | 10-IN X 10-IN | 58-IN ASH HANDLE

- 56% larger plate helps you finish your job faster than with standard 8-in squared plate

UT 60050 | 8-IN X 8-IN | 43-IN ASH HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials
- **REPLACEMENT PARTS AVAILABLE**
60050-4 - Wood handle and wedges



MAX DIRT TAMP | ALL-STEEL UT 60057 | 8-IN X 8-IN | 58-IN STEEL HANDLE

- Ideal for efficient tamping of trenches, specimen tree holes and base materials

UT 60055 | 3 ½-IN X 12-IN | 58-IN STEEL HANDLE

- Ideal for tamping in trenches and tight spaces

MAX POST DRIVERS

STRENGTH & DURABILITY

- Easily drive standard-sized square wooden stakes and steel posts into the ground
- Standard models feature two angled handles for best gripping position and control
- Long-reach model features one extended handle for driving posts close to ground level
- High-quality welded steel construction for long service life
- Lifetime warranty



MAX POST DRIVER UT 67002 | 27-LB

- 3 ½-in squared hollow section



MAX POST DRIVER UT 67001 | 21-LB

- 2 ½-in squared hollow section

MAX SCRAPERS

STRENGTH & DURABILITY

MAXFORGED SCRAPER/CHOPPER

UT 71000 | 54-IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 4-in wide for efficient digging, edging and root cutting
- Durable Ash wood handle 2X varnished for weather resistance
- Lifetime warranty



MAXFORGED SIDEWALK SCRAPER

UT 70000 | 48-IN ASH HANDLE

- Heavy-duty steel head scrapes encrusted materials from hard surfaces
- Sharpened blade is 7-in wide for efficient edging of sidewalks and ice chipping
- Durable Ash wood handle 2X varnished for weather resistance
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

CLIP. TRIM. SAW. HACK.

HAND PRUNERS
ACCESSORIES
GRASS SHEARS
HEDGE SHEARS
LOPPERS
MACHETES
PRUNING SAWS
TREE PRUNERS
FRUIT PICKER



CORONA RABBIT TOOTH SAW
PULL-BACK CUTTING ACTION

MAX HAND PRUNERS

STRENGTH & DURABILITY™


How to Pick the Right Size Pruner for Your Hand



SMALL HANDS
Wide: less than 3 1/4-in
Height: less than 6 1/4-in



MEDIUM HANDS
Wide: 3 1/2 to 4-in
Height: 6 1/2 to 8-in



LARGE HANDS
Wide: more than 4-in
Height: more than 8-in

MAXFORGED

STRENGTH & DURABILITY™

Forged tough. Proven performance. Season after season.


Experience the performance and durability of **MAXFORGED** tools with classic, simple designs that withstand the test of time. Agricultural and landscaping professionals' tool family of choice.



MAXFORGED BYPASS PRUNERS
DualCUT
BP 7100D

- **New Lock**
- The **PrecisionZONE** area of hook & blade is for quick, repetitive cuts on stems and smaller branches
- The **PowerZONE**® area of hook & blade is for maximum-leverage cuts on branches up to 1-in
- Maximum strength forged technology
- No blade crossover with fully forged steel construction for strength
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
7100-3 - Pivot Nut and Bolt
7100-5 - Spring

Patents U.S. D660,104, 8,910,386
Canada 2,775,512 Patents U.S. D660,104, 8,910,386
Canada 2,775,512



MAXFORGED BYPASS PRUNERS
ProCUT
BP 7200

- **New Lock**
- Replaceable, resharpenable DualARC™ blade
- Advanced blade technology and high-performance blade coating reduce cutting effort by 25% when compared to titanium-coated or non-coated blades
- Comfortable handle with contoured soft grip
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
7200-1 - Blade
7100-5 - Spring

U.S. Patents D660,104



MAX HAND PRUNERS

STRENGTH & DURABILITY



STEM, BRANCH & LIMB PRUNING

LASTING PERFORMANCE SINCE 1928



MAXFORGED BYPASS PRUNERS *ClassicCUT*



BP15180

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Comfortable handle with contoured non-slip grips fit various hand sizes
- One handed lock operation
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
15180-1 - Replacement Blade
15180-5 - Spring
15180-43 - Lock Replacement Kit



MAXFORGED BYPASS PRUNERS *XSeries*



BP16380

- Lightweight forged aluminum chassis
- Ergonomic tapered handle for all-day comfort
- Easy-to-resharpen, replaceable high-carbon steel blade
- Non-slip grip for greater control
- Precise blade adjustment with geared pivot nut
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
16380-1 - Blade and Pin
16380-5 - Spring and Bumper
16380-43 - Lock and Screw



MAXFORGED BYPASS PRUNERS *ClassicCUT*



BP 3180D

- Resharpenable, replaceable high-carbon steel blades
- High-precision pivot bolt and locking nut keep blade and hook aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
3180-1 - Blade
3180-3 - Pivot Bolt and Nut
6200-5 - Spring
6000-43 - Clip and Eyelet



MAXFORGED TWO-HANDED PRUNER *ClassicCUT*



BP 3225D

- Lightweight, two-handed operation for easier cutting
- Forged, resharpenable bypass blade and hook
- Oval aluminum handles for greater comfort
- Handle length - 11 1/4-in
- Lifetime warranty



MAXFORGED BYPASS PRUNERS *ClassicCUT*

BP 3160 | CUTS UP TO 3/4-IN

BP 3130 | CUTS UP TO 1/2-IN

- Resharpenable high-carbon steel blades
- High-precision pivot bolts and locking nuts keep blades and hooks aligned
- Fully forged steel construction for maximum strength
- Non-slip grips for greater control
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
6100-3 - Pivot Nut and Bolt
6100-5 - Spring
6000-43 - Clip and Eyelet



MAXFORGED BYPASS PRUNERS *ErgoACTION*



BP 3670

- Built-in sprinkler adjuster fits common nozzles
- Resharpenable, replaceable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
3670-1C - Replacement blade
3670-91C - Hardware kit - Pivot bolt and nut, spring, lock with screw and washer



U.S. Patent D652,272



MAXFORGED BYPASS PRUNERS *ErgoACTION*



BP 3640

- Resharpenable bypass blade
- Maximum strength forged technology
- Ergonomic handles for added comfort
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
4300-5 - Spring

U.S. Patent D585,251

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX PRUNERS

STRENGTH & DURABILITY



MAXFORGED *Aluminum* Bypass Pruners

Crafted with lightweight forged aluminum handles and non-slip grips, these durable bypass pruners feature high-carbon steel blades for lasting performance and narrow profile hooks for easy access to tight areas. Geared pivot nuts allow for precise blade adjustments and built-in wire cutters and sap grooves add versatility. Volute springs resist clogging and maintain smooth cutting action, while rubber bumpers absorb shocks.



MAXFORGED ANGLED BYPASS PRUNERS *Aluminum*

BP15280

- Landscaping pros use MAXForged steel for strength & sharpness
- 30 Degree angled offset for less wrist strain
- Replaceable, resharpenable blade
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
15280-1C - Replacement Blade
15280-3 - Pivot Bolt
15280-5C - Spring and Bumper



MAXFORGED BYPASS PRUNERS *Aluminum*

BP 4840

- Unique rolling handle designed to reduce cutting effort and hand fatigue
- Blade interchangeable with Felco® 7*
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
4840-1 - Blade
6250-5T - Spring
6250-91C - Spare, Spring and Bumper



MAXFORGED BYPASS PRUNERS *Aluminum*

BP 6250

- Straight, non-angled head
- Blade and spring are interchangeable with Felco® 2*
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
6250-1T - Blade
6250-3T - Pivot Bolt and Nut
6250-5T - Spring
6250-91C - Spare, Spring and Bumper



MAXFORGED BYPASS PRUNERS *Aluminum*

BP 6360

- Ergonomically angled head for less bending of the wrist
- Blade and spring are interchangeable with Felco® 8*
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
6310-1C - Blade and 3 Pins
6310-3C - Pivot Bolt, Nut and Segment
6310-5C - Springs - 2 Per Card
6310-91C - Spare, Spring and Bumper



MAXFORGED BYPASS PRUNERS *Aluminum*

BP 4250

- More affordable, heavier version of BP 6250
- Separate steel hook instead of one-piece aluminum hook
- Blade and spring fit Felco® 11*
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
6250-1T - Blade
6250-3T - Pivot Bolt and Nut
6250-5T - Spring
6250-91C - Spare, Spring and Bumper



*Felco® is a registered trademark of Felco SA, Switzerland

PRUNERS



BYPASS PRUNER
MultiLINK
BP14364

NEW

CUTS UP TO
3/4 in

- Power boosting metal lever - 35% less effort required to cut
- Comfortable ergonomic grips
- Non-stick blades
- Full steel construction
- Built-in lock
- Lifetime warranty



BYPASS PRUNER
FlexDIAL
with **ComfortGEL**® grip
BP 4214D

CUTS UP TO
3/4 in

- Adjustable grip fits to hand size and reduces fatigue during repetitive cuts
- Anodized aluminum dial ranges from 1 for smaller hands to 8 for large hands
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty

Patents: U.S. D802,382, Canada 172123, 10,022,881



BYPASS PRUNER
DualLINK
with **ComfortGEL**® grip
BP 4314D

CUTS UP TO
3/4 in

- Dual compound lever provides added power with reducing cutting effort
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty

Patents: U.S. D802,381, Canada 172122



ANVIL PRUNER
ComfortGEL
AP 3234

CUTS UP TO
3/4 in

- Branch & stem pruner with ComfortGEL grips for superior comfort and less hand fatigue
- Non-stick blade
- ShockGUARD® bumpers
- Anvil pruners are most suitable for cutting dead wood
- Lifetime warranty

ComfortGEL® Hand Pruners

Experience superior control and comfort with Corona's ComfortGEL® hand pruners. The soft, ergonomically shaped grips ensure a secure hold, while specially coated non-stick blades provide smooth cutting performance.



ANVIL PRUNER
ComfortGEL
AP 3334

CUTS UP TO
3/4 in

- For pruning dead and dry woody growth.
- Brand & stem pruner with ComfortGEL® grips for superior comfort and less hand fatigue
- Non-stick blade
- Reduce hand fatigue with ShockGUARD® bumper system
- Lifetime warranty



BYPASS PRUNER
ComfortGEL
BP 3214D

CUTS UP TO
3/4 in

- Bypass design for pruning live, green growth
- Suitable for right- and left-hand use
- Reduced hand fatigue with ShockGUARD® bumper system
- Lifetime warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HAND PRUNERS



POCKET PRUNER
YardEssentials
BP13630

NEW

CUTS UP TO
1/2 in

- Compact design perfect for smaller hands
- High carbon steel blades for lasting sharpness and precise cutting
- Rust-resistant stainless steel blade
- Contoured cushioned grip makes repetitive cuts more ergonomic
- Easy to open swivel latch lock
- Lifetime warranty



RATCHET PRUNER
RatchetCUT™
with **ComfortGEL®** grip
RP 4224D

CUTS UP TO
3/4 in

- Ratchet action for easier, more comfortable multi-cuts through tough, thick branches
- 4-gear ratchet system
- Maximize comfort and control with soft, ergonomically shaped grips
- Specially coated non-stick blades provide smooth cutting performance
- Lifetime warranty



Patents: U.S. D802,383, Canada 172120



HOUSEPLANT PRUNER
YardEssentials
BP13623

NEW

CUTS UP TO
1/4 in

- Specially-shaped blade is designed to help isolate the leaf or stem
- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- Lifetime warranty



RATCHET PRUNER
RP 3230

CUTS UP TO
3/4 in

- Power-multiplying ratchet action for easy cutting
- Non-stick coated blade for smooth cutting and easy cleaning
- Suitable for right- and left-hand use
- Lifetime warranty

HOUSEPLANT PRUNER VARIETY PACK
YardEssentials

NEW

CUTS UP TO
1/4 in

- BP13624**
- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
 - Easy-to-spot colors
 - Lifetime warranty



ERGONOMIC BYPASS PRUNER
BP 4180

CUTS UP TO
3/4 in

- Lightweight pruner for general-purpose pruning
- Ergonomic, reinforced nylon handles
- Resharpenable, high-carbon steel blade
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 4180-1 - Blade
- 4180-2 - Hook
- 4180-3 - Pivot Bolt and Nut
- 4180-5 - Spring
- 4180-9 - Bumper
- 4180-41 - Handle Screw Set



BYPASS PRUNER
Cut'n'HOLD™
LongREACH
LR 3460

CUTS UP TO
1/4 in

- High-carbon steel blade and hook are fully heat-treated
- Overall length of 46-in allows reach to otherwise inaccessible areas
- Non-stick coated blade for easier cutting
- Adjustable foam grip provides balance and ease of use
- Cut 'n' hold feature holds stem until you release the grip
- Ergonomic grip for comfort
- Lifetime warranty

MAX ACCESSORIES

ACCESSORIES



MAX LEATHER SCABBARD

AC 7220 | 5-IN

- Universal design fits most hand pruners and folding saws up to 8-in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5-in
- Lifetime warranty



UNIVERSAL TOOL POUCH

AC 4510 | 5-IN

- Universal design fits hand pruners and folding saws up to 8-in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5-in
- Lifetime warranty



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5-in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Lifetime warranty

MAX GRASS SHEARS

GRASS SHEARS



MAXFORGED GRASS SHEAR

ClassicCUT

GS 6750D

- Cuts tough sod and ground cover
- Professional cutting action
- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Comfortable, non-slip grip
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 6750-3 - Pivot Bolt and Nut
- 6200-5 - Spring
- 6000-43 - Clip and Eyelet



GRASS SHEAR

ComfortGEL

GS13760

- Three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision ground, high carbon steel blades for strength; chrome plated for corrosion resistance
- Non-blade steel components are plated for corrosion resistance
- Easy-to-set thumb lock
- Lifetime warranty



SWIVEL GRASS SHEAR

GS 3750D

- Versatile three-position blade - vertical for edging, horizontal for trimming, angled for hard-to-reach areas
- Precision-ground, high-carbon steel blades
- Durable chrome plating
- Easy-to-set thumb lock
- Lifetime warranty

MAX HEDGE SHEARS



MAX ALUMINUM HEDGE & SHRUB SHEAR

PrecisionCUT

HS15340CC

- Pointed steel blades for perfect cuts and topiary work
- Weighs less than 2-lb for less fatigue when trimming overhead
- Rubber cushioned, non-slip grip
- Rubber bumpers prevent jarring
- Lifetime warranty

NEW



MAXFORGED HEDGE SHEAR

ClassicCUT

HS15150 | 10-IN BLADES | 12 1/2-IN STEEL HANDLES

- Enhanced performance with large cuts due to patented blade and hook design - includes limb notch
- Resharpenable, forged alloy steel blades
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 15150-40 - Bumper & Screw
- 7180-3 - Pivot Bolt and Nut

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX HEDGE SHEARS

STRENGTH & DURABILITY



MAXFORGED HEDGE SHEARS

*Serrated***BLADE**

AH 6940 | 8 1/2-IN BLADES | 13-IN ALUMINUM HANDLES

AH 6950 | 8 1/2-IN BLADES | 21-IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 6900-3 - Pivot Bolt, Nut and Washer
- 6940-40 - Bumper



MAXFORGED HEDGE SHEAR

*Dual***CUT**

HS 7140 | 10-IN BLADES | 12 1/2-IN STEEL HANDLES

- Enhanced performance with large cuts due to patented design - includes limb notch
- Easy to resharpen
- Comfortable steel handles with contoured soft grips fits various hand sizes
- Shock-absorbing integrated bumper
- No-fail metal end cap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 7180-3 - Pivot Bolt and Nut
- 7180-40 - Bumper with Screw

Patents U.S. D664,406, 8,910,386, Canada 2,775,512



MAXFORGED HEDGE SHEARS

*Limb***NOTCH** Blade

AH 6970 | 10 1/2-IN BLADES

12 1/2-IN ALUMINUM HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch in lower blade
- Dual forged-in bumper cups with elastomer bumpers
- Lightweight, high-strength elliptical aluminum handles
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 6900-3 - Pivot Bolt, Nut and Washer
- 6940-40 - Bumper



MAXFORGED HEDGE SHEARS

*Serrated***BLADE**

HS 6920 | 8 1/2-IN BLADES

9 1/2-IN HARDWOOD HANDLES

HS 6930 | 8 1/2-IN BLADES

20-IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Serrated top blade and limb notch in lower blade
- Shock Stop® bumper
- Bolted-on hardwood handles with non-slip grips
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 6920-4 - Handle - HS 6920
- 6930-4 - Handle - HS 6930
- 6900-3 - Pivot Bolt, Nut and Washer
- 6900-40 - Bumper
- 6300-41 - Handle - Bolt and Nut



MAXFORGED HEDGE SHEARS

*Extendable***REACH**

HS 3950 | 10-IN BLADES | 13-IN - 20-IN STEEL HANDLES

- Lightweight steel handles with comfort grips extend from 13-in to 20-in
- Forged, high-carbon steel blades for durability and strength
- Precision-made pivot bolt provides smooth cutting action
- Shock Stop® bumper reduces arm and shoulder fatigue
- Lifetime warranty



MAXFORGED HEDGE SHEARS

*Resharpenable***BLADE**

HS 6960 | 10-IN BLADES | 9 1/4-IN HARDWOOD HANDLES

- Resharpenable, forged steel alloy blades
- Fully heat-treated for strength
- Limb notch
- Shock Stop® bumper
- Bolted-on hardwood handles, comfortable non-slip grips
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 6920-4 - Handle
- 6900-3 - Pivot Bolt, Nut and Washer
- 6900-40 - Bumper
- 6300-41 - Handle - Bolt and Nut

HEDGE SHEARS



DualLINK™

Boosted power and reduced effort unite through DualLINK™ tools, that utilize a dual compound lever designed for both engaged gardeners and landscapers searching for ease-of-cut.

- 1 TRIMMING ZONE
- 2 LARGE CUT ZONE



HEDGE SHEAR

DualLINK™

with ComfortGEL® grip

HS 4244 | 9 3/4-IN BLADES | 14-IN HANDLES

- Minimize cutting effort with DualLINK linkage - open handles less to cut more
- Steel handle
- Less fatigue with ShockGUARD® bumper system
- Lifetime warranty

U.S. Patent D703,498



EXTENDABLE HEDGE SHEAR

DualLINK™

with ComfortGEL® grip

HS 4344 | 9 3/4-IN BLADES | 16 3/4-IN - 24 5/8-IN HANDLES

- Minimize cutting effort with DualLINK linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Aluminum outer handle, steel inner handle
- ComfortGEL® Hedge Shear
- Extendable handles with innovative locking mechanism
- Lifetime warranty

U.S. Patent D703,498 and D712,230



HEDGE SHEAR

ComfortGEL®

HS 3244 | 9-IN BLADES | 13-IN HANDLES

- Lightweight steel handles with comfort grip
- Specially coated non-stick blades provide maximum cutting
- Reduced hand fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically shaped grips
- Lifetime warranty



EXTENDABLE HEDGE SHEAR

ComfortGEL®

HS 3344 | 9-IN BLADES | 16 3/4-IN - 24 5/8-IN HANDLES

- Extendable handles with innovative locking mechanism
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Lifetime warranty



HEDGE SHEAR

HS 3911 | 8 1/2-IN BLADES | 9 1/2-IN HARDWOOD HANDLES

- Resharpenable steel alloy blades
- Fully heat-treated for strength
- Limb notch for larger branches
- Top-grade hardwood handles
- Comfortable non-slip grips
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

3911-4 - Handle

6900-3 - Pivot Bolt, Nut and Washer



HEDGE & SHRUB SHEAR

YardEssentials

NEW

HS11109 | 8 3/4-IN BLADES | 11 1/2-IN HANDLES

- Bypass cutting action and extended reach
- Nonstick coating on blades for minimal stickiness while cutting
- Reduced hand and shoulder fatigue due to integral rubber bumpers
- Lifetime warranty

VALUE HEDGE SHEAR

HEDGE SHEARS

AH 4220 | COMPOUND ACTION | 9-IN BLADES | 11 1/2-IN HANDLES

- Compound cutting action
- Steel blades - one serrated, one non-stick coated
- Aluminum handles with plastic grip
- 1-year warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX LOPPERS

STRENGTH & DURABILITY

STEM, BRANCH & LIMB PRUNING

| Choose Your Lopper | MAXFORGED | | |
|--------------------|----------------------------|----------------------|-----------------|
| | PRO/Master Gardener | DIY | Value |
| | MAXFORGED LOPPERS | LOPPERS | VALUE LOPPER |
| PRICE LEVELS | \$\$\$ | \$ \$ | \$ |
| KEY ADVANTAGE | Durability and Performance | Ease-of-Cut | Cost |
| MAX CUT CAPACITY | 1 1/4 in to 3 in | 1 1/4 in to 1 3/4 in | 1 1/2 in |
| INTENSITY OF USE | High | Average | Low |
| FREQUENCY OF USE | Daily | Weekly | Monthly or Less |
| WARRANTY | LIFETIME WARRANTY | LIFETIME WARRANTY | 1-YEAR WARRANTY |

Determine Maximum Cut Capacity

- What is the largest diameter you are considering cutting?
- Not every branch is suitable for cutting with a lopper
- Consider the hardness of the branch
 - Bypass loppers are best for cutting green, live branches
 - A High-Torque Bypass Lopper can cut hard or frozen branches
 - Anvil loppers are best for cutting dry or hard branches
- Consider your own physical condition, ability and experience
- Be safe: use a saw if a branch is too big or too hard to cut

Determine Intensity and Frequency of Use

- Professionals can continuously make thousands of large cuts a week: all Corona® MAXFORGED loppers offer lifetime warranties and most offer extensive replacement parts to get the job done, season after season
- Landscaping enthusiasts, casual gardeners and homeowners can make hundreds of moderate-sized cuts a month maintaining their yards and gardens: Corona® RED loppers feature design innovations that can make cutting easier and more comfortable



MAXFORGED BYPASS LOPPER DualLINK™

SL 8180 | 31-IN | STEEL HANDLES

CUTS UP TO
2 in

- Boosted power and reduced effort unite through DualLINK™ tools, that utilize a power-compounding link feature that appeals to both engaged gardeners and landscapers searching for ease-of-cut.
- Fully forged steel construction for strength
- Easy to sharpen
- Comfortable handle with contoured soft grip, fits various hand sizes
- Less fatigue with ShockGUARD® bumper system
- No-fail metal end cap
- Lifetime warranty

Patents U.S. D802,384, Canada 172120



MAXFORGED BYPASS LOPPERS DualCUT™

SL 7180 | 31-IN | STEEL HANDLES

CUTS UP TO
2 in

- Enhanced performance with large cuts due to patented blade and hook design
- Fully forged steel construction for strength
- Easy to sharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**
7180-3 - Pivot Bolt and Nut
7180-40 - Bumper with Screw

Patents U.S. D664,406, 8,910,386, Canada 2,775,512



MAXFORGED BYPASS LOPPER ProCUT™

SL 7280 | 31-IN | STEEL HANDLES

CUTS UP TO
2 in

- Fully forged steel construction for strength
- Easy to sharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**
7280-1 - Blade
7180-40 - Bumper with Screw

U.S. Patents D664,406

*Blade technology and high-performance coating reduce cutting effort by 25% when compared to titanium or non-coated blades



MAXFORGED BYPASS LOPPER ClassicCUT™

SL15167 | 31-IN | STEEL HANDLES

CUTS UP TO
1 3/4 in

- Fully forged steel construction for strength
- Easy to sharpen
- Shock-absorbing integrated bumper
- Comfortable handle with contoured soft grip, fits various hand sizes
- No-fail metal end cap
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**
15150-40 - Bumper & Screw
7180-3 - Pivot Bolt and Nut



MAXFORGED BYPASS LOPPER
ClassicCUT

AL15149 | 36-IN | ALUMINUM HANDLES
AL15148 | 32-IN | ALUMINUM HANDLES
AL15147 | 26-IN | ALUMINUM HANDLES

CUTS UP TO
2 in

- Resharpenable forged RadialARC® bypass blade
- Fully heat-treated steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning bolt
- Lightweight, high-strength elliptical aluminum handles
- Shock Stop® bumper
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 15149-1 - Blade
 - 15149-2 - Hook
 - 15149-4 - Handle With Grip - AL15149
 - 15148-4 - Handle With Grip - AL15148
 - 15147-4 - Handle With Grip - AL15147
 - 15149-42 - Ferrule
 - 15149-41 - Handle Bolt & Nut
 - 15149-37 - Grip
 - 6400-40 - Shock Stop® Piston Bumper



MAXFORGED HIGH-PERFORMANCE
VINE LOPPERS
DualARC™

AL 8321 | 19-IN | ALUMINUM HANDLES

CUTS UP TO
1 1/4 in

- Resharpenable forged steel blades
- DualARC™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 8311-1 - Blade
 - 8311-2 - Hook
 - 6300-3 - Pivot Bolt and Nut
 - 8310-39 - Bumper Cup
 - 8310-40 - Bumper
 - 8461-40C - Bumper - Carded (2)
 - 8310-41 - Handle Hardware
 - 8320-4 - Handle
 - 8481-37 - Grip
 - 8310-42 - Ferrule



MAXFORGED BYPASS LOPPERS
ClassicCUT

AL 8350 | 20-IN | ALUMINUM HANDLES

CUTS UP TO
1 1/4 in

- Resharpenable, replaceable RadialARC® bypass blade
- Fully heat-treated forged steel alloy
- Forged slant-ground hook with self-cleaning sap groove
- Precision-made, self-aligning pivot bolt
- Lightweight, high-strength, elliptical aluminum handles
- Overall length 20-in
- Shock Stop® bumper
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 8350-1 - Blade
 - 8350-2 - Hook
 - 8350-4 - Handle
 - 6300-3 - Pivot Bolt and Nut
 - 6400-40 - Bumper - Shock Stop® Piston
 - 8310-41 - Handle Hardware
 - 8481-37 - Grip
 - 8310-42 - Ferrule



MAXFORGED HIGH-PERFORMANCE
ORCHARD LOPPERS
DualARC™

AL 8442 | 26-IN | ALUMINUM HANDLES

AL 8462 | 32-IN | ALUMINUM HANDLES

AL 8482 | 36-IN | ALUMINUM HANDLES

CUTS UP TO
2 1/4 in

- Resharpenable forged steel blades
- DualARC™ blade designs reduce cutting effort
- Forged steel hooks with self-cleaning sap grooves
- Lightweight, high-strength elliptical aluminum handles
- Shock absorbing system with dual elastomer bumpers
- Extensive replacement parts
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 8462-1 - Blade
 - 8462-2 - Hook
 - 8462-3 - Pivot Bolt and Nut
 - 8310-39 - Bumper Cup
 - 8310-40 - Bumper
 - 8461-40C - Bumper - Carded (2)
 - 8310-41 - Handle Hardware
 - 8441-4 - Handle - AL 8442
 - 8460-4 - Handle - AL 8462
 - 8480-4 - Handle - AL 8482
 - 8481-37 - Grip
 - 8460-42 - Ferrule



MAXFORGED BYPASS LOPPERS
SuperDUTY

SL 6500 | 32-IN | STEEL HANDLES

CUTS UP TO
3 in

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Comfortable grips
- Lifetime warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

MAX LOPPERS

STRENGTH & DURABILITY



MAXFORGED BYPASS LOPPERS **XSeries**

NEW

CUTS UP TO
2 1/4 in

AL16249 | 31-IN | ALUMINUM HANDLES

- Lightweight aluminum chassis
- DualARC™ blade provides sharp, fast cuts for all-day pro use
- Easy-to-resharpen, replaceable high-carbon steel blade
- Non-slip grip for greater control
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 16249-1 - Blade and Hardware
- 16249-2 - Hook and Hardware
- 16249-3 - Pivot Bolt and Nut
- 16249-40 - Bumper and Screw
- 16249-4 - Handle, Grip, Ferrule and Hardware



MAXFORGED BYPASS LOPPERS **ClassicCUT**

CUTS UP TO
1 1/4 in

WL 6310 | 20-IN | HICKORY HANDLES

- Resharpenable, replaceable RadialARC® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 6310-1 - Blade
- 6310-2 - Hook
- 6300-3 - Pivot Bolt and Nut
- 6400-40 - Bumper - Shock Stop® Piston
- 6300-41 - Handle - Bolt and Nut



MAXFORGED HIGH-TORQUE BYPASS LOPPER **RadialARC**

CUTS UP TO
2 in

AL 6512 | 26-IN | ALUMINUM HANDLES

- Resharpenable forged steel RadialARC® blade
- Forged steel hook with self-cleaning sap groove
- Prune frozen branches and dead wood with high-torque cutting action
- Lightweight, high-strength aluminum handles
- Shock absorbing system with dual bumpers
- Extensive replacement parts
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 6512-4 - Handle, Grip, Ferrule and Hardware
- 6400-3 - Pivot Nut and Bolt
- 8310-41 - Handle Hardware (Nuts and Bolts)
- 6512-1 - Blade
- 6512-2 - Hook
- 8460-42 - Ferrule
- 6300-40 - Bumper
- 8481-37 - Grip



MAXFORGED BYPASS LOPPERS **ClassicCUT**

CUTS UP TO
1 1/2 in

WL 6320 | 21-IN | HICKORY HANDLES

WL 6350 | 26-IN | HICKORY HANDLES

- Resharpenable, replaceable RadialARC® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 6300-1 Blade
- 6300-2 Hook
- 8462-3 Pivot Bolt and Nut
- 6400-40 Bumper - Shock Stop® Piston
- 6300-41 Handle Hardware
- 6320-4N Handle - WL 6320)
- 6360-4 Handle - WL 6350)
- 6400-41 Handle Bolt and Nut - WL 6350)



MAXFORGED BYPASS LOPPERS **ClassicCUT**

CUTS UP TO
2 1/4 in

WL 6420 | 26-IN | HICKORY HANDLES

WL 6450 | 32-IN | HICKORY HANDLES

WL 6470 | 36-IN | HICKORY HANDLES

- Resharpenable, replaceable RadialARC® bypass blades of fully heat-treated forged steel alloy
- Precision-made, self-aligning pivot bolt
- Shock Stop® bumpers
- Tapered, bolt-on Hickory wood handles
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 6400-1 - Blade
- 6400-2 - Hook
- 6400-3 - Pivot Bolt and Nut
- 6400-40 - Bumper - Shock Stop® Piston
- 6430-4 - Handle - WL 6420
- 6460-4 - Handle - WL 6450
- 6480-4 - Handle - WL 6470
- 6400-41 - Handle Bolt and Nut



MAXFORGED BYPASS LOPPERS **SuperDUTY**

CUTS UP TO
3 in

WL 6490 | 37-IN | HICKORY HANDLES

- Corona's largest-capacity loppers
- Resharpenable, self-cleaning forged steel blades
- Precision-made, self-aligning pivot bolt
- Fatigue-reducing bumper system
- Tapered Hickory wood handles
- Eyelet for shoulder harness attachment
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 6490-1 - Blade
- 6490-2 - Hook
- 6490-3 - Pivot Bolt and Nut
- 6490-10 - Bumper
- 6490-4 - Handle



METAL PRO LOPPER
DualLINK™
with **ComfortGEL®** grip
SL14254 | 31-IN | STEEL HANDLES

CUTS UP TO
1 3/4 in

- DualLINK™ compound lever design provides added power for easier through-cuts
- Proven bypass blade and hook design to cut up to 1 3/4-in diameter branches
- Less fatigue with ShockGUARD® bumper system
- Specially coated non-stick blade provides maximum performance
- Lifetime warranty

U.S. Patents D802,383



BYPASS LOPPER
MultiLINK™ **NEW**
SL24255 | 31-IN | STEEL HANDLES

CUTS UP TO
1 3/4 in

- Power boosting metal lever - less effort required to cut
- Comfortable ergonomic grips
- Non-stick blades
- Lightweight steel core handles
- Lifetime warranty

U.S. Patents D726,523



BYPASS LOPPER
DualLINK™
with **ComfortGEL®** grip
SL 4264 | 31-IN | STEEL HANDLES

CUTS UP TO
1 3/4 in

- Minimize cutting effort with DualLINK™ linkage - open handles less to cut more
- Less fatigue with ShockGUARD® bumper system
- Strong and lightweight metal handles
- Extreme comfort grips
- Lifetime warranty

U.S. Patents D726,523



EXTENDABLE BYPASS LOPPER
DualLINK™
with **ComfortGEL®** grip
SL 4364 | 29 1/2 - 37 1/2-IN | STEEL HANDLES

CUTS UP TO
1 3/4 in

- Extendable handles with innovative locking mechanism
- Aluminum outer handle, steel inner handle
- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Lifetime warranty

U.S. Patents D726,523 & D712,230



BYPASS LOPPER
ComfortGEL®
SL 3264 | 30-IN | STEEL HANDLES

CUTS UP TO
1 1/2 in

- Specially coated non-stick blade provides maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Maximize comfort and control with soft, ergonomically-shaped grips
- Lifetime warranty



BYPASS LOPPER
ComfortGEL®
SL 3364 | 29 - 37 1/2-IN | STEEL HANDLES

CUTS UP TO
1 1/2 in

- Extendable handles with innovative locking mechanism. Extend from 29 to 37 1/2-in
- Lightweight steel handles with ComfortGEL® grips
- Specially coated non-stick blades provide maximum cutting performance
- Reduced hand and shoulder fatigue with ShockGUARD® bumper system
- Lifetime warranty



BYPASS LOPPER
EasyCUT™
AL 4110 | 28-IN | ALUMINUM HANDLES

CUTS UP TO
1 1/2 in

- Resharpenable, non-stick coated steel blade
- Lightweight, aluminum handles
- Ergonomic, non-slip grips
- Lifetime warranty

LOPPERS



ANVIL LOPPER
EasyCUT
FL 3420 | 31-IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated steel blade for cutting dead wood
- Replaceable blade and anvil
- 24-in fiberglass handles
- 6-in extra-long foam grips for comfort
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

3420-1 - Blade
 3460-3 - Pivot Bolt and Nut
 3420-2 - Anvil



BYPASS LOPPER
Resharpenable
SL 4150 | 29-IN | ALUMINUM HANDLES

- Resharpenable steel blade
- Lightweight aluminum handles with non-slip grips
- Shock Stop® bumper
- Lifetime warranty



BYPASS LOPPER
EasyCUT
FL 3460 | 32-IN | FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- 8-in extra-long foam grips for comfort
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

3460-1 - Blade
 6900-40 - Bumper
 3460-3 - Pivot Bolt and Nut



BYPASS LOPPER
Resharpenable
WL 3351 | 26-IN | HARDWOOD HANDLE

- Resharpenable steel blade
- Hardwood handles
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

3351-3 - Pivot Bolt and Nut
 3351-4 - Handle
 6300-41 - Handle - Bolt and Nut



EXTENDABLE BYPASS LOPPER
EasyCUT
FL 3470 | 25 1/2 - 28 1/2-IN FIBERGLASS HANDLES

- Resharpenable, non-stick coated, steel blade
- 24-in fiberglass handles
- 6-in extra-long foam grips for comfort
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

3460-1 - Blade
 6900-40 - Bumper
 3460-3 - Pivot Bolt and Nut



BYPASS LOPPER **NEW**
YardEssentials
SL 3310 | 25 1/2 STEEL HANDLES

- Compact design perfect for cutting small branches
- High carbon steel blades for lasting sharpness and precise cutting
- Contoured cushioned grip, tubular steel handles and bumper system minimize vibration and reduce fatigue
- Replaceable parts available
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**

3310-1 - Blade
 6900-40 - Bumper



MAX MACHETES

STRENGTH & DURABILITY



MAX MACHETES *ErgoHANDLE*

MA 60062 | 22-IN

- For quick and powerful cleaning of tangled, dense brush
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



MAX BRUSH CLEARING TOOL *ErgoHANDLE*

MA 61060 | 14-IN

- Quickly cuts brush, cane and thick stalks
- Tough tempered steel blade retains max sharpness
- Easy to resharpen
- Ergonomically balanced handle with built-in hand stop
- Lanyard attachment hole
- Features ergonomically balanced handle with built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



MAX MACHETES *ErgoHANDLE*

MA 60061 | 18-IN

- Tough tempered steel retains sharpness
- Easy to resharpen
- Ergonomically balanced with blade length
- Lanyard attachment hole
- Built-in hand stop
- Lifetime warranty

U.S. Patent D798,988



MACHETES



MACHETE WITH NYLON SHEATH

MA13161 | 18-IN

NEW

- Makes quick work of unwanted dense vegetation
- Durable, tempered steel blade stays sharp
- Ergonomically balanced handle with integral rubber grip
- Easy release blade lock
- Includes a nylon sheath with belt loop
- Lifetime warranty



MACHETES

MA 60041 | 18-IN

- Tempered-steel blade for greater strength and long service life
- Heat treated to achieve maximum blade flexibility
- Resharpenable, carbon steel blade
- Lifetime warranty

MAX PRUNING SAWS

STRENGTH & DURABILITY

RazorTOOTH Saw®

Discover unparalleled cutting efficiency with Corona's RazorTOOTH Saw®, crafted through four manufacturing processes for maximum durability, hardness, and friction reduction. The triple-ground impulse-hardened teeth remove 2X more material per stroke, while the higher-carbon SK5 steel blade stays sharper longer. The chrome-plated blade minimizes friction and improves overall efficiency.



MAX FOLDING SAW RazorTOOTH Saw®

RS16120 | 7-IN BLADE

- Cuts small to medium branches up to 3-in diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
16120-1 - Blade
7240-41 - Nut and Screw



MAX FOLDING SAW RazorTOOTH Saw®

RS16150 | 10-IN BLADE

- Cuts small to medium branches up to 6-in diameter
- Rubberized non-slip grip provides comfort over extended use
- Easy-to-lock folding blade conceals teeth and prevents injury when not in use
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC 7265 - Blade
7240-41 - Nut and Screw

U.S. Patent D513,956



MAX PRUNING SAW RazorTOOTH Saw®

RS16020 | 14-IN BLADE
16020-1 | REPLACEMENT BLADE

- Cuts medium branches up to 8-in diameter
- Rubberized non-slip grip provides comfort over extended use
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
16120-1 - Blade
7240-41 - Nut and Screw



MAX FOLDING SAW RazorTOOTH Saw®

RS 7245 | 7-IN BLADE
RS 7255 | 8-IN BLADE
RS 7265D | 10-IN BLADE

- Cuts small to medium branches up to 4-in diameter
- Ergonomic comfortable grip
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
7254-1 - Blade
7255-1 - Blade
AC 7265 - Blade

U.S. Patent D513,956



MAX PRUNING SAW RazorTOOTH Saw®

RS 7120 | 13-IN BLADE

- Cuts medium to large branches up to 7-in diameter
- Cushioned, pistol-grip handle with finger hook
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
7100-1 - Blade
7240-41 - Nut and Screw
7120-4 - Handle



MAX PRUNING SAW RazorTOOTH Saw®

RS 7395 | 7-IN BLADE
AC 7395 | REPLACEMENT BLADE

- For large branches
- Replaceable blade
- Ergonomic non-slip handle
- Lifetime warranty

U.S. Patents D508,193

MAX PRUNING SAWS

STRENGTH & DURABILITY



MAX FOLDING SAW
RazorTOOTH Saw.
RS 7041 | 7-IN BLADE

- Cuts small to medium branches up to 3-in diameter
- Cushioned, pistol-grip handle with finger hook
- Positive open/close blade lock
- Convenient hanging hole
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC 7041 - Blade



MAX PRUNING SAW
RazorTOOTH Saw.
RS 7510D | 18-IN BLADE

- Cuts large branches up to 10-in diameter.
 - Ergonomic, non-slip D-handle designed for gloved or 2-handed operation
 - Lifetime warranty
- U.S. Patents D823,661



MAX RAKER SAW
RazorTOOTH Saw.
RS16290 | 21-IN BLADE

- Cuts medium to large branches up to 13-in diameter
- Self-cleaning raker tooth pattern
- Large gullets expel more material, prevent clogging
- Non-slip ergonomic D-shaped handle for comfortable grip over extended use
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
7160-4 - Blade

PRUNING SAWS



ROOT & ALL PURPOSE SAW
RC 4060 | 6 1/2-IN BLADE

- For medium to large roots and small branches
- Cuts on both the push and pull stroke
- Aggressive tooth design for fast cuts
- Hard, chrome-plated blade
- Ergonomic poly handle
- Lifetime warranty

VALUE PRUNING SAWS

FOLDING SAWS

PS 4050 | 10 1/2-IN BLADES

- For small to medium branches
- Conventional curved-steel blades
- Wood handles
- 1-year warranty

MAX BOW SAW

STRENGTH & DURABILITY



MAX BOW SAW
ErgoHANDLE
BS15060 | 24-IN BLADE

- Open frame design allows for increased cut capacity and fewer strokes per cut
- Proven, co-molded comfort grip with integrated protective knuckle guard
- Adjustable tensioning knob reduces blade twisting and binding when making deep cuts
- Magnetic blade cover for safety and blade protection
- Heavy duty steel frame with multi-position grips provide force in various locations as needed
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
AC15060 - Blade



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

TREE PRUNERS

FlexREACH System™

Cut, prune and saw with the all-new FlexREACH System™ from Corona® Tools. This innovative modular system combines our tree pruner and RazorTOOTH Saw™ blade into one easy-to-use, extendable pole saw. Simply lock your pruner or saw head into place and extend the pole to make quick work of cutting or pruning hard-to-reach branches. For lower branches, simply detach the saw blade to use it as a hand saw. Easily store and transport your FlexREACH System by collapsing the pole to 5 ½-ft. Components sold separately.



NEW

DETACHABLE SAW HEAD FlexREACH TP13001

SAW CUTS UP TO **8 in**

- Can be used as a hand saw or attached to the pole to cut branches that are out of reach
- RazorTOOTH sharpness and 3-sided teeth cut 2X faster
- Durable hardened steel
- Lifetime warranty



NEW

PRUNER HEAD FlexREACH TP13005

CUTS UP TO **1 ¼ in**

- For cutting branches and limbs up to 1 ¼-in
- Dual-pulley power requires less effort
- Heavy-duty smooth action chain drive system
- Ergonomic angled head
- Lifetime warranty



NEW

EXTENDABLE POLE FlexREACH TP13489

- Extends to 15-ft; collapses to 5 ½-ft
- Fiberglass safety outer pole
- Aluminum lightweight inner poles
- Use with TP13001 Saw Head and TP13005 Pruner Head
- Telescoping pole collapses for easy transportation and storage
- Lifetime warranty



RazorTOOTH Saw® Tree Pruners

Featuring triple-ground impulse-hardened teeth for 2.5X more material removed per stroke, Corona's RazorTOOTH Saw® Tree Pruners provide a cutting-edge solution for all your tree pruning needs. The chrome-plated blade minimizes friction and improves overall efficiency. Backed by a lifetime warranty and readily available replacement parts.



MAX PROFESSIONAL TREE PRUNER

RazorTOOTH Saw®

TP 6780 | 13-IN BLADE | REACHES UP TO 16-FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼-in
- Exclusive PowerGLIDE™ rope pull system for smooth action
- Overall length extends up to 14-ft with twist-lock adjustment
- Comfortable 28-in foam grip
- Lifetime warranty

• REPLACEMENT PARTS AVAILABLE

- 6870-8 - Head - Compound-Action Tree Pruner
- 6801-1 - Blade
- 6801-5 - Spring
- 6801-36 - Screw
- 6801-4 - Rope
- 6830-11 - 12-ft Replacement Pole
- 6800-12 - Adapter
- 6801-13 - Steel Roller
- 6800-43 - Chain and rings
- 6801-15 - Pulley Assembly
- 6870-11 - 14-ft Replacement Pole
- 6801-7 - Head - Compound-Action Tree Pruner
- AC 7241D - RazorTOOTH Saw® Tree Blade - 13-in



MAX DUAL COMPOUND ACTION TREE PRUNER

RazorTOOTH Saw®

TP 6870 | 13-IN BLADE | REACHES UP TO 14-FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty chain drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼-in
- Exclusive PowerGLIDE™ rope pull system for smooth action
- Overall length extends up to 14-ft with twist-lock adjustment
- Comfortable 28-in foam grip
- Lifetime warranty

• REPLACEMENT PARTS AVAILABLE

- 6870-8 - Head Assembly with Chain Drive
- 6801-7 - Head Casting
- 6801-1 - Cutting Blade
- 6801-3 - Pivot Bolt Assembly
- 6801-15 - Pulley Assembly
- 6801-5 - Spring
- 6801-13 - Steel Roller
- AC 7241D - RazorTOOTH Saw® Blade
- 6800-12 - Adapter
- 6870-11 - 14-ft Replacement Pole
- 6801-4 - Rope Pull Handle (Does not include rope)
- 6800-43 - Chain and Rings

MAX TREE PRUNERS

STRENGTH & DURABILITY



MAX DUAL COMPOUND ACTION TREE PRUNER *RazorTOOTH Saw*

TP 6830 | 13-IN BLADE | REACHES UP TO 12-FT

- RazorTOOTH Saw® blade with 3-sided teeth cuts 2X faster than conventional saws
- Pruning head with 3X cutting power features a compound action pulley system and heavy-duty rope drive
- Heavy-duty zinc alloy pruning head with non-stick tempered steel blade cuts up to 1¼-in
- Exclusive PowerGLIDE™ rope pull system for smooth action
- Overall length extends up to 12-ft with twist-lock adjustment
- Comfortable 28-in foam grip
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

- 6830-8 - Head Assembly
- 6801-7 - Head Casting
- 6801-1 - Cutting Blade
- 6801-5 - Spring
- 6801-3 - Pivot Bolt Assembly
- 6801-15 - Pulley Assembly
- 6801-13 - Steel Roller
- AC 7241D - RazorTOOTH Saw® Blade
- 6800-12 - Adapter
- 6830-11 - 12-ft Replacement Pole
- 6801-4 - Rope Pull
- 6800-43 - Chain and Rings



MAX DUAL COMPOUND ACTION ARBORIST TREE-PRUNING SYSTEM

RazorTOOTH Saw

TP 6881 | 16-IN BLADE | REACHES UP TO 12-FT

- 16-in RazorTOOTH Saw® blade and quick-connect ferrule
- Heavy-duty forged steel hook and RadialARC™ blade with 1½-in diameter cutting capacity
- Compound action, dual pulley system triples your cutting power
- Two 6-ft high-strength fiberglass pole sections can be combined or used separately with saw and pruning head as shown
- System includes two poles, saw blade and pruning head as shown
- Lifetime warranty

REPLACEMENT PARTS AVAILABLE

- 6880-8 - Tree Pruner Head
- 6880-2 - Hook
- 6880-1 - Cutting Blade
- 6880-3 - Pivot Bolt
- 6880-15 - Top Pulley
- 6880-14 - Bottom Pulley
- 6880-16 - Mounting Ferrule - Head
- 6880-5 - Spring
- 6880-17 - Spring Retaining Pin
- 6880-18 - Retaining Clip
- 6880-19 - Lever Pivot Bolt and Nut
- 6880-20 - Connecting Bar Nut and Bolt
- 6880-35 - Connecting Bar
- AC 7610 - RazorTOOTH Saw® Blade
- 6881-44 - Mounting Ferrule - Saw Blade
- AC 7672 - RazorTOOTH Saw® Blade & Mounting Ferrule
- 6881-11 - 6-ft Fiberglass Pole
- 6880-21 - Rope
- 6881-45 - Button and Spring
- 6880-12 - Wood Plug

FRUIT PICKER



EXTENDABLE FRUIT PICKER

FP 2312 | REACHES UP TO 12-FT

- Hook the fruit between the prongs and gently pull to pick
- Foam cushion in basket reduces fruit bruising
- Catch the fruit in a 5 ½-in deep basket
- Powder-coated basket resists rust and corrosion
- Twist pole to extend upper pole to desired length
- Aluminum pole extends to 12-ft
- Lifetime warranty





TREE SAW AND COMPOUND ACTION PRUNER WITH ROPE DRIVE

DualLINK™

- TP 4210** | 12-IN BLADE | REACHES UP TO 10-FT
- TP 4212** | 12-IN BLADE | REACHES UP TO 12-FT
- TP 4214** | 12-IN BLADE | REACHES UP TO 14-FT
- TP 4216** | 12-IN BLADE | REACHES UP TO 16-FT

- Pruning head with DualLINK™ and non-stick blade for cuts up to 1-in
- Tempered steel triple-ground saw blade
- Overall length extends with twist-lock adjustment
- Rope drive activation
- Tree pruner with 12-in conventional saw blade
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- AC 7243D** - RazorTOOTH Saw® Blade
- 4200-1** - Cutting Blade
- 4200-36** - Locknut and Washer for Saw Blade
- 4200-5** - Spring



DUAL COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3841 | 15-IN BLADE | REACHES UP TO 12-FT

- Tempered steel conventional saw blade
- Pruning head with 3X cutting power features a compound action pulley system and rope drive
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1-in
- Overall length extends up to 12-ft with twist-lock adjustment
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 3800-1*** - Cutting Blade with Pivot Bolt and Nut
- 6800-12** - Adapter
- 6800-13†** - Steel Roller
- 3800-5** - Spring
- 3800-6** - Conventional Saw Blade
- AC 7240** - RazorTOOTH Saw® Tree Pruner Blade
- 6821-11** - Pole Without Foam Grip - 14-ft

† Last Chance - Quantities Available
* Formerly 6800-1



COMPOUND ACTION TREE PRUNER WITH ROPE DRIVE

TP 3714 | 15-IN BLADE | REACHES UP TO 14-FT

- Die-cast zinc alloy pruning head with non-stick blade and rope drive cuts up to 1-in
- Compound-action pulley system triples your cutting power
- Tempered steel conventional saw blade
- Overall length extends up to 14-ft with twist-lock adjustment
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- 3800-1*** - Cutting Blade with Pivot Bolt and Nut
- 6800-12** - Adapter
- 6800-13†** - Steel Roller
- 3800-5** - Spring
- 3800-6** - Conventional Saw Blade
- AC 7240** - RazorTOOTH Saw® Tree Pruner Blade
- 6821-11** - Pole Without Foam Grip - 14-ft

† Last Chance - Limited Quantities Available
* Formerly 6800-1



TREE SAW WITH DETACHABLE SAW

TP 2212 | 13-IN BLADE | REACHES UP TO 12-FT

- Lightweight, reinforced-fiberglass pole
- Detachable hand saw for use at ground level
- Saw blade cuts up to 8-in
- Heat-treated blade for durability
- Lifetime warranty

• **REPLACEMENT PARTS AVAILABLE**

- AC 7243D** - Blade



LONG REACH PRUNER

SwivelCUT

with **PowerGLIDE™** grip

TP 3206 | REACHES UP TO 62-IN

- Head rotates 360°, tilts and swivels for unlimited cutting positions
- Overall length of 62-in is ideal for pruning high or low, without bending or straining
- Lightweight: weighs only 2 ½-lb so you can prune trees, shrubs and roses all day
- PowerGLIDE™ comfort grip eliminates tangled ropes
- Lifetime warranty

MAX TREE PRUNER COMPONENTS

STRENGTH & DURABILITY



MAX BYPASS PRUNERS

AC 9000

- 3X cutting power with compound action pulley system
- Die-cast zinc alloy pruning head with non-stick tempered steel blade cuts up to 1 1/4-in
- Exclusive PowerGLIDE™ rope-pull system for smooth action
- Convertible-action pulley system converts from compound to direct pull, giving workers a choice between faster cutting or less required force
- Includes pivot bolt for mounting AC 7241 RazorTOOTH Saw® tree pruner blade (sold separately)
- Built-in ferrule can be attached to 1 1/4-in diameter poles by drilling holes in pole and adding fasteners (not included)
- Lifetime warranty



MAXFORGED PROFESSIONAL TREE PRUNER HEAD

6880-8

- Compound action, dual rope-pull system triples your cutting power
- Heavy-duty forged steel hook and RadialARC® blade with 1 1/2-in diameter cutting capacity
- Thickest, most weather-resistant polypropylene pull rope and wood grip
- Built-in ferrule fits TP 6881 poles snap-button
- Can also be attached to other 1 1/4-in diameter poles by drilling holes in pole and adding fasteners (not included)
- Lifetime warranty

MAX TREE PRUNER SAW BLADES

STRENGTH & DURABILITY

RazorTOOTH Saw® Replacement Blades

Upgrade your cutting performance with these replacement saw blades, featuring RazorTOOTH Saw® technology for a 2X faster cut. The 3-sided impulse-hardened teeth stay sharp longer, and the chrome-plated blades reduce friction for improved efficiency. Crafted with durable SK5 steel and backed by a lifetime warranty.



MAX TREE PRUNER BLADE

AC 7242 | 12-IN BLADE

- Fits Corona® TP 3714 and other tree pruners
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7243D | 13-IN BLADE

- Fits Corona® TP 6870, TP 6830, TP3001
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7240 | 13-IN BLADE

- Fits Corona® TP 3714 and standard tree pruner saw heads for arborists
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7041 | 7-IN BLADE

- Fits Corona® RS 7041
- Lifetime warranty



MAX TREE PRUNER SAW BLADES

STRENGTH & DURABILITY



MAX TREE PRUNER BLADE

AC 7241D | 13-IN BLADE

- Fits Corona® TP 6870, TP 6830
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7265 | 10-IN BLADE

- Fits Corona® RS 7265
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7395 | 14-IN BLADE

- Fits Corona® RS 7395
- Lifetime warranty



MAX RAKER SAW BLADE

AC16290 | 21-IN BLADE

- Fits Corona® RS16290
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 7610 | 16-IN BLADE

- Tang design fits Corona® TP 6881 and AC 9200
- Lifetime warranty



MAX TREE PRUNER BLADE

AC 15284 | 12-IN BLADE

- Tang design fits Corona® TP15284
- Lifetime warranty



MAX BLADE AND MOUNTING FERRULE

AC 7672 | 16-IN BLADE

- Built-in ferrule fits TP 6881 poles snap-button system
- Can also be attached to other 1 1/4-in diameter poles by drilling holes in pole and adding fasteners (not included)
- Lifetime warranty





SNIP. SHEAR. THIN. HARVEST.

SHEARS & SNIPS
HYDROPONIC TOOLS
FLORAL SHEARS



MAX SHEARS & SNIPS

STRENGTH & DURABILITY



Since the late 1920s, when other manufacturers were settling for stamped or cast tools, Corona® has been using high-quality forged steel to deliver superior performance and reliability. Generations later, these classically designed agricultural shears and snips are shearing California grape vines, pruning lemon, orange and avocado trees in the Southwest, apple trees in the Northwest, Midwest and East, while clipping, plucking and shaping landscapes around the world.

MAXFORGED CITRUS SHEARS | BYPASS

AG 5020

- Designed for rapid, high-volume lemon and citrus harvesting
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- 2 blade design for less interference during harvesting
- Non-slip grips
- Includes synthetic strap
- Lifetime warranty



MAXFORGED ORANGE SHEAR | BYPASS

AG 5060

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes synthetic strap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 4300-3 - Pivot Bolt and Nut
- 5050-5 - Spring
- 5060-42 - Synthetic Strap



MAXFORGED ORANGE SHEAR | ANVIL

AG 5050

- Designed for rapid, high-volume orange, grapefruit and apple harvesting
- Specially designed to sever fruit cleanly from fruiting spur
- Drop-forged steel alloy construction with resharpenable blades
- Custom-ground cutting edges and balanced spring design for fast, precise action
- Includes leather strap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 4300-3 - Pivot Bolt and Nut
- 5050-5 - Spring
- 5060-42 - Synthetic Strap



MAXFORGED AVOCADO SHEAR

AG 5040

- Designed for rapid, high-volume harvesting of avocados, mangoes, persimmons, tomatoes and other delicate fruits
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Non-slip grips
- Includes leather strap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 4300-3 - Pivot Bolt and Nut
- 5050-5 - Spring
- 5060-42 - Synthetic Strap



MAXFORGED LEMON SHEAR

AG 5010

- Designed for rapid, high-volume lemon and lime harvesting
- Rounded tips help prevent damaged fruit
- Drop-forged steel alloy construction with resharpenable blades
- Rounded tips help prevent damaged fruit
- Close-tolerance pivot bolt
- Includes leather strap
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
- 4300-3 - Pivot Bolt and Nut
- 5010-5 - Spring
- 5060-42 - Synthetic Strap



SYNTHETIC STRAP

5060-42

- Use with AG 5060, AG 5050, AG 5040 or AG 5010

MAX SHEARS & SNIPS

STRENGTH & DURABILITY



MAX STAINLESS STEEL SHORT STRAIGHT SNIPS

AG 4910SS | 1-IN BLADES

- Short, straight, blunt-nosed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty



MAX STAINLESS STEEL LONG CURVED SNIPS

AG 4940SS | 1 3/4-IN BLADES

- Designed for picking and field-dressing grape bunches
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty



MAX STAINLESS STEEL LONG STRAIGHT SNIPS

AG 4930SS | 1 3/4-IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty



MAX STAINLESS STEEL SHORT CURVED SNIPS

AG 4920SS | 1-IN BLADES

- For use in harvesting apples, pitted fruits and berries
- Corrosion-resistant stainless steel blades prevent rusting, are easier to clean and reduce germ build-up
- Unobtrusive leather strap lock
- Lifetime warranty



SHEARS & SNIPS

LONG STRAIGHT SNIPS

AG 4930 | 1 3/4-IN BLADES

- Long, straight, pointed blade for a wide range of applications
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
4900-5 - Spring



LONG CURVED SNIPS

AG 4940 | 1 3/4-IN BLADES

- Designed for picking and field-dressing grape bunches
- Fully heat-treated steel blades for strength
- Blades, spring and handle coated to prevent rust
- Unobtrusive leather strap lock
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
4900-5 - Spring



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

HYDROPONIC TOOLS

HYDROPONIC FINGER MICRO SNIPS

FS 4110 | 1 1/4-IN BLADES

- Sharp stainless steel blades and tip allows for precision cutting
- Handle and blade can be sterilized to limit cross contamination
- Spring in the handle helps to open the blades after each cut
- Durable ABS-plastic handle for lightweight comfort and performance
- Large finger hole in the handle for comfort with push-button thumb lock for safety
- Lifetime warranty



HYDROPONIC MICRO SNIPS

FS 4120 | 2 5/16-IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Durable handle with soft-touch feel for lightweight comfort and performance
- Double-sided lock for left- or right-hand use
- Adjustable pivot bolt for personal comfort
- Lifetime warranty



HYDROPONIC SCISSORS

FS 4130 | 2-IN BLADES

- Stainless steel blades with double beveled tapered tips for precision cuts
- Durable handle offers lightweight comfort and performance
- Handle and blades can be sterilized to limit cross contamination
- Lifetime warranty



MAX FLORAL SHEARS

MAXFORGED THINNING SHEAR

FS 4350 | 1 3/4-IN BLADES

- Resharpenable, straight, narrow blades for tight spaces
- Forged steel alloy construction
- Scissor-cutting action
- Suitable for left- and right-hand use
- Non-slip grips
- Lifetime warranty
- **REPLACEMENT PARTS AVAILABLE**
 - 4300-3 - Pivot Bolt and Nut
 - 4300-5 - Spring
 - 6000-43 - Clip and Eyelet



FLORAL SHEARS



ERGO DEAD HEADER SNIP *ErgoCUT*

NEW

FS14630

- Perfect for repetitive deadhead removal
- Ergonomic design reduces hand strain
- Finger loop provides improved control
- Precision-ground, high carbon steel blades for lasting sharpness
- Easy release secure blade lock
- Lifetime warranty



PRECISION SCISSORS *HardenedSTEEL*

FS14530 | 1 3/4-IN BLADES

- Comfortable, open handle grips are perfect size to give precise control
- Fine, pointed blades are able to reach and isolate specific stems for pruning
- High carbon steel blades to retain their razor-sharp edge
- Special shape makes tool ideal for hard to reach pruning
- Lifetime warranty



FLORAL SNIPS *ComfortGEL*

FS 3204 | 1 3/4-IN BLADES

- Fully heat-treated blades maintain sharpness
- Volute spring resists dirt build-up and clogging
- Thorn stripper for stems up to 3/8-in diameter
- Maximize comfort and control with soft, ergonomically shaped grip
- Lifetime warranty



MICRO SNIPS *ComfortGEL*

FS 3214D | 1 3/4-IN BLADES

- Compact, sharp stainless steel blades with double-beveled tapered tips for precision cuts
- Handle and blades can be sterilized with alcohol to limit cross contamination and to remove sap
- Heavy-duty spring for reliable performance
- Full stainless steel core
- Maximize comfort and control with soft, ergonomically shaped grips
- Built-in lock
- Lifetime warranty




MINI FLORAL SNIPS *YardEssentials*

NEW

FS43623

- Provides precision control
- Rust-resistant stainless steel blade
- All metal handle with a soft-feel grip
- Easy release secure blade lock
- Red only
- Lifetime warranty



MINI FLORAL SNIPS VARIETY PACK *YardEssentials*

NEW

FS43624

- Pack of 12: 3 red, 3 green, 3 yellow, 3 black
- Easy-to-spot colors
- Lifetime warranty




FLORAL SCISSORS *ComfortGEL*

FS 3394 | 3-IN BLADES

- ComfortGEL® ergonomic grips for superior comfort
- Wavy, serrated 3-in edges hold stems while cutting
- Resharpenable stainless steel blades won't rust
- Blades separate for ease of cleaning
- Lifetime warranty



WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



STOW. SHARPEN. CUSHION.

SCABBARD
SHARPENER
KNEELER PAD



MAX LEATHER SCABBARD

AC 7220 | 5-IN

- Universal design fits most hand pruners and folding saws up to 8-in
- Top-grain leather construction
- Stitched and riveted for durability
- Belt clip and loops included
- Pouch depth: 5-in
- Lifetime warranty



ACCESSORIES



UNIVERSAL TOOL POUCH

AC 4510 | 5-IN

- Universal design fits hand pruners and folding saws up to 8-in
- Durable nylon construction
- Easy to carry using metal clip or belt loops
- Front pocket for sharpener storage
- Pouch depth: 5-in
- Lifetime warranty



Sharpener not included



PLASTIC SCABBARD

AC 7400

- Fits curved pruning saws with blades up to 14-in such as Corona® RS 7395, RS 7120 and other brands
- Lightweight and high-strength reinforced poly construction
- Protects saw blade when not in use
- Waistband clip and belt loop option
- Easy carrying with hinged belt loop and reinforced carabiner hole
- Lifetime warranty

U.S. Patent D518,952



SHARPENING TOOL

AC 8300

- Ideal for sharpening all blades (excludes saw blades)
- Easy to use instructions are on back of the packaging
- 5-in super carbide file
- Easy to fit in pocket
- Non-slip grip for easy use
- Lifetime warranty



KNEELER PAD

KN 1000

NEW

- Shock absorbing EVA foam
- Ultra cushioning memory foam
- Water-resistant neoprene
- Easy Grip with carrying handle
- 1-year warranty

WARNING: This product can expose you to chemicals including phthalates (BBP, DBP, DEHP, DIDP, DINP and DNHP) and lead which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

CORRUGATED DISPLAYS

From mini displays ideal for POS on counters, to a floor-standing display, we've developed mix & match merchandising solutions for a breadth of Corona® products. Where space is limited, these displays help drive incremental sales and maximize awareness in even the smallest areas.



SP 20099
54 Pc. Bonus Pack
Pruner Sidekick Display

- SP 9914 (18 ea)
- SP 6250 (18 ea)
- SP 9934 (18 ea)



SP 20093
18-in 18 Pc. Spring Pruning
Counter Display

- BP 3160 (6 ea)
- BP 3180D (6 ea)
- BP15280 (6 ea)



SP 20088
18-in 24 Pc. Yard Essentials
Counter Display

- BP13623 (6ea)
- BP13630 (12 ea)
- FS14630 (6ea)



SP 20092
18-in 18 Pc. Counter Display

- RS16120 (6 ea)
- RS 7245 (6 ea)
- RS 7255 (6 ea)



SP 20096
18-in 30 Pc. Counter Display

- FS 3214D (12 ea)
- FS14530 (6 ea)
- AG 4920SS (6 ea)
- AG 4930SS (6 ea)

Drive sell-through of Corona's most highly demanded tools with well-organized merchandisers and the right mix of inventory plan-o-grams.



SP 1502

Corona Gardening and Planting Display - with CT 30x0i Hand Tool Series

- CT 3010i (6 ea)
- CT 3020i (6 ea)
- CT 3030i (6 ea)
- CT 3050i (6 ea)
- GT 3234 (4 ea)
- GT 3244 (4 ea)
- GT 3254 (4 ea)
- LG 3624 (4 ea)
- LG 3634 (4 ea)
- LG 3654 (4 ea)
- LG 3684 (4 ea)
- LG 3694 (4 ea)
- MR 9256C-1 (1 ea)



SP 1503

Corona Gardening and Planting Display with CT 33x4 Hand Tool Series

- CT 3314 (8)
- CT 3324 (8)
- CT 3334 (8)
- CT 3354 (8)
- GT 3234 (4 ea)
- GT 3244 (4 ea)
- GT 3254 (4 ea)
- LG 3624 (4 ea)
- LG 3634 (4 ea)
- LG 3654 (4 ea)
- LG 3684 (4 ea)
- LG 3694 (4 ea)
- MR 9256C-1 (1 ea)



SP 9939

Corona Outdoor Pruning Display

- AC 7220 (6 ea)
- AC 8300 (12 ea)
- AP 3334 (6 ea)
- BP 3180D (6 ea)
- BP 3214D (6 ea)
- BP 4314D (6 ea)
- FS 3214D (6 ea)
- FS 3394 (6 ea)
- HS 3244 (6 ea)
- RS16120 (6 ea)
- SL 3264 (6 ea)
- MR 9236 (1 ea)

PROMO PACKS

Designed to offer great value and a combination of popular tools, Corona® Promo Packs will help drive sell-through and incremental sales. The range includes packs for the professional landscaper with high-demand accessories, as well as bonus packs for the engaged gardener.



SP10001 Lopper & Pruner Bonus Pack

- SL 3310
- BP13623



SP10004 Shrub, Branch & Stem 3 pc. Set

- SS 3310
- HS11109
- BP13623



SP10003 Flower, Branch & Stem 3 pc. Set

- FS 3394
- BP13623
- FS43623



SP 9914 Bonus Pack

- BP 3180D (1 ea)
- AC 7220 (1 ea)



SP 9934 Bonus Pack

- BP 3160 (1 ea)
- AC 7220 (1 ea)



SP 6250 Bonus Pack

- BP 6250 (1 ea)
- AC 4510 (1 ea)
- AC 8300 (1 ea)



SP16380 Bonus Pack

- BP16380 (1 ea)
- AC 4510 (1 ea)
- AC 8300 (1 ea)



SP10002 3 pc. Wood Handle Garden Tools

- CT 4060
- CT 4030
- CT 4020

| | | | | | | | | | |
|--------------------|--------|--------------------|------------|--------------------|------------|---------------------|------------|---------------------|------------|
| 1006-80 | 33 | 2706-4 | 31 | 60100-4 | 12 | 6801-4 | 73, 74 | 8461-40C | 65 |
| 1006-84 | 33 | 2706-4S | 31 | 60101-8 | 12 | 6801-5 | 73, 74 | 8462-1 | 65 |
| 1006-87 | 33 | 2706-80 | 31 | 6100-3 | 57 | 6801-7 | 73, 74 | 8462-2 | 65 |
| 1006-91 | 33 | 2706-82 | 31 | 6100-5 | 57 | 68010-4 | 43 | 8462-3 | 65, 66 |
| 1010-4 | 34 | 2706-83 | 31 | 61000-4 | 40, 41 | 6821-11 | 75 | 8480-4 | 65 |
| 1010-80 | 34 | 2706-84 | 31 | 61002-4 | 29 | 6830-11 | 73, 74 | 8481-37 | 65, 66 |
| 1010-81 | 34 | 2706-85 | 31 | 61002-60 | 29 | 6830-8 | 74 | AC 15284 | 77 |
| 1010-83 | 34 | 2706-86 | 31 | 61010-4 | 40 | 6870-11 | 73 | AC 2500 | 31, 32, 33 |
| 1010-85 | 34 | 2706-87 | 31 | 61018-8 | 29 | 6880-8 | 73 | AC 2600 | 31, 32, 33 |
| 1010-89 | 34 | 2706-88 | 31 | 61020-4 | 40, 41 | 6880-1 | 74 | AC 2806 | 30 |
| 1010-91 | 34 | 2706-89 | 31 | 61030-4 | 40 | 6880-12 | 74 | AC 2806FF | 30 |
| 15147-4 | 65 | 2706-91 | 31 | 61100-4 | 44 | 6880-14 | 74 | AC 4510 | 61, 85 |
| 15148-4 | 65 | 2806-100 | 30 | 61101-4 | 44 | 6880-15 | 74 | AC 7041 | 71, 76 |
| 15149-1 | 65 | 2806-101 | 30 | 6200-5 | 57, 61 | 6880-16 | 74 | AC 7220 | 61, 85 |
| 15149-2 | 65 | 2806-102 | 30 | 62000-4 | 28 | 6880-17 | 74 | AC 7240 | 75, 76 |
| 15149-37 | 65 | 2806-103 | 30 | 62000-8 | 28 | 6880-18 | 74 | AC 7241D | 73, 74, 77 |
| 15149-4 | 65 | 2806-104 | 30 | 62001-8 | 28 | 6880-19 | 74 | AC 7242 | 76 |
| 15149-41 | 65 | 2806-4 | 30 | 62060-4 | 27, 28 | 6880-2 | 74 | AC 7243D | 75, 76 |
| 15149-42 | 65 | 2806-80 | 30 | 6250-1T | 58 | 6880-20 | 74 | AC 7265 | 70, 77 |
| 15150-40 | 61 | 2806-83 | 30 | 6250-3T | 58 | 6880-21 | 74 | AC 7395 | 70, 77 |
| 15150-40 | 64 | 2806-87 | 30 | 6250-5T | 58 | 6880-3 | 74 | AC 7400 | 85 |
| 15180-1 | 57 | 2806-88 | 30 | 6250-91C | 58 | 6880-35 | 74 | AC 7610 | 74, 77 |
| 15180-43 | 57 | 2806-91 | 30 | 6300-1 | 66 | 6880-5 | 74 | AC 7672 | 74, 77 |
| 15180-5 | 57 | 2806-92 | 30 | 6300-2 | 66 | 6880-8 | 74, 76 | AC 8300 | 61, 85 |
| 15280-1C | 58 | 2806-93 | 30, 31, 32 | 6300-3 | 65, 66 | 6881-11 | 74 | AC 9000 | 76 |
| 15280-3 | 58 | 3180-1 | 57 | 6300-40 | 66 | 6881-44 | 74 | AC 90000 | 39 |
| 15280-5C | 58 | 3180-3 | 57 | 6300-41 | 62, 66, 68 | 6881-45 | 74 | AC10001 | 34 |
| 16020-1 | 70 | 3310-1 | 68 | 6310-1 | 66 | 6900-3 | 62, 63 | AC10002 | 34 |
| 16120-1 | 70 | 3351-3 | 68 | 6310-1C | 58 | 6900-40 | 62, 68 | AC15060 | 71 |
| 16120-1 | 70 | 3351-4 | 68 | 6310-2 | 66 | 69000-050 | 52 | AC16290 | 77 |
| 16249-1 | 66 | 3420-1 | 68 | 6310-3C | 58 | 69000-100 | 52 | AC50012 | 34 |
| 16249-2 | 66 | 3420-2 | 68 | 6310-5C | 58 | 69000-118 | 52 | AC50045 | 34 |
| 16249-3 | 66 | 3460-1 | 68 | 6310-91C | 58 | 69000-200 | 52 | AC60007 | 34 |
| 16249-4 | 66 | 3460-3 | 68 | 6320-4N | 66 | 69000-835 | 52 | AC60014 | 34 |
| 16249-40 | 66 | 3670-1C | 57 | 6360-4 | 66 | 6920-4 | 62 | AG 4910SS | 81 |
| 16380-1 | 57 | 3670-91C | 57 | 6400-1 | 66 | 6940-40 | 62 | AG 4920SS | 81 |
| 16380-43 | 57 | 3800-1 | 75 | 6400-2 | 66 | 70000-4 | 40 | AG 4930 | 81 |
| 16380-5 | 57 | 3800-5 | 75 | 6400-3 | 66 | 7100-1 | 70 | AG 4930SS | 81 |
| 2006-4 | 33 | 3800-6 | 75 | 6400-40 | 65, 66 | 7100-3 | 56 | AG 4940 | 81 |
| 2006-4 | 33 | 3911-4 | 63 | 6400-41 | 66 | 7100-5 | 56 | AG 4940SS | 81 |
| 2006-80 | 33 | 40000-4 | 49 | 64000-4 | 26 | 71000-4 | 12 | AG 5010 | 80 |
| 2006-81 | 33 | 40000-8 | 49 | 64002-4 | 26 | 71000-8 | 12 | AG 5020 | 80 |
| 2006-81 | 33 | 41000-4 | 49 | 64100-4 | 41, 42 | 71001-4 | 14 | AG 5040 | 80 |
| 2006-83 | 33 | 41000-8 | 49 | 6430-4 | 66 | 71002-4 | 13, 14 | AG 5050 | 80 |
| 2006-83 | 33 | 4180-1 | 60 | 6460-4 | 66 | 71002-8 | 12 | AG 5060 | 80 |
| 2006-84 | 33 | 4180-2 | 60 | 6480-4 | 66 | 7120-4 | 70 | AH 4220 | 63 |
| 2006-85 | 33 | 4180-3 | 60 | 6490-1 | 66 | 7160-4 | 71 | AH 6940 | 62 |
| 2006-86 | 33, 34 | 4180-41 | 60 | 6490-10 | 66 | 7180-3 | 61, 62, 64 | AH 6950 | 62 |
| 2006-87 | 33, 34 | 4180-5 | 60 | 6490-2 | 66 | 7180-40 | 62, 64 | AH 6970 | 62 |
| 2006-88 | 33 | 4180-9 | 60 | 6490-3 | 66 | 7200-1 | 56 | AL 4110 | 67 |
| 2006-89 | 33 | 4200-1 | 75 | 6490-4 | 66 | 7240-41 | 70 | AL 6512 | 66 |
| 2006-91 | 33 | 4200-36 | 75 | 65000-4 | 12 | 7254-1 | 70 | AL 8321 | 65 |
| 24003-4 | 28 | 4200-5 | 75 | 65001-8 | 12 | 7255-1 | 70 | AL 8350 | 65 |
| 24003-8 | 27, 28 | 42000-8 | 49 | 65050-1C | 52 | 7280-1 | 64 | AL 8442 | 65 |
| 25030-4 | 29 | 4300-3 | 80, 82 | 65050-3C | 52 | 77000-4 | 40 | AL 8462 | 65 |
| 2506-4 | 32 | 4300-5 | 57, 82 | 6512-1 | 66 | 8310-39 | 65 | AL 8482 | 65 |
| 2506-80 | 32 | 45030-4 | 28 | 6512-2 | 66 | 8310-40 | 65 | AL15147 | 65 |
| 2506-81 | 32 | 4840-1 | 58 | 6512-4 | 66 | 8310-41 | 65, 66 | AL15148 | 65 |
| 2506-83 | 32 | 4900-5 | 81 | 6750-3 | 61 | 8310-42 | 65 | AL15149 | 65 |
| 2506-84 | 32 | 5010-5 | 80 | 6800-12 | 73, 74, 75 | 8311-1 | 65 | AL16249 | 66 |
| 2506-85 | 32 | 5050-5 | 80 | 6800-13 | 75 | 8311-2 | 65 | AP 3234 | 59 |
| 2506-86 | 32 | 5050-5 | 80 | 6800-43 | 73, 74 | 8320-4 | 65 | AP 3334 | 59 |
| 2506-87 | 32 | 5050-5 | 80 | 68000-4 | 43 | 8350-1 | 65 | AS 90010 | 39 |
| 2506-88 | 32, 34 | 5060-42 | 80 | 6801-1 | 73, 74 | 8350-2 | 65 | AS 90040 | 39 |
| 2506-89 | 32 | 6000-43 | 57, 61, 82 | 6801-13 | 73, 74 | 8350-4 | 65 | AS 90100 | 39 |
| 2506-9 | 32 | 60001-4 | 12, 12 | 6801-15 | 73, 74 | 8441-4 | 65 | AS 90110 | 39 |
| 26000-4 | 43, 44 | 60050-4 | 53 | 6801-3 | 73, 74 | 8460-4 | 65 | AS 90220 | 39 |
| 2606-4 | 32 | 60061-8 | 12 | 6801-36 | 73 | 8460-42 | 65, 66 | AS 90240 | 39 |

INDEX

| | | | | |
|-------------------------|---------------------------|-------------------------|-----------------------|-------------------------|
| AS 90300 39 | FK 42000 14 | LR 3460 60 | SL 4264 67 | SS 65000 41 |
| AS 90310 39 | FK 42010 14 | MA 60041 69 | SL 4364 67 | SS 65020 41 |
| AS 90320 39 | FK 44010 14 | MA 60061 69 | SL 6500 65 | SS 65500 41 |
| AS 90400 39 | FK 70000 13 | MA 60062 69 | SL 7180 64 | SS 66000 41 |
| AX 70020 48 | FK 70004 13 | MA 61060 69 | SL 7280 64 | SS 66020 41 |
| AX 71020 48 | FK 71005 13 | MA13161 8, 69 | SL 8180 64 | SS 68000 43 |
| BM 41002 29 | FK 72004 14 | PD 20000 45 | SL14254 67 | SS 68010 43 |
| BM 61002 29 | FK 72005 14 | PD 40000 45 | SL15167 64 | ST 70020 48 |
| BM 62060 29 | FK 72065 13 | PD 40020 45 | SL24255 67 | ST 70021 48 |
| BP 3130 57 | FL 3420 68 | PD 60000 45 | SP 1502 87 | ST 70023 48 |
| BP 3160 57 | FL 3460 68 | PM 40000 49 | SP 1503 87 | ST 70024 48 |
| BP 3180D 57 | FL 3470 68 | PM 41000 49 | SP 20092 86 | ST 70025 48 |
| BP 3214D 59 | FP 2312 74 | PM 42000 49 | SP 20093 86 | ST 73003 48 |
| BP 3225D 57 | FS 3204 83 | PS 4050 71 | SP 20099 86 | TP 2212 75 |
| BP 3640 57 | FS 3214D 83 | RC 4060 71 | SP 6250 88 | TP 3206 75 |
| BP 3670 57 | FS 3394 83 | RK 10000 29 | SP 9914 88 | TP 3714 75 |
| BP 4180 60 | FS 4110 82 | RK 20002 26 | SP 9934 88 | TP 3841 75 |
| BP 4214D 59 | FS 4120 82 | RK 20022 26 | SP 9939 87 | TP 4210 75 |
| BP 4250 58 | FS 4130 82 | RK 24002 28 | SP10001 88 | TP 4212 75 |
| BP 4314D 59 | FS 4350 82 | RK 24003 28 | SP10002 88 | TP 4214 75 |
| BP 4840 58 | FS14530 83 | RK 24061 27 | SP10003 88 | TP 4216 75 |
| BP 6250 58 | FS14630 7, 83 | RK 25024 29 | SP10004 88 | TP 6780 73 |
| BP 6360 58 | FS43623 7, 83 | RK 25030 29 | SP16380 88 | TP 6830 74 |
| BP 7100D 56 | FS43624 7, 83 | RK 42000 27 | SS 10000 44 | TP 6870 73 |
| BP 7200 56 | GS 3750D 61 | RK 45026 28 | SS 11000 44 | TP 6881 74 |
| BP13623 7, 60 | GS 6750D 61 | RK 45030 28 | SS 25010 44 | TP13001 6, 72 |
| BP13624 7, 60 | GS13760 61 | RK 61061 27 | SS 26000 43 | TP13005 6, 72 |
| BP13630 7, 60 | GT 3040 21 | RK 61062 27 | SS 26010 43 | TP13489 6, 72 |
| BP14364 59 | GT 3050 21 | RK 61063 27 | SS 26020 43 | UT 60050 53 |
| BP15180 57 | GT 3060 21 | RK 61064 27 | SS 27000 43 | UT 60053 53 |
| BP15280 58 | GT 3070 21 | RK 62000 28 | SS 27020 43 | UT 60055 53 |
| BP16380 57 | GT 3080 21 | RK 62001 28 | SS 28000 44 | UT 60057 53 |
| BR 70090 49 | GT 3090 21 | RK 62060 28 | SS 28010 44 | UT 64050 52 |
| BR 71090 49 | GT 3234 21 | RK 62061 28 | SS 29000 44 | UT 65001 52 |
| BS15060 71 | GT 3244 21 | RK 64002 26 | SS 29010 44 | UT 65002 52 |
| CR 1000 9, 35 | GT 3254 21 | RK 64060 26 | SS 30020 43 | UT 65050 52 |
| CR 1001 9, 35 | HS 3244 63 | RK 65001 26 | SS 42001 44 | UT 67001 53 |
| CT 2000 8, 18 | HS 3344 63 | RK 65002 26 | SS 42011 44 | UT 67002 53 |
| CT 3010i 17 | HS 3911 63 | RK 65021 26 | SS 47000 44 | UT 69000 52 |
| CT 3020i 17 | HS 3950 62 | RK 65022 26 | SS 60000 40 | UT 70000 53 |
| CT 3030i 17 | HS 4244 63 | RK 65061 26 | SS 60020 40 | UT 71000 53 |
| CT 3040i 17 | HS 4344 63 | RP 3230 60 | SS 62000 40 | WB 1000 9, 34 |
| CT 3050i 17 | HS 6920 62 | RP 4224D 60 | SS 62010 40 | WB 1006 33 |
| CT 3214 16 | HS 6930 62 | RS 7041 71 | SS 62020 40 | WB 1006FF 33 |
| CT 3224 16 | HS 6960 62 | RS 7120 70 | SS 62130 40 | WB 1010 34 |
| CT 3234 16 | HS 7140 62 | RS 7245 70 | SS 63010 40 | WB 2006 33 |
| CT 3244 16 | HS11109 63, 7 | RS 7255 70 | SS 64103 41 | WB 2006FF 33 |
| CT 3254 16 | HS15150 61 | RS 7265D 70 | SS 64104 41 | WB 2506K 32 |
| CT 3264 16 | HS15340CC 7, 61 | RS 7395 70 | SS 64105 42 | WB 2506KFF 32 |
| CT 3314 15 | HT 69200 14 | RS 7510D 71 | SS 64106 42 | WB 2606K 32 |
| CT 3324 15 | KD 1000 9, 23 | RS16020 70 | SS 64123 41 | WB 2606KFF 32 |
| CT 3334 15 | KD 1000HO 9, 23 | RS16120 70 | SS 64124 41 | WB 2706 31 |
| CT 3344 15 | KD 1000RA 9, 23 | RS16150 70 | SS 64125 42 | WB 2706FF 31 |
| CT 3354 15 | KD 1000SH 9, 23 | RS16290 71 | SS 64126 42 | WB 2706S 31 |
| CT 3364 15 | KD 1001 9, 23 | SF 80000 40 | SS 64223 41 | WB 2706SFF 31 |
| CT 3374 15 | KD 1002 9, 23 | SF 80020 40 | SS 64224 41 | WB 2806 30 |
| CT 4020 8, 18 | KN 1000 8, 85 | SH 20000 12 | SS 64225 42 | WB 2806FF 30 |
| CT 4030 8, 18 | LG 3604 19 | SH 60001 12 | SS 64303 42 | WB13060 34 |
| CT 4050 8, 18 | LG 3624 19 | SH 60060 12 | SS 64304 42 | WB13163 34 |
| CT 4060 8, 18 | LG 3634 19 | SH 60061 12 | SS 64305 42 | WL 3351 68 |
| CT 4080 8, 18 | LG 3654 19 | SH 61000 12 | SS 64306 42 | WL 6310 66 |
| CT15408 17 | LG 3664 20 | SH 63000 12 | SS 64323 42 | WL 6320 66 |
| CT15409 17 | LG 3674 20 | SH 65000 12 | SS 64324 42 | WL 6350 66 |
| CT15411 8, 17 | LG 3684 20 | SH 65000KD 12 | SS 64325 42 | WL 6420 66 |
| CV 20004 13 | LG 3694 20 | SL 3264 67 | SS 64326 42 | WL 6450 66 |
| CV 60064 13 | LG 3710 20 | SL 3310 7, 68 | SS 64333 42 | WL 6470 66 |
| FH 71000 12 | LG 3720 20 | SL 3364 67 | SS 64334 42 | WL 6490 66 |
| FH 71002 12 | LG13744 8, 19 | SL 4150 68 | SS 64335 42 | |

The Corona® Promise

The lifespan of a tool is dependent upon frequency of use, as well as the conditions and environment in which it is used.

Tools used by professionals, everyday, on every job, will more likely wear out long before tools used by occasional or infrequent users. Typically, any defects in materials or workmanship will emerge early in the life of the tool.

Corona® tools are designed, engineered and manufactured to perform their intended purpose, season after season.

Customer satisfaction is at the top of our priority list, so in the event our tool fails to perform as intended due to materials and/or workmanship, Corona promises to provide a solution based on our warranty coverage.

WHAT'S COVERED

Corona tools are guaranteed to be free of defects in materials and workmanship. The tools are backed either by a 1-year or lifetime warranty. Visit coronatools.com for product warranty details. If a Corona tool is found to be defective due to the manufacturing process or the materials used, Corona will replace it free of charge once the tool has been returned along with the original proof of purchase.

WHAT'S NOT COVERED

Corona is dependable and trustworthy and we rely on our customers to be the same. We do not and cannot cover normal wear, lost or stripped parts, altered or modified products, or product damage due to negligence, misuse, or abuse.

CORONA DEFINITION OF ABUSE- Using a tool in a manner for which it was not designed.

PRODUCT SUBSTITUTION

Corona will make an effort to replace any defective tool with one that is similar. If, for any reason, this is not possible, Corona may choose to satisfy your claim by substituting a different product.

GENUINE REPLACEMENT PARTS

All Corona tools are built to last, but certain components will wear out after heavy or repeated use. That's why we offer genuine replacement parts for most MAX products. Visit coronatools.com to see available replacement parts by item number, or contact the **Corona Customer Experience Team** for more information at the number noted below.

CORONA CUSTOMER EXPERIENCE TEAM

Corona Clipper, Inc
Attn: Warranty
22440 Temescal Canyon Rd.
Corona, CA 92883
(800) 234-2547
email: sales@corona.bellota.com

Distribution Center East
6574 Lewis Lane
Louisville, KY 40272

MAKING WARRANTY CLAIMS OUTSIDE THE U.S.

The warranties outlined here apply specifically to products purchased in the United States. If you purchased your product outside of the U.S., your local Corona distributor's standard product warranty will apply. Outside the U.S., warranty claims can be made by returning the tool to where you bought it within the relevant time frame, along with its packaging and original proof of purchase.

Corona reserves the right to ask Dealers and Distributors to send in product photo and contact information for a warranty claim. In some cases, a Return Merchandise Authorization (RMA) number may be required for product returns.



CORONA[®]

SEASON AFTER SEASON

Corona[®] Tools

Headquarters & Distribution Center West

22440 Temescal Canyon Road, Corona, CA 92883

Distribution Center East

6574 Lewis Lane, Louisville, KY 40272

951-737-6515 | 800-847-7863 | sales@corona.bellota.com

coronatools.com



Connect with Corona Tools.

© 2024 Corona, Inc.



CC 9331 - 01/24